

Performance and Protection





A Product You Can Trust

Benefits of Using Phenex[™] Syringe Filters Daily:

- Less system downtime
- More consistent, reproducible results
- Increased column lifetime

Quality filtration products from Phenomenex offer a convenient and inexpensive way to clarify all your samples - for peace of mind and improved analytical results.

Phenex syringe filters are designed for efficient and cost-effective rapid filtration of almost any solution prior to analysis, and are optimized for superior flow rates and highthoughput.

Phenex offers a wide variety of membranes ideal for any application. The housing attaches to any standard Luer lock syringe, so the sample can easily be pushed through the membrane with minimal pressure. The result is a particulate-free eluent that is ready for use with HPLC, GC, or other analytical techniques.



Protect Your Column and Equipment

As a part of good laboratory practice (GLP), chromatography samples and mobile phase solutions should be filtered prior to injection / use. Not only will filtering prolong the life of the analytical column, it will also protect your system, and improve the accuracy of test results by removing unwanted particles. Sample filtration also helps reduce system downtime and equipment replacement, thus saving both time and money.

Prefiltering your sample and mobile phase solutions for particulates and microbial growth prior to analysis is critical to preventing column and frit blockage, undue wear on detectors, pumps, valves, injector seals, and abnormally high operating pressures. Non-filtered samples can also lead to non-reproducible analytical results and significant instrument downtime.

Filtering every sample before injection is the easiest way to improve your results, to protect your system, and extend column lifetime. Particulates Trapped

Particulate-free Sample

Designed for Your Applications

Environmental

Water, wastewater, soil and sludge, and pollution control samples are especially challenging. No matter the sample type, Phenex offers filtration products to meet your demanding requirements.

Pharmaceutical / Biotech

At every stage of the drug discovery process target compounds must be isolated, purified, and prepared prior to testing. Sample complexity in DMPK work can be even more challenging. Difficult samples such as serum, urine and other physiological fluids are easily filtered and clarified using Phenex syringe filters.

Clinical / Toxicology

Removal of particulate matter to sub-micron levels is critical before any clinical sample is injected into an HPLC, GC or mass spectrometer. At every stage of toxicology, samples must be prepared prior to testing. In today's fast-paced environment, rapid and simple sample preparation is a must. Phenex is designed for higher flow rates and throughputs than those of competing products.

Food and Beverage

Food safety is more important than ever and decreasing detection limits are making analysis even more challenging. Accurate and reliable testing is critical to ensure food safety. Phenex filters are routinely used in preparation for analysis of pesticides, herbicides, fungicides, flavors and fragrances. For samples with large amounts of particulate and/or large fibrous matter, use a glass fiber prefilter.

Application / Sample*	Recommended Filter	First Alternative
HPLC and GC Sample Prep	RC	PTFE
Aggressive or Pure Organic Solvents	PTFE	RC
Protein Analysis / Biological Samples	PES	RC
High Particulate Loads	GF/NY	GF + RC
Environmental Methods	GF/NY	RC
Food and Beverage	GF/NY	RC
Clinical / Toxicology	RC	PES
Dissolution Testing	GF/NY	RC
Ion Chromatography	RC	PES
Trace Metals (ICP-MS, AAS)	RC	PES
Capillary Electrophoresis (CE)	RC	PES
Tissue Cultures, Media, Buffers	GF/CA	PES

Removal of high particulate matter with a glass fiber prefilter is critical before any drug, tox, or dirty environmental sample is filtered to ensure the highest

Generally, 0.45 µm porosity filters are used to remove particulates from samples and mobile phase solutions. For sterile-filtration, a 0.20 µm porosity filter can



Two Choices for Most Applications



For Aqueous and Mixed Organic Solutions

Regenerated Cellulose (RC)

As an universal hydrophilic membrane, RC is widely used in chromatography for the clarification of aqueous samples and solvents. Due to its ultra-low protein and non-specific binding characteristics, RC membranes are an excellent choice for proteins, peptides and other biomolecules.



For 100 % Organic Solutions

Polytetrafluoroethylene (PTFE, Teflon®)

PTFE is an inherently hydrophobic membrane, excellent for filtration of organic-based, highly acidic or basic samples and solvents. Widely used in chromatography, it is especially well suited for the clarification of non-aqueous samples. Although this membrane is hydrophobic, it can be made hydrophilic by wetting the membrane with alcohol and then flushing with deionized water.

Or Consider

Additional Syringe Filter Membranes

Membrane Types	Recommended Uses
PES (Polyethersulfone)	Polyethersulfone (PES), a hydrophilic membrane with fast flow, high-throughput characteristics, with ultra-low protein binding. It is ideally suited for use in life sciences applications. The PES membrane offers better chemical resistance than cellulose acetate. Recommended for filtering critical biological sampling, tissue culture media, additives, and buffers.
NY (Nylon)	Nylon (NY) has inherent hydrophilic characteristics and works well for filtration of many aqueous and mixed-organic samples. Nylon exhibits a high non-specific affinity for proteins. Phenomenex recommends Phenex-RC (Regenerated Cellulose) filters for applications requiring low non-specific adsorption of proteins.
CA (Cellulose Acetate)	Cellulose Acetate (CA) membranes exhibit ultra-low protein binding and are broadly used in the filtration of biological samples. In combination with a glass pre-filter (Phenex-GF/CA), this membrane is excellent for filtration of tissue culture media, general biological sample filtration and clarification.
GF (Glass Fiber)	Glass Fiber (GF) filters are made of inert borosilicate glass and have a nominal 1.2 µm pore size. They are commonly used with highly viscous samples or samples containing high concentrations of particulate matter (e.g., food analysis, biological samples, soil samples, fermentation broth samples, removal of yeasts, molds, etc.). Glass Fiber filters can be used alone or in conjunction with other Phenex filter membranes such as the 0.45 µm pore Phenex-RC filter to reduce clogging of the membrane and optimize flow.

High Performance Guaranteed

guarantee

If Phenex Syringe Filters do not perform as well or better than your current syringe filter product of similar membrane, diameter and pore size, return the product with comparative data within 45 days for a FULL REFUND.




Avoid Unnecessary Problems

Using low-quality, low-cost filters can lead to sample contamination by introducing filter membrane and housing extractables directly into your sample.

All Phenex filters are made with the highest grade materials available to remove any unwanted interferents.

Phenex Helps Reduce:

- Extraneous peaks
- False quantitation
- Sample co-elution
- Instrument damage



A Identification

Membrane type and pore size are clearly marked on individual syringe filters

- Luer Lock Inlet Tip
 - Secures connections to prevent "blow off"
- Sample Distribution Rings
 - Creates even sample distribution for high sample flow rates
- Medical Grade Polymer Housing
 - Offers the most inert syringe filter and helps eliminate unwanted secondary interactions with the filter housing
- Ultrasonically Welded

Ensures robust housing - filter integrity

Enhanced Quality

Assures Reliability

After packaging in a clean-room environment, all finished products undergo final quality control. Each production lot is sampled using a random sampling procedure, and individual syringe filter units are inspected and tested for integrity by a comprehensive range of tests.

Each production lot is not released until all in-process and final quality control specifications are met. Further selective testing is periodically performed. The shelf life of packaged product is also monitored and controlled within our warehouses to ensure efficient stock rotation.

The result is a reliable, reproducible, and contaminate-free product.



Phenomenex Phenex syringe filters are manufactured by state-of-the-art production machines and must pass a battery of certification methods and tests. Both manufacturing and packaging processes adhere to the most current quality systems and methods such as:

- ISO
- DIN
- **ASTM**

Critical specifications are set for:

- Bubble point
- Burst pressure
- Membrane adsorption (protein)
- Flow rate
- UV extractables (by HPLC)





Simple to Use

Phenex Instructions



Loading

- Fill the syringe with the liquid sample. Allow a small amount of air (approximately 10 % of the sample volume) to enter the syringe. The air is used as a purge to minimize fluid retention when expelling the sample from the syringe (Step 5 below).
- Select the correct syringe filter per this guide (Refer to page 8).



Assembly

 Twist the luer lock end of the filter securely onto the syringe. (Caution: Do not use syringes without a matching luer lock, otherwise the pressure applied may cause the filter to come off unexpectedly).



Filtration

- To begin filtration, direct the syringe filter outlet tip into the collection vessel and apply gentle pressure to the syringe plunger. (Caution: Small syringes can generate excessive pressures).
- Push the liquid sample, as well as the remaining air, through the syringe filter to maximize sample recovery.

Filter Chemical Compatibility Chart

Chemical compatibility is essential when selecting the proper syringe filter. A reference chart is included with every box detailing the compatibility of Phenex syringe filters with the most common solvents.



Need assistance selecting the most appropiate syringe filter? **Use the Phenex Syringe Filter Selection Tool:**

www.phenomenex.com/ syringefilterfinder

Selection Guide


Select filter diameter based on sample volume


If your sample volume is:						
≤ 2 mL Sample Volume	10 to 100 mL Sample Volume					
4 mm Diameter	15 mm Diameter	25 - 28 mm Diameter				
(The state of the	THE COLUMN THE PROPERTY OF THE	ONS HAD				

Select pore size based on the nature of your sample and chromatographic method

Sample Description	Recommended Filter Pore Size		
General aqueous or mixed organic samples prior to HPLC analysis with column packed with > 3 µm particles. General clarification of GC, SFC, CE, and GPC samples.	0.45 μm		
Viscous samples or samples containing high levels of particulate matter.			
General aqueous or mixed organic samples prior to HPLC analysis with columns packed with \leq 3 μ m particles. Removal of fine particulate matter prior to GC, SFC, CE, and GPC samples.	0.20 μm		
Gas samples prior to GC. Liquid samples prior to UHPLC or LC/MS. Other particulate-sensitive methods.	0.20 μπ		
Viscous samples such as serum, plasma, or other biological matrices. Solutions with high particulate load (e.g., some environmental or food and beverage applications).	Glass Fiber filter with 0.45 µm filter		

Select filter membrane according to the characteristics of your sample and filtering objective







Ordering Information

Get significant savings on large quantity purchases. Additional dimensions and membrane types are available. Please contact your local Phenomenex technical consultant or distributor for availability or assistance.

Membrane Type/Size		4 mm Diameter for ≤ 2 mL sample volumes		15 Diameter for 2 - 10 mL sample volumes		25 - 28 mm Diameter for 10 - 100 mL sample volumes			
	Part No.	Unit	Price	Part No.	Unit	Price	Part No.	Unit	Price
0.45 μm									
Phenex-RC	AF0-3103-12	100/Pk		AF0-2103-12	100/Pk		AF0-8103-12 ⁵	100/Pk	
Regenerated Cellulose)	AF0-3103-52	500/Pk		AF0-2103-52	500/Pk		AF0-8103-52 ⁵	500/Pk	
Phenex-PES ³	_	_		_	_		AF0-8108-12 ⁷	100/Pk	
Polyethersulfone)	_	_		_	_		AF0-8108-52 ⁷	500/Pk	
Phenex-PTFE ⁶	AF0-3102-12	100/Pk		AF0-2102-12	100/Pk		AF0-1102-12	100/Pk	
Polytetrafluoroethylene)	AF0-3102-52	500/Pk		AF0-2102-52	500/Pk		AF0-1102-52	500/Pk	
Phenex-NY	AF3-3107-12	100/Pk		AF0-2107-12	100/Pk		AF0-1107-12	100/Pk	
Nylon)	AF3-3107-52	500/Pk		AF0-2107-52	500/Pk		AF0-1107-52	100/Pk	
Phenex-GF/NY				porosilicate glass fiber p			AF0-1B47-12 ⁷	100/Pk	
Glass Fiber/Nylon)	biofuels, and dissolut	membrane. Excellent for filtration of particle-lade samples, such as foods and beverages, environmental, biofuels, and dissolution samples. Use less hand pressure to filter even the most difficult samples. Outlet connection is luer lock.						500/Pk	
Phenex-GF/CA 2,3,4		An integrated syringe filter unit containing an inert borosilicate glass fiber prefilter and a CA membrane.					AF0-8B09-12 ⁷	100/Pk	
Glass Fiber/Cellulose Acetate)	excellent for filtration connection is luer loc		nedia, genei	ral biological sample filtra	ation and clarification. (Outlet	AF0-8B09-52 ⁷	500/Pk	
0.20 μm									
Phenex-RC	AF0-3203-12	100/Pk		AF0-2203-12	100/Pk		AF0-8203-12 ⁵	100/Pk	
Regenerated Cellulose)	AF0-3203-52	500/Pk		AF0-2203-52	500/Pk		AF0-8203-52 ⁵	500/Pk	
Phenex-PES ³	_	_		_	_		AF0-8208-12 ⁷	100/Pk	
Polyethersulfone)	_	_		_	_		AF0-8208-52 ⁷	500/Pk	
Phenex-PTFE ⁶	AF0-3202-12	100/Pk		AF0-2202-12	100/Pk		AF0-1202-12	100/Pk	
Polytetrafluoroethylene)	AF0-3202-52	500/Pk		AF0-2202-52	500/Pk		AF0-1202-52	500/Pk	
Phenex-NY	AF3-3207-12	100/Pk		AF0-2207-12	100/Pk		AF0-1207-12	100/Pk	
Nylon)	AF3-3207-52	500/Pk		AF0-2207-52	500/Pk		AF0-1207-52	500/Pk	
Phenex-GF/NY				porosilicate glass fiber p			AF0-1A47-12	100/Pk	
Glass Fiber/Nylon	biofuels, and dissolut	membrane. Excellent for filtration of particle-lade samples, such as foods and beverages, environmental, biofuels, and dissolution samples. Use less hand pressure to filter even the most difficult samples. Outlet connection is luer lock.					AF0-1A47-52	500/Pk	
Phenex-GF/CA 2,3,4		An integrated syringe filter unit containing an inert borosilicate glass fiber prefilter and a CA membrane. Excellent for filtration of tissue culture media, general biological sample filtration and clarification. Outlet connection is luer lock.					AF0-8A09-12 ⁷	100/Pk	
Glass Fiber/Cellulose Acetate)						Juilet	AF0-8A09-52 ⁷	500/Pk	
1.20 μm									
Phenex-GF ^{2,3}				us samples. When used			AF0-8515-12 ⁷	100/Pk	
Glass Fiber)		membrane filter, clogging of the membrane filter is prevented and sample clean up is optimized. Outlet connection is luer lock.				Jutiet	AF0-8515-52 ⁷	500/Pk	

- Larger quantity purchases at significant savings are available.
- 2. Glass fiber filters are 28 mm diameter and made of borosilicate. They will remove 90 % of all particles >1.2 μm .
- Housing material is methacrylate butadiene styrene (MBS) polymerisate. Also known as Cyrolite®.
- 4. Cellulose acetate is surfactant-free.

- 5. 26 mm diameter.
- 6. Hydrophobic membrane. Can be made hydrophilic by pre-wetting with IPA.
- 7. 28 mm Diameter.



Above syringe filters are non-sterile.

Housing is made of medical-grade polypropylene (PP) and offer luer lock inlet/slip outlet connections, unless otherwise indicated.



If Phenex Syringe Filters do not perform as well or better than your current syringe filter product of similar membrane, diameter and pore size, return the product with comparative data within 45

Trademarks

Phenex is a trademark of Phenomenex. Teflon is a registered trademark of E.I. du Pont de Nemours and Co. Cyrolite is a registered trademark of CY/RO Industries.

9

Subject to Phenomenex. standard Terms and Conditions which may be viewed at www.Phenomenex.com/TermsAndConditions

© 2012 Phenomenex, Inc. All rights reserved.

 $\textbf{Phenomenex} \hspace{0.2cm} | \hspace{0.2cm} \text{WEB: www.phenomenex.com}$

Australia

t: 02-9428-6444

02-9428-6445

auinfo@phenomenex.com

Austria t: 01-319-1301

f: 01-319-1300

anfrage@phenomenex.com

t: 02 503 4015 (French) t: 02 511 8666 (Dutch)

+31 (0)30-2383749 beinfo@phenomenex.com

t: (800) 543-3681 f: (310) 328-7768

info@phenomenex.com

Denmark

t: 4824 8048

f: +45 4810 6265 nordicinfo@phenomenex.com

Finland

t: 09 4789 0063 f: +45 4810 6265

nordicinfo@phenomenex.com

France t: 01 30 09 21 10

01 30 09 21 11

franceinfo@phenomenex.com

Germany

t: 06021-58830-0 f: 06021-58830-11

anfrage@phenomenex.com

India

t: 040-3012 2400 f: 040-3012 2411 indiainfo@phenomenex.com

Ireland

t: 01 247 5405 f: +44 1625-501796 eireinfo@phenomenex.com

t: 051 6327511

051 6327555

italiainfo@phenomenex.com

Luxembourg

t: +31 (0)30-2418700

f: +31 (0)30-2383749 nlinfo@phenomenex.com

Mexico

t: 001-800-844-5226 f: 001-310-328-7768

tecnicomx@phenomenex.com

The Netherlands

t: 030-2418700

f: 030-2383749

nlinfo@phenomenex.com

New Zealand

t: 09-4780951 f: 09-4780952

nzinfo@phenomenex.com

Norway

t: 810 02 005

f: +45 4810 6265 nordicinfo@phenomenex.com

Puerto Rico

t: (800) 541-HPLC f: (310) 328-7768

info@phenomenex.com

Sweden

t: 08 611 6950 f: +45 4810

+45 4810 6265

nordicinfo@phenomenex.com

United Kingdom

t: 01625-501367

f: 01625-501796

ukinfo@phenomenex.com

United States

t: (310) 212-0555 f: (310) 328-7768 info@phenomenex.com

All other countries: Corporate Office USA

t: (310) 212-0555 f: (310) 328-7768

info@phenomenex.com



www.phenomenex.com



