

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/03/2020

Revision date: 04/03/2020

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Alkanes Blend
 Product code : AL0-131013

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Phenova
 6390 Joyce Dr. Suite 100
 Golden, CO 80403 - United States
 T 1-866-942-2978 - F 1-866-283-0269
info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924
 ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

| | | |
|---|------|---|
| Flammable liquids Category 2 | H225 | Highly flammable liquid and vapour |
| Skin corrosion/irritation Category 2 | H315 | Causes skin irritation |
| Specific target organ toxicity (single exposure) Category 3 | H336 | May cause drowsiness or dizziness |
| Specific target organ toxicity (repeated exposure) Category 2 | H373 | May cause damage to organs through prolonged or repeated exposure |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H225 - Highly flammable liquid and vapour
 H315 - Causes skin irritation
 H336 - May cause drowsiness or dizziness
 H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 - Keep container tightly closed.
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P308+P313 - If exposed or concerned: Get medical advice/attention.
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
 P332+P313 - If skin irritation occurs: Get medical advice/attention.
 P362+P364 - Take off contaminated clothing and wash it before reuse.
 P370+P378 - In case of fire: Use media other than water to extinguish.
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
 P501 - Dispose of contents/container to hazardous or special waste collection point, in

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | Conc. |
|----------------------------|--------------------|-------|
| hexane (Component) | (CAS-No.) 110-54-3 | 20 |
| octane (Component) | (CAS-No.) 111-65-9 | 20 |
| cyclohexane (Component) | (CAS-No.) 110-82-7 | 17.6 |
| heptane (Component) | (CAS-No.) 142-82-5 | 17.6 |
| n-pentane (Component) | (CAS-No.) 109-66-0 | 16 |
| n-nonane (Component) | (CAS-No.) 111-84-2 | 8.8 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures : Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.
Incompatible materials : Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Alkanes Blend | | |
|------------------------|-------------------------------------|------------------------|
| ACGIH | Local name | Octane |
| ACGIH | ACGIH TWA (ppm) | 300 ppm |
| ACGIH | Remark (ACGIH) | URT irr |
| ACGIH | Regulatory reference | ACGIH 2018 |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 2350 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 500 ppm |
| OSHA | Regulatory reference (US-OSHA) | OSHA |
| cyclohexane (110-82-7) | | |
| ACGIH | Local name | Cyclohexane |
| ACGIH | ACGIH TWA (ppm) | 100 ppm |
| ACGIH | Remark (ACGIH) | CNS impair |
| ACGIH | Regulatory reference | ACGIH 2018 |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 1050 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 300 ppm |
| OSHA | Regulatory reference (US-OSHA) | OSHA |
| heptane (142-82-5) | | |
| ACGIH | Local name | Heptane, all isomers |
| ACGIH | ACGIH TWA (ppm) | 400 ppm |
| ACGIH | ACGIH STEL (ppm) | 500 ppm |
| ACGIH | Regulatory reference | ACGIH 2018 |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 2000 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 500 ppm |
| OSHA | Regulatory reference (US-OSHA) | OSHA |

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| hexane (110-54-3) | | |
|-----------------------------|-------------------------------------|---|
| ACGIH | Local name | n-Hexane |
| ACGIH | ACGIH TWA (ppm) | 50 ppm |
| ACGIH | Remark (ACGIH) | CNS impair; peripheral neuropathy; eye irr; Skin; BEI |
| ACGIH | Regulatory reference | ACGIH 2018 |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 1800 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 500 ppm |
| OSHA | Regulatory reference (US-OSHA) | OSHA |
| n-nonane (111-84-2) | | |
| ACGIH | Local name | Nonane |
| ACGIH | ACGIH TWA (ppm) | 200 ppm (Nonane; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value) |
| ACGIH | Remark (ACGIH) | CNS impair |
| ACGIH | Regulatory reference | ACGIH 2018 |
| octane (111-65-9) | | |
| ACGIH | Local name | Octane |
| ACGIH | ACGIH TWA (ppm) | 300 ppm (Octane, all isomers; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value) |
| ACGIH | Remark (ACGIH) | URT irr |
| ACGIH | Regulatory reference | ACGIH 2018 |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 2350 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 500 ppm |
| OSHA | Regulatory reference (US-OSHA) | OSHA |
| n-pentane (109-66-0) | | |
| ACGIH | Local name | Pentane, all isomers (1989) |
| ACGIH | ACGIH TWA (ppm) | 1000 ppm (Pentane, all isomers; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value) |
| ACGIH | Regulatory reference | ACGIH 2018 |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 2950 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |
| OSHA | Regulatory reference (US-OSHA) | OSHA |

8.2. Appropriate engineering controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.

Hand protection:

Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact

Respiratory protection:

Wear appropriate mask

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| | : Colorless |
| | : characteristic |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| cyclohexane (110-82-7) | |
|-------------------------------|---|
| LD50 oral rat | > 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral) |
| LD50 dermal rabbit | > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal) |
| LC50 inhalation rat (mg/l) | > 32.88 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours)) |

| heptane (142-82-5) | |
|----------------------------|---|
| LD50 oral rat | > 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral) |
| LD50 dermal rabbit | > 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal) |
| LC50 inhalation rat (mg/l) | > 29.29 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours)) |

| hexane (110-54-3) | |
|---------------------------|---|
| LD50 oral rat | 16000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral) |
| LD50 dermal rabbit | > 3350 mg/kg body weight (Equivalent or similar to OECD 402, 4 h, Rabbit, Male, Read-across, Dermal) |
| LC50 inhalation rat (ppm) | > 5000 ppm (Equivalent or similar to OECD 403, 24 h, Rat, Male, Experimental value, Inhalation (vapours)) |
| ATE US (oral) | 16000 mg/kg body weight |

| n-nonane (111-84-2) | |
|----------------------------|---------------------------------|
| LD50 oral rat | > 15000 mg/kg (Rat; Literature) |
| LC50 inhalation rat (mg/l) | 17 mg/l/4h (Rat; Literature) |
| LC50 inhalation rat (ppm) | 3200 ppm/4h (Rat; Literature) |
| ATE US (gases) | 3200 ppmV/4h |
| ATE US (vapors) | 17 mg/l/4h |
| ATE US (dust, mist) | 17 mg/l/4h |

| octane (111-65-9) | |
|----------------------------|---|
| LD50 oral rat | 5630 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; >5000 mg/kg bodyweight; Rat; Read-across) |
| LD50 dermal rabbit | > 2000 mg/kg body weight (Rabbit; Read-across; Equivalent or similar to OECD 402) |
| LC50 inhalation rat (mg/l) | 118 mg/l/4h (Rat; Literature study) |
| ATE US (oral) | 5630 mg/kg body weight |
| ATE US (vapors) | 118 mg/l/4h |
| ATE US (dust, mist) | 118 mg/l/4h |

| n-pentane (109-66-0) | |
|-----------------------------|---|
| LD50 oral rat | > 2000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value) |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified Based on available data, the classification criteria are not met |
| STOT-single exposure | : May cause drowsiness or dizziness. |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---|--|
| Aspiration hazard | : Not classified |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |

SECTION 12: Ecological information

12.1. Toxicity

| cyclohexane (110-82-7) | |
|------------------------|--|
| LC50 fish 1 | 4.53 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Measured concentration) |
| EC50 Daphnia 1 | 0.9 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 (algae) | 9.317 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP) |

| n-nonane (111-84-2) | |
|---------------------|----------------------------------|
| LC50 fish 2 | 1 - 10 mg/l (LC50; 96 h; Pisces) |

| octane (111-65-9) | |
|-------------------|--|
| EC50 Daphnia 1 | 0.38 mg/l (EC50; Other; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) |

12.2. Persistence and degradability

| Alkanes Blend | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| cyclohexane (110-82-7) | |
|---------------------------------|---|
| Persistence and degradability | Non degradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 0.22 g O ₂ /g substance |
| ThOD | 3.425 g O ₂ /g substance |

| heptane (142-82-5) | |
|---------------------------------|--|
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 1.92 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 0.06 g O ₂ /g substance |
| ThOD | 3.52 g O ₂ /g substance |
| BOD (% of ThOD) | > 0.5 (5 day(s), Literature study) |

| hexane (110-54-3) | |
|-------------------------------|--|
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| ThOD | 3.52 g O ₂ /g substance |

| n-nonane (111-84-2) | |
|-------------------------------|---|
| Persistence and degradability | Forming sediments in water. Biodegradable in the soil. Adsorbs into the soil. |
| BOD (% of ThOD) | 1.1 (1 days) |

| octane (111-65-9) | |
|---------------------------------|--|
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil. |
| Biochemical oxygen demand (BOD) | 2.33 g O ₂ /g substance (35d) |
| ThOD | 3.5 g O ₂ /g substance |
| BOD (% of ThOD) | 0.67 (35 days) |

| n-pentane (109-66-0) | |
|-------------------------------|---|
| Persistence and degradability | Readily biodegradable in water. Low potential for adsorption in soil. |

12.3. Bioaccumulative potential

| Alkanes Blend | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| cyclohexane (110-82-7) | |
|-------------------------------|---|
| BCF fish 1 | 167 (Pimephales promelas, QSAR) |
| Log Pow | 3.44 (Experimental value, Other, 25 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |
| heptane (142-82-5) | |
| BCF other aquatic organisms 1 | 552 (BCFBAF v3.00, Calculated value) |
| Log Pow | 4.66 (Experimental value) |
| Bioaccumulative potential | Potential for bioaccumulation ($4 \geq \text{Log Kow} \leq 5$). |
| hexane (110-54-3) | |
| BCF fish 1 | 501.187 (Other, Pimephales promelas, QSAR) |
| Log Pow | 4 (Experimental value, Equivalent or similar to OECD 107, 20 °C) |
| Bioaccumulative potential | Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$). |
| n-nonane (111-84-2) | |
| BCF fish 1 | 8118 (BCF) |
| Log Pow | 5.65 (Experimental value) |
| Bioaccumulative potential | Bioaccumable. |
| octane (111-65-9) | |
| BCF fish 1 | 776 - 5129 (BCF) |
| BCF other aquatic organisms 1 | 198.7 (BCF; 105 minutes; Mytilus edulis; Static system; Salt water; Experimental value) |
| Log Pow | 5.18 (Experimental value) |
| Bioaccumulative potential | High potential for bioaccumulation (BCF > 5000). |
| n-pentane (109-66-0) | |
| BCF fish 1 | 171 (BCF) |
| Log Pow | 3.45 (Experimental value; 25 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

12.4. Mobility in soil

| cyclohexane (110-82-7) | |
|-------------------------------|--|
| Surface tension | 0.025 N/m (20 °C) |
| Log Koc | 2.89 (log Koc, Other, QSAR) |
| Ecology - soil | Low potential for adsorption in soil. |
| heptane (142-82-5) | |
| Surface tension | 19.66 mN/m (25 °C) |
| Log Koc | 2.38 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Low potential for adsorption in soil. |
| hexane (110-54-3) | |
| Surface tension | 0.018 N/m (25 °C, 1 g/l) |
| Log Koc | 3.34 (log Koc, QSAR) |
| Ecology - soil | Low potential for mobility in soil. |
| octane (111-65-9) | |
| Surface tension | 0.022 N/m |
| Log Koc | Koc,SRC PCKOCWIN v2.0; 436.8; Calculated value; log Koc; SRC PCKOCWIN v2.0; 2.64; Calculated value |
| n-pentane (109-66-0) | |
| Surface tension | 0.015 N/m (25 °C; 100 %; 0.013 N/m; 20 °C) |
| Log Koc | log Koc,2.9; QSAR |

12.5. Other adverse effects

| Alkanes Blend | |
|-------------------------------|--|
| | |
| cyclohexane (110-82-7) | |
| | |

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|-----------------------------|--|
| heptane (142-82-5) | |
| hexane (110-54-3) | |
| n-nonane (111-84-2) | |
| octane (111-65-9) | |
| n-pentane (109-66-0) | |

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1993 Flammable liquids, n.o.s. (hexane ; cyclohexane ; heptane), 3, II
UN-No.(DOT) : UN1993
Proper Shipping Name (DOT) : Flammable liquids, n.o.s.
hexane ; cyclohexane ; heptane
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Symbols : G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.
T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F).
TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---------------------------------------|---|
| DOT Vessel Stowage Location | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. |
| Emergency Response Guide (ERG) Number | : 128 |
| Other information | : No supplementary information available. |

Transportation of Dangerous Goods

Not applicable

Transport by sea

| | |
|---------------------------------------|--|
| Transport document description (IMDG) | : UN 1993 FLAMMABLE LIQUID, N.O.S. (hexane ; cyclohexane ; heptane), 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS |
| UN-No. (IMDG) | : 1993 |
| Proper Shipping Name (IMDG) | : FLAMMABLE LIQUID, N.O.S. |
| Class (IMDG) | : 3 - Flammable liquids |
| Packing group (IMDG) | : II - substances presenting medium danger |
| Limited quantities (IMDG) | : 1 L |

Air transport

| | |
|---------------------------------------|---|
| Transport document description (IATA) | : UN 1993 Flammable liquid, n.o.s. (hexane ; cyclohexane ; heptane), 3, II, ENVIRONMENTALLY HAZARDOUS |
| UN-No. (IATA) | : 1993 |
| Proper Shipping Name (IATA) | : Flammable liquid, n.o.s. |
| Class (IATA) | : 3 - Flammable Liquids |
| Packing group (IATA) | : II - Medium Danger |

SECTION 15: Regulatory information

15.1. US Federal regulations

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

| | | |
|----------|------------------|------|
| n-nonane | CAS-No. 111-84-2 | 8.8% |
|----------|------------------|------|

cyclohexane (110-82-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

| | |
|-----------|---------|
| CERCLA RQ | 1000 lb |
|-----------|---------|

heptane (142-82-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

hexane (110-54-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

Listed on EPA Hazardous Air Pollutant (HAPS)

| | |
|-----------|---------|
| CERCLA RQ | 5000 lb |
|-----------|---------|

n-nonane (111-84-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

| | |
|--------------------------|--|
| EPA TSCA Regulatory Flag | T - T - indicates a substance that is the subject of a final TSCA section 4 test rule. |
|--------------------------|--|

octane (111-65-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

n-pentane (109-66-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Not subject to reporting requirements of the United States SARA Section 313

15.2. International regulations

CANADA

Alkanes Blend

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cyclohexane (110-82-7)

Listed on the Canadian DSL (Domestic Substances List)

heptane (142-82-5)

Listed on the Canadian DSL (Domestic Substances List)

hexane (110-54-3)

Listed on the Canadian DSL (Domestic Substances List)

n-nonane (111-84-2)

Listed on the Canadian DSL (Domestic Substances List)

octane (111-65-9)

Listed on the Canadian DSL (Domestic Substances List)

n-pentane (109-66-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

hexane (110-54-3)

Listed on EPA Hazardous Air Pollutant (HAPS)

15.3. US State regulations

hexane (110-54-3)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | Maximum allowable dose level (MADL) |
|---|---|---|---|----------------------------------|-------------------------------------|
| No | No | No | Yes | | |

SECTION 16: Other information

Revision date : 04/03/2020

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-phrases:

| | |
|------|---|
| H225 | Highly flammable liquid and vapour |
| H315 | Causes skin irritation |
| H336 | May cause drowsiness or dizziness |
| H373 | May cause damage to organs through prolonged or repeated exposure |

Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.