

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 20/11/2017

Revision date:

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Custom Appendix IX Mix 2
Product code : AL0-130203
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use
Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova
6390 Joyce Dr. Suite 100
80403 Golden, CO - United States
T 1-866-942-2978 - F 1-866-283-0269
info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924
ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Carc. 1A H350
Aquatic Chronic 3 H412

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45
R10
R52/53
Full text of R-phrases: see section 16


Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger
Hazard statements (CLP) : H226 - Flammable liquid and vapor
H350 - May cause cancer
H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP) : P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

smoking
P233 - Keep container tightly closed
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
P308+P313 - IF exposed or concerned: Get medical advice/attention
P370+P378 - In case of fire: Use media other than water to extinguish
P403+P235 - Store in a well-ventilated place. Keep cool
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

EUH phrases : EUH208 - Contains p-phenylenediamine(106-50-3). May produce an allergic reaction

No labeling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methylene Chloride (Component)	(CAS No) 75-09-2 (EC-No.) 200-838-9 (EC index no) 602-004-00-3	95.8	Carc. 2, H351
4-aminobiphenyl (Component) substance listed as REACH Candidate (Biphenyl-4-ylamine)	(CAS No) 92-67-1 (EC-No.) 202-177-1 (EC index no) 612-072-00-6	0.2	Acute Tox. 4 (Oral), H302 Carc. 1A, H350
4-dimethylaminoazobenzene (Component)	(CAS No) 60-11-7 (EC-No.) 200-455-7	0.2	Acute Tox. 3 (Oral), H301 Carc. 1B, H350
3,3'-Dimethylbenzidine (Component)	(CAS No) 119-93-7 (EC-No.) 204-358-0 (EC index no) 612-041-00-7	0.2	Acute Tox. 4 (Oral), H302 Carc. 1B, H350 Aquatic Chronic 2, H411
phentermine (Component)	(CAS No) 122-09-8 (EC-No.) 204-522-1	0.2	Acute Tox. 3 (Oral), H301
diphenylamine (Component)	(CAS No) 122-39-4 (EC-No.) 204-539-4 (EC index no) 612-026-00-5	0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1-naphthylamine (Component)	(CAS No) 134-32-7 (EC-No.) 205-138-7 (EC index no) 612-020-00-2	0.2	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
2-naphthylamine (Component)	(CAS No) 91-59-8 (EC-No.) 202-080-4 (EC index no) 612-022-00-3	0.2	Acute Tox. 4 (Oral), H302 Carc. 1A, H350 Aquatic Chronic 2, H411
5-nitro-o-toluidine (Component)	(CAS No) 99-55-8 (EC-No.) 202-765-8 (EC index no) 612-210-00-5	0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Carc. 2, H351 Aquatic Chronic 3, H412
N-nitrosodibutylamine (Component)	(CAS No) 924-16-3 (EC-No.) 213-101-1	0.2	Acute Tox. 4 (Oral), H302 Carc. 1B, H350
N-Nitrosodiethylamine (Component)	(CAS No) 55-18-5 (EC-No.) 200-226-1	0.2	Acute Tox. 3 (Oral), H301 Carc. 1B, H350
N-Nitroso-N-methylethylamine (Component)	(CAS No) 10595-95-6	0.2	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Carc. 1B, H350
N-Nitrosomorpholine (Component)	(CAS No) 59-89-2	0.2	Acute Tox. 3 (Oral), H301 Carc. 1B, H350
N-Nitrosopiperidine (Component)	(CAS No) 100-75-4 (EC-No.) 202-886-6	0.2	Acute Tox. 3 (Oral), H301 Carc. 1B, H350
N-Nitrosopyrrolidine (Component)	(CAS No) 930-55-2 (EC-No.) 213-218-8	0.2	Acute Tox. 4 (Oral), H302 Carc. 1B, H350
p-phenylenediamine (Component)	(CAS No) 106-50-3 (EC-No.) 203-404-7 (EC index no) 612-028-00-6	0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Picoline (Component)	(CAS No) 109-06-8 (EC-No.) 203-643-7 (EC index no) 613-036-00-2	0.2	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335
o-toluidine (Component) substance listed as REACH Candidate	(CAS No) 95-53-4 (EC-No.) 202-429-0 (EC index no) 612-091-00-X	0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation), H331 Eye Irrit. 2, H319 Carc. 1B, H350 Aquatic Acute 1, H400
quinoline (Component)	(CAS No) 91-22-5 (EC-No.) 202-051-6 (EC index no) 613-281-00-5	0.2	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 2, H411
Name	Product identifier	Specific concentration limits	
2-naphthylamine (Component)	(CAS No) 91-59-8 (EC-No.) 202-080-4 (EC index no) 612-022-00-3	(C >= 0.01) Carc. 1A, H350	

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : May cause cancer by inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapor.
- Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up in absorbent material. Collect spillage.

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Hygiene measures	: Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage conditions	: Keep container tightly closed. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.
Incompatible materials	: Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

4-aminobiphenyl (92-67-1)		
France	VME (mg/m ³)	0.007 mg/m ³ (4-Aminobiphényle; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
France	VME (ppm)	0.001 ppm (4-Aminobiphényle; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
diphenylamine (122-39-4)		
Belgium	Limit value (mg/m ³)	10 mg/m ³ (Diphénylamine; Belgium; Time-weighted average exposure limit 8 h)
France	VME (mg/m ³)	10 mg/m ³ (Diphénylamine; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³ (Diphenylamine; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ Diphenylamine; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m ³)	20 mg/m ³ Diphenylamine; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
2-naphthylamine (91-59-8)		
France	VME (mg/m ³)	0.005 mg/m ³ (2-Naphtylamine; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
France	VME (ppm)	0.001 ppm (2-Naphtylamine; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
5-nitro-o-toluidine (99-55-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (5-nitro-o-toluidine; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)
p-phenylenediamine (106-50-3)		
Belgium	Limit value (mg/m ³)	0.1 mg/m ³ (p-Phénylènediamine; Belgium; Time-weighted average exposure limit 8 h)
France	VME (mg/m ³)	0.1 mg/m ³ (p-Phénylènediamine; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³ (p-Phénylènediamine; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

p-phenylenediamine (106-50-3)		
United Kingdom	WEL TWA (mg/m ³)	0.1 mg/m ³ p-Phenylenediamine; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
o-toluidine (95-53-4)		
Belgium	Limit value (mg/m ³)	8.9 mg/m ³ (o-Toluidine; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	2 ppm (o-Toluidine; Belgium; Time-weighted average exposure limit 8 h)
France	VME (mg/m ³)	9 mg/m ³ (o-Toluidine; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
France	VME (ppm)	2 ppm (o-Toluidine; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	2 ppm (o-Toluidine; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
United Kingdom	WEL TWA (mg/m ³)	0.89 mg/m ³ o-Toluidine; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	0.2 ppm o-Toluidine; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
Methylene Chloride (75-09-2)		
Belgium	Limit value (mg/m ³)	177 mg/m ³ (Chlorure de méthylène; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	50 ppm (Chlorure de méthylène; Belgium; Time-weighted average exposure limit 8 h)
France	VLE (mg/m ³)	356 mg/m ³ (Dichlorométhane; France; Short time value; VRC: Valeur réglementaire contraignante)
France	VLE (ppm)	100 ppm (Dichlorométhane; France; Short time value; VRC: Valeur réglementaire contraignante)
France	VME (mg/m ³)	178 mg/m ³ (Dichlorométhane; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VME (ppm)	50 ppm (Dichlorométhane; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50 ppm (Dichloromethane (Methylene chloride); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
United Kingdom	WEL TWA (mg/m ³)	350 mg/m ³ Dichloromethane; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	100 ppm Dichloromethane; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m ³)	1060 mg/m ³ Dichloromethane; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (ppm)	300 ppm Dichloromethane; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)

8.2. Exposure controls

Appropriate engineering controls

: Either local exhaust or general room ventilation is usually required.

Personal protective equipment

: Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.



Hand protection

: Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.

Eye protection

: Chemical goggles or safety glasses. Safety glasses.

Skin and body protection

: Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.

Respiratory protection

: Wear appropriate mask.

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless.
Odor	: characteristic.
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapor
Relative density	: No data available
Solubility	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

4-aminobiphenyl (92-67-1)	
LD50 oral rat	500 mg/kg (Rat)
ATE CLP (oral)	500 mg/kg body weight
4-dimethylaminoazobenzene (60-11-7)	
LD50 oral rat	200 mg/kg (Rat)
ATE CLP (oral)	200 mg/kg body weight
3,3'-Dimethylbenzidine (119-93-7)	
LD50 oral rat	404 mg/kg (Rat)
ATE CLP (oral)	404 mg/kg body weight
phentermine (122-09-8)	
ATE CLP (oral)	100 mg/kg body weight
diphenylamine (122-39-4)	
ATE CLP (oral)	100 mg/kg body weight
ATE CLP (dermal)	300 mg/kg body weight
ATE CLP (gases)	700 ppmV/4h
ATE CLP (vapors)	3 mg/l/4h

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

diphenylamine (122-39-4)	
ATE CLP (dust, mist)	0.5 mg/l/4h
1-naphthylamine (134-32-7)	
LD50 oral rat	680 mg/kg (Rat)
ATE CLP (oral)	680 mg/kg body weight
2-naphthylamine (91-59-8)	
LD50 oral rat	727 mg/kg (Rat)
ATE CLP (oral)	727 mg/kg body weight
5-nitro-o-toluidine (99-55-8)	
ATE CLP (oral)	100 mg/kg body weight
ATE CLP (dermal)	300 mg/kg body weight
ATE CLP (gases)	700 ppmV/4h
ATE CLP (vapors)	3 mg/l/4h
ATE CLP (dust, mist)	0.5 mg/l/4h
N-nitrosodibutylamine (924-16-3)	
LD50 oral rat	1200 mg/kg (Rat)
ATE CLP (oral)	1200 mg/kg body weight
N-Nitrosodiethylamine (55-18-5)	
LD50 oral rat	220 mg/kg (Rat)
ATE CLP (oral)	220 mg/kg body weight
N-Nitroso-N-methylethylamine (10595-95-6)	
LD50 oral rat	90 mg/kg (Rat)
ATE CLP (oral)	90 mg/kg body weight
N-Nitrosomorpholine (59-89-2)	
LD50 oral rat	282 mg/kg (Rat)
ATE CLP (oral)	282 mg/kg body weight
N-Nitrosopiperidine (100-75-4)	
LD50 oral rat	200 mg/kg (Rat)
ATE CLP (oral)	200 mg/kg body weight
N-Nitrosopyrrolidine (930-55-2)	
LD50 oral rat	900 mg/kg (Rat)
ATE CLP (oral)	900 mg/kg body weight
p-phenylenediamine (106-50-3)	
LD50 oral rat	80 mg/kg (Rat)
LC50 inhalation rat (mg/l)	0.92 mg/l/4h (Rat)
ATE CLP (oral)	80 mg/kg body weight
ATE CLP (dermal)	300 mg/kg body weight
ATE CLP (gases)	700 ppmV/4h
ATE CLP (vapors)	0.92 mg/l/4h
ATE CLP (dust, mist)	0.92 mg/l/4h
2-Picoline (109-06-8)	
LD50 oral rat	600 mg/kg (Rat)
LD50 dermal rabbit	410 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	13 mg/l/4h (Rat)
ATE CLP (oral)	600 mg/kg body weight
ATE CLP (dermal)	410 mg/kg body weight
ATE CLP (gases)	4500 ppmV/4h
ATE CLP (vapors)	13 mg/l/4h
ATE CLP (dust, mist)	1.5 mg/l/4h
quinoline (91-22-5)	
LD50 oral rat	262 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value; 331 mg/kg bodyweight; Rat; Literature study)
LD50 dermal rat	1377 mg/kg (Rat; Experimental value; Equivalent or similar to OECD 402)
LD50 dermal rabbit	540 mg/kg (Rabbit; Literature study)
o-toluidine (95-53-4)	
LD50 oral rat	670 mg/kg (Rat)
LD50 dermal rabbit	3250 mg/kg (Rabbit)

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

o-toluidine (95-53-4)	
ATE CLP (oral)	100 mg/kg body weight
ATE CLP (dermal)	3250 mg/kg body weight
ATE CLP (gases)	700 ppmV/4h
ATE CLP (vapors)	3 mg/l/4h
ATE CLP (dust, mist)	0.5 mg/l/4h

Methylene Chloride (75-09-2)	
LD50 oral rat	> 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study)

Skin corrosion/irritation	: Not classified Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: May cause cancer. May cause cancer
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity – single exposure	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity – repeated exposure	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

3,3'-Dimethylbenzidine (119-93-7)	
LC50 fish 1	56 mg/l (LC50; 48 h)
EC50 Daphnia 1	3.2 mg/l (EC50; 24 h)
Threshold limit algae 1	3.7 mg/l (EC50; 72 h)

diphenylamine (122-39-4)	
EC50 Daphnia 1	2.3 mg/l (EC50; 24 h)
LC50 fish 2	2.2 - 5.1 mg/l (LC50; 48 h)
Threshold limit algae 1	0.048 mg/l (EC50; 72 h)

1-naphthylamine (134-32-7)	
LC50 fish 1	1 - 10 ppm (LC50; 96 h)
Threshold limit algae 1	1.7 mg/l (EC20; 4 h)

N-Nitrosodiethylamine (55-18-5)	
LC50 fish 1	775 mg/l (LC50; 96 h)

p-phenylenediamine (106-50-3)	
EC50 Daphnia 1	0.28 mg/l (EC50; 48 h)
LC50 fish 2	0.028 mg/l (LC50; 96 h)
Threshold limit algae 1	0.28 mg/l (EC50; 96 h)

2-Picoline (109-06-8)	
LC50 fish 1	897 mg/l (LC50; 96 h)
EC50 Daphnia 1	> 100 mg/l (EC50; 48 h)

quinoline (91-22-5)	
LC50 fish 2	7.42 mg/l (LC50; 96 h)
EC50 Daphnia 2	28.5 mg/l (EC50; 48 h)

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

o-toluidine (95-53-4)	
LC50 fish 1	68 - 100 mg/l (LC50; 96 h; Leuciscus idus)
EC50 Daphnia 1	0.52 mg/l (EC50; 48 h)

Methylene Chloride (75-09-2)	
LC50 fish 1	193 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 1	168.2 mg/l (EC50; 48 h)

12.2. Persistence and degradability

Custom Appendix IX Mix 2	
Persistence and degradability	May cause long-term adverse effects in the environment.

4-aminobiphenyl (92-67-1)	
Persistence and degradability	Biodegradability in water: no data available.

4-dimethylaminoazobenzene (60-11-7)	
Persistence and degradability	Biodegradability in water: no data available.

3,3'-Dimethylbenzidine (119-93-7)	
Persistence and degradability	Not readily biodegradable in water.

diphenylamine (122-39-4)	
Persistence and degradability	Not readily biodegradable in water.
ThOD	2.39 g O ₂ /g substance

1-naphthylamine (134-32-7)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.89 g O ₂ /g substance
Chemical oxygen demand (COD)	2.41 g O ₂ /g substance
ThOD	2.57 g O ₂ /g substance
BOD (% of ThOD)	0.35

2-naphthylamine (91-59-8)	
Persistence and degradability	Not readily biodegradable in water.
ThOD	2.57 g O ₂ /g substance
BOD (% of ThOD)	0.57

5-nitro-o-toluidine (99-55-8)	
Persistence and degradability	Photolysis in water. Adsorbs into the soil.

N-nitrosodibutylamine (924-16-3)	
Persistence and degradability	Biodegradability in water: no data available.

N-Nitrosodiethylamine (55-18-5)	
Persistence and degradability	Not readily biodegradable in water.

N-Nitroso-N-methylethylamine (10595-95-6)	
Persistence and degradability	Biodegradability in water: no data available.

N-Nitrosomorpholine (59-89-2)	
Persistence and degradability	Biodegradability in water: no data available.

N-Nitrosopiperidine (100-75-4)	
Persistence and degradability	Biodegradability in water: no data available.

N-Nitrosopyrrolidine (930-55-2)	
Persistence and degradability	Biodegradability in water: no data available.

p-phenylenediamine (106-50-3)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air.
Chemical oxygen demand (COD)	1.96 g O ₂ /g substance
BOD (% of ThOD)	0 (5 days; Literature study)

2-Picoline (109-06-8)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.75 g O ₂ /g substance

quinoline (91-22-5)	
Persistence and degradability	Not readily biodegradable in water. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	1.71 g O ₂ /g substance
Chemical oxygen demand (COD)	2.31 g O ₂ /g substance
ThOD	2.5 g O ₂ /g substance
BOD (% of ThOD)	0.68

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

o-toluidine (95-53-4)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Photolysis in the air.
Biochemical oxygen demand (BOD)	1.43 g O ₂ /g substance
ThOD	2.54 g O ₂ /g substance
BOD (% of ThOD)	0.56
Methylene Chloride (75-09-2)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil.
12.3. Bioaccumulative potential	
Custom Appendix IX Mix 2	
Bioaccumulative potential	Not established.
4-aminobiphenyl (92-67-1)	
Log Pow	3.09 (Calculated)
Bioaccumulative potential	No bioaccumulation data available.
4-dimethylaminoazobenzene (60-11-7)	
Log Pow	4.58
Bioaccumulative potential	No bioaccumulation data available.
3,3'-Dimethylbenzidine (119-93-7)	
BCF fish 1	4.8 - 83 (BCF)
Log Pow	2.45 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
diphenylamine (122-39-4)	
BCF fish 1	51 - 253 (BCF)
Log Pow	3.22 - 3.50
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
1-naphthylamine (134-32-7)	
BCF fish 1	9 - 54 (BCF)
Log Pow	2.09 - 2.25
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
2-naphthylamine (91-59-8)	
BCF fish 1	32 (BCF)
Log Pow	2.08 - 2.4
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
5-nitro-o-toluidine (99-55-8)	
BCF fish 1	3.16 (BCF; 672 h; Poecilia latipinna)
Log Pow	1.96 (Estimated value)
Bioaccumulative potential	Bioaccumable.
N-nitrosodibutylamine (924-16-3)	
Bioaccumulative potential	No bioaccumulation data available.
N-Nitrosodiethylamine (55-18-5)	
BCF other aquatic organisms 1	1 (BCF)
Log Pow	0.48
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
N-Nitroso-N-methylethylamine (10595-95-6)	
Bioaccumulative potential	No bioaccumulation data available.
N-Nitrosomorpholine (59-89-2)	
Log Pow	-0.44
Bioaccumulative potential	Bioaccumulation: not applicable.
N-Nitrosopiperidine (100-75-4)	
Bioaccumulative potential	No bioaccumulation data available.
N-Nitrosopyrrolidine (930-55-2)	
Bioaccumulative potential	No bioaccumulation data available.
p-phenylenediamine (106-50-3)	
BCF fish 1	0.38 (BCF)
Log Pow	-0.25
Bioaccumulative potential	Bioaccumulation: not applicable.

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-Picoline (109-06-8)	
Log Pow	1.1
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

quinoline (91-22-5)	
BCF fish 1	0.1 - 3.8 (BCF)
BCF fish 2	8 (BCF; 144 h)
Log Pow	1.88 - 2.06
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

o-toluidine (95-53-4)	
BCF fish 1	2.2 (BCF; 48 h)
BCF other aquatic organisms 1	5.9 (BCF)
Log Pow	1.29 - 1.4
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

Methylene Chloride (75-09-2)	
BCF fish 1	2 - 40 (BCF)
Log Pow	1.25 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

diphenylamine (122-39-4)	
Surface tension	0.03 N/m (60 °C)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

quinoline (91-22-5)	
Surface tension	0.045 N/m (20 °C)
Log Koc	Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method; 33.6-161-9; Experimental value; log Koc; OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method; 1.53-2.21; Experimental value

o-toluidine (95-53-4)	
Surface tension	0.043 N/m

Methylene Chloride (75-09-2)	
Surface tension	0.028 N/m (20 °C)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Results of PBT and vPvB assessment

Component	
4-aminobiphenyl (92-67-1)	This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII
o-toluidine (95-53-4)	This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Additional information : Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2810
UN-No. (IATA) : 2810
UN-No. (IMDG) : 2810
UN-No. (ADN) : 2810

14.2. UN proper shipping name

Proper Shipping Name (ADR) : TOXIC LIQUID, ORGANIC, N.O.S.
Proper Shipping Name (IATA) : Toxic liquid, organic, n.o.s.
Proper Shipping Name (IMDG) : TOXIC LIQUID, ORGANIC, N.O.S.

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (ADN) : TOXIC LIQUID, ORGANIC, N.O.S.
Transport document description (ADR) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S., 6.1, III, (E)

14.3. Packing group

Class (ADR) : 6.1
Classification code (ADR) : T1
Class (IATA) : 6.1
Class (IMDG) : 6.1
Class (ADN) : 6.1
Classification code (ADN) : T1
Hazard labels (ADR) : 6.1



Division (IATA) : 6.1
Hazard labels (IATA) : 6.1



Hazard labels (IMDG) : 6.1



Hazard labels (ADN) : 6.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IATA) : III
Packing group (IMDG) : III
Packing group (ADN) : III


14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 60
Classification code (ADR) : T1
Orange plates :



Special provision (ADR) : 274, 614
Transport category (ADR) : 2
Tunnel restriction code (ADR) : E
Limited quantities (ADR) : 5l
Excepted quantities (ADR) : E1
EAC : 2X
APP : B

14.6.2. Transport by sea

Special provision (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Toxic if swallowed, by skin contact or by inhalation.

14.6.3. Air transport

CAO packing instructions (IATA)	: 663
CAO max net quantity (IATA)	: 220L
PCA packing instructions (IATA)	: 655
PCA Limited quantities (IATA)	: Y642
PCA limited quantity max net quantity (IATA)	: 2L
PCA max net quantity (IATA)	: 60L
PCA Excepted quantities (IATA)	: E1
Special provision (IATA)	: A3, A4, A137
ERG code (IATA)	: 6L

14.6.4. Inland waterway transport

Special provision (ADN)	: 274, 614, 802
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains substance on the candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Biphenyl-4-ylamine (EC 202-177-1, CAS 92-67-1), o-Toluidine (EC 202-429-0, CAS 95-53-4)

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

Water hazard class (WGK) : 3 - strongly hazardous to water

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

PHV SDS EU

Custom Appendix IX Mix 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.