

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/06/2020 Version: 1.0

<b>SECTION 1: Identifica</b>	on	
1.1. Identification		
Product form	: Mixture	
Product name	: Custom Pest/Herbs Mix	
Product code	: AL0-131049;AL0-131050	
1.2. Recommended u	and restrictions on use	
No additional information av	able	
1.3. Supplier		
Phenova 6390 Joyce Dr. Suite 100 Golden, CO 80403 - United T 1-866-942-2978 - F 1-866 info@phenova.com - www.p	33-0269	
1.4. Emergency telep	ne number	
Emergency number	: ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585	
SECTION 2: Hazard(s	identification	
```	e substance or mixture	
GHS US classification		
Flammable liquids	H225 Highly flammable liquid and vapour	
Category 2 Serious eye damage/eye	H319 Causes serious eye irritation	
irritation Category 2 Specific target organ	H336 May cause drowsiness or dizziness	
toxicity (single exposure) Category 3		
Full text of H statements : se	section 16	
2.2. GHS Label eleme GHS US labeling	s, including precautionary statements	
Hazard pictograms (GHS US		
Signal word (GHS US)	: Danger	
Hazard statements (GHS US	: H225 - Highly flammable liquid and vapour H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness	
Precautionary statements (G	-	ı. lothing. Rinse reathing Remove contact

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### accordance with local, regional, national and/or international regulation

-		
2.3. Other hazards which do not result in classification		
No additional information available		
2.4. Unknown acute toxicity (GHS US)		
Not applicable		
SECTION 3: Composition/Information on ingredients		
3.1. Substances		
Not applicable		
3.2. Mixtures		
Name	Product identifier	Conc.
acetone (Component)	(CAS-No.) 67-64-1	99.72
Full text of hazard classes and H-statements : see section 16		
SECTION 4: First-aid measures		
4.1. Description of first aid measures		
No additional information available		
4.2. Most important symptoms and effects (acute and delayed)		
No additional information available		
4.3. Immediate medical attention and special treatment, if necessary		
No additional information available		
SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
No additional information available		
5.2. Specific hazards arising from the chemical		
No additional information available		
5.3. Special protective equipment and precautions for fire-fighters		
No additional information available		
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedure	s	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
No additional information available		
6.3. Methods and material for containment and cleaning up		
No additional information available		
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
No additional information available		
7.2. Conditions for safe storage, including any incompatibilities		
No additional information available		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

.1. Control pa	rameters		
<b>Custom Pest/Herb</b>	s Mix		
ACGIH	Local name	Acetone	
ACGIH	ACGIH TWA (ppm)	250 ppm	
ACGIH	ACGIH STEL (ppm)	500 ppm	
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI	
ACGIH	Regulatory reference	ACGIH 2018	
OSHA	OSHA PEL (TWA) (mg/m³)	2400 mg/m <sup>3</sup>	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA	
acetone (67-64-1)			
ACGIH	Local name	Acetone	
ACGIH	ACGIH TWA (ppm)	250 ppm	
ACGIH	ACGIH STEL (ppm)	500 ppm	
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI	
ACGIH	Regulatory reference	ACGIH 2018	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2400 mg/m <sup>3</sup>	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA	

#### 8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

No additional information available

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
	<ul> <li>Mixture contains one or more component(s) which have the following colour(s): Colorless Colourless to white Yellow Colourless or yellow Commercial substance: brown Commercial substance: yellow-brown Yellow-orange Colourless Orange-yellow</li> </ul>	
	<ul> <li>There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.</li> <li>Mixture contains one or more component(s) which have the following odour:</li> <li>Mild odour Characteristic odour Aromatic odour Garlic odour Repulsive odour Unpleasant odour Odourless Sweet odour Fruity odour</li> </ul>	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
07/06/2020	EN (English US) 3/7	_

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday	, March 26, 2012 / Rules and Regulations
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
No additional information available	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products No additional information available	
SECTION 11: Toxicological informa	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
acetone (67-64-1)	
LD50 oral rat	5800 mg/kg (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral)
LD50 dermal rabbit	20000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	76 mg/l (Other, 4 h, Rat, Female, Experimental value, Inhalation (vapours))
ATE US (oral)	5800 mg/kg body weight
ATE US (dermal)	20000 mg/kg body weight
ATE US (vapors)	76 mg/l/4h
ATE US (dust, mist)	76 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
------------------------------------	--

12.1. Toxicity

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

acetone (67-64-1)		
LC50 fish 1	5540 mg/l (EU Method C.1, 96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Nominal concentration)	
12.2. Persistence and degradability		
acetone (67-64-1)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.43 g O₂/g substance	
Chemical oxygen demand (COD)	1.92 g O₂/g substance	
ThOD	2.2 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.872 (20 day(s), Literature study)	

acetone (67-64-1)	
BCF fish 1	0.69 (Pisces)
BCF other aquatic organisms 1	3 (BCFWIN, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	-0.24 (Test data)
Bioaccumulative potential	Not bioaccumulative.

12.4.	Mobility	in coil	
12.4.	woonity	111 5011	

acetone (67-64-1)	
Surface tension	0.0237 N/m
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Custom Pest/Herbs Mix	
acetone (67-64-1)	

: G - Identifies PSN requiring a technical name

### SECTION 13: Disposal considerations

13.1. Disposal methods

No additional information available

### **SECTION 14: Transport information**

### Department of Transportation (DOT)

In accordance with DOT

Transport document description	: UN1993 Flammable liquids, n.o.s. (acetone), 3, II
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
	acetone
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 3 - Flammable liquid
	RAMMARE E LOUID

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

EN (English US)

: 202

: 242

5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	:	IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	•	60 L
DOT Vessel Stowage Location	:	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	:	128
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Transport document description (IMDG)	:	UN 1993 FLAMMABLE LIQUID, N.O.S. (acetone), 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
UN-No. (IMDG)	:	1993
Proper Shipping Name (IMDG)	:	FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	:	3 - Flammable liquids
Packing group (IMDG)	:	II - substances presenting medium danger
Limited quantities (IMDG)	:	1L
Air transport		
Transport document description (IATA)	:	UN 1993 Flammable liquid, n.o.s. (acetone), 3, II, ENVIRONMENTALLY HAZARDOUS
UN-No. (IATA)	:	1993
Proper Shipping Name (IATA)	:	Flammable liquid, n.o.s.
Class (IATA)	:	3 - Flammable Liquids
Packing group (IATA)	:	II - Medium Danger
SECTION 15: Regulatory information		

15.1. US Federal regulations

acetone (67-64-1)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313				
CERCLA RQ	5000 lb			

15.2. International regulations

### CANADA

### acetone (67-64-1)

Listed on the Canadian DSL (Domestic Substances List)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

### 15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

#### Full text of H-phrases:

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

#### Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.