

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/16/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: OPP Pesticides Standard
Product code	: AL0-130687
1.2. Recommended use and restriction	s on use
Use of the substance/mixture	: Laboratory use
1.3. Supplier	
Phenova 6390 Joyce Dr. Suite 100 Golden, CO 80403 - United States T 1-866-942-2978 - F 1-866-283-0269 <u>info@phenova.com</u> - <u>www.phenova.com</u>	
1.4. Emergency telephone number	
Emergency number	: ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585
SECTION 2: Hazard(s) identification	1
2.1. Classification of the substance or	mixture
GHS-US classification	
Flommoble liquide	Light formable liquid and yongur

GH3-03 Classification		
Flammable liquids Category 2	H225	Highly flammable liquid and vapour
Acute toxicity (oral) Category 3	H301	Toxic if swallowed
Acute toxicity (dermal) Category 3	H311	Toxic in contact with skin
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity Category 2	H351	Suspected of causing cancer
Specific target organ toxicity (single exposure) Category 1	H370	Causes damage to organs
Full text of H statements : see	e section 16	

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Signal word (GHS-US) Hazard statements (GHS-US)

Hazard pictograms (GHS-US)

Precautionary statements (GHS-US)

:	
-	Danger
:	H225 - Highly flammable liquid and vapour H301+H311 - Toxic if swallowed or in contact with skin H317 - May cause an allergic skin reaction H351 - Suspected of causing cancer H370 - Causes damage to organs
:	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 - Keep container tightly closed. P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - If swallowed: Immediately call a poison center or doctor P302+P352 - If on skin: Wash with plenty of water

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P307+P311 - If exposed: Call a poison center/doctor
P308+P313 - If exposed or concerned: Get medical advice/attention.
P312 - Call a poison center or doctor if you feel unwell
P321 - Specific treatment (see supplemental first aid instruction on this label)
P322 - Specific treatment (see supplemental first aid instruction on this label)
P330 - Rinse mouth
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in
accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substan

Not applicable

2.2	Mivtur	66
J.Z.	INIALUI	60

Name	Product identifier	Conc.
methanol	(CAS-No.) 67-56-1	98.2
Pendimethalin	(CAS-No.) 40487-42-1	0.2
Trifluralin	(CAS-No.) 1582-09-8	0.2

Full text of hazard classes and H-statements : see section 16

4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild scap and water, followed by warm water rinse. First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. 4.2. Most Important symptoms and offects (acute and delayed) Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met. Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.1. Specific hazards arising from the chemical No additional information available 5.3. Special protective equipment and precautions for fire-fighting water fro	SECTION 4: First-aid measures	
medical advice/attention. First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects (acute and delayed) Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met. Symptoms/ : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available : Use extinguishing media Suitable (and unsuitable) extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Use extinguishing media appropriate for surrounding fire. No additional information available : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available : Use water spray or fog for cooli	4.1. Description of first aid measures	
First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. 42. Most important symptoms and effects (acute and delayed) Potential Adverse human health effects and symptoms Symptoms : Based on available data, the classification criteria are not met. symptoms : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available SteCTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Y use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available Suitable extinguishing media : Use extinguishing media a percention group water stream. 5.2. Specific hazards arising from the chemical No additional information available Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environ	First-aid measures general	
First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects (acute and delayed) Potential Adverse human health effects and symptoms Symptoms/effects : Based on available data, the classification criteria are not met. Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fire-fighting measures Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available No additional information available : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects (acute and delayed) Potential Adverse human health effects and : Based on available data, the classification criteria are not met. symptoms : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	First-aid measures after skin contact	
4.2. Most important symptoms and effects (acute and delayed) Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met. Symptoms : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media : Use extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	First-aid measures after eye contact	
Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met. Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
symptoms : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available : Do not use a heavy water stream. 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	4.2. Most important symptoms and effe	ects (acute and delayed)
4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.		: Based on available data, the classification criteria are not met.
No additional information available SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available	Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available . 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	4.3. Immediate medical attention and s	pecial treatment, if necessary
5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available	No additional information available	
Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available	SECTION 5: Fire-fighting measures	
Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical No additional information available	5.1. Suitable (and unsuitable) extinguis	hing media
5.2. Specific hazards arising from the chemical No additional information available 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
No additional information available 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	Unsuitable extinguishing media	: Do not use a heavy water stream.
5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	5.2. Specific hazards arising from the c	hemical
Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	No additional information available	
chemical fire. Prevent fire-fighting water from entering environment.	5.3. Special protective equipment and	orecautions for fire-fighters
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.	Firefighting instructions	
	Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	<i>i</i> authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up	: Take up in absorbent material. Collect spillage.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures	: Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.
Incompatible materials	: Direct sunlight.

SECTION 8: Exposure controls/personal protection

1. Control param		
OPP Pesticides Stand	ard	
ACGIH	Local name	Methanol
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	250 ppm
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
ACGIH	Regulatory reference	ACGIH 2018
DSHA	OSHA PEL (TWA) (mg/m ³)	2400 mg/m ³
DSHA	OSHA PEL (TWA) (ppm)	1000 ppm
DSHA	Regulatory reference (US-OSHA)	OSHA
Pendimethalin (40487-	42-1)	
Not applicable		
Trifluralin (1582-09-8)		
Not applicable		
nethanol (67-56-1)		
ACGIH	Local name	Methanol
ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
ACGIH	Regulatory reference	ACGIH 2018
		260 mg/m ³
DSHA	OSHA PEL (TWA) (mg/m ³)	200 mg/m

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

methanol (67-56-1)		
OSHA	Regulatory reference (US-OSHA)	OSHA

8.2. Appropriate engineering controls

: Either local exhaust or general room ventilation is usually required.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Appropriate engineering controls

Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.

Hand protection:

Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Colorless
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatu	res.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological informat	tion
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.
,	
OPP Pesticides Standard	
ATE US (oral) ATE US (dermal)	101.833 mg/kg body weight 305.499 mg/kg body weight
	303.499 mg/kg body weight
Pendimethalin (40487-42-1)	
LD50 oral rat	1250 mg/kg (Rat, Oral)
LDE0 dormal rabbit	> E000 malka (Babbit Darmal)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	 > 5000 mg/kg (Rabbit, Dermal) 1250 mg/kg body weight
ATE US (oral) Trifluralin (1582-09-8)	1250 mg/kg body weight
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral)
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal)
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases) methanol (67-56-1)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases) methanol (67-56-1) LD50 oral rat	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases) methanol (67-56-1) LD50 oral rat LD50 dermal rabbit	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study)
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases) methanol (67-56-1) LD50 oral rat	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases) methanol (67-56-1) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study) 85 mg/l/4h (Rat; Literature study)
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (gases)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rat; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study)
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (dess)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (gases)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)ATE US (oral)ATE US (oral)ATE US (oral)ATE US (oral)ATE US (dermal)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight
ATE US (oral) Trifluralin (1582-09-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) ATE US (gases) methanol (67-56-1) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (oral) ATE US (dermal) ATE US (dermal)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rat; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight 300 mg/kg body weight 700 ppmV/4h
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (gases)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (dermal)ATE US (dermal)ATE US (dermal)ATE US (dust, mist)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight 300 mg/kg hody weight 300 mg/kg hody weight 300 mg/kg hody weight 300 mg/kg hody weight
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (gases)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)ATE US (dermal)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (dermal)ATE US (dust, mist)Skin corrosion/irritation	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rat; Literature study) 85 mg/l/4h (Rat; Literature study) 85 mg/l/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight 700 ppmV/4h 300 mg/kg body weight 0.5 mg/l/4h
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (gases)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)ATE US (dermal)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (dermal)ATE US (dermal)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritation	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight 300 mg/kg body weight 300 mg/kg hody weight 0.5 mg/l/4h 0.5 mg/l/4h : Not classified
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (gases)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (gases)ATE US (oral)ATE US (oral)ATE US (dermal)ATE US (gases)ATE US (rapors)	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rat; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight 300 mg/kg body weight 300 mg/kg hody weight 0.5 mg/l/4h . Not classified . Not classified
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (deses)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (gases)ATE US (oral)ATE US (oral)ATE US (oral)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (deses)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritationRespiratory or skin sensitization	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight 300 mg/kg body weight 300 mg/kg body weight 0.5 mg/l/4h 0.5 mg/l/4h Not classified Not classified Not classified Not classified May cause an allergic skin reaction.
ATE US (oral)Trifluralin (1582-09-8)LD50 oral ratLD50 dermal rabbitATE US (oral)ATE US (dermal)ATE US (deses)methanol (67-56-1)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (gases)ATE US (oral)ATE US (oral)ATE US (oral)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (deses)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritationRespiratory or skin sensitization	1250 mg/kg body weight > 10000 mg/kg (Rat, Oral) 2000 mg/kg (Rabbit, Dermal) 500 mg/kg body weight 2000 mg/kg body weight 700 ppmV/4h * > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) 15800 mg/kg (Rabbit; Literature study) 85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study) 100 mg/kg body weight 300 mg/kg body weight 300 mg/kg hody weight 300 mg/kg body weight 0.5 mg/l/4h 0.5 mg/l/4h vidansified Not classified May cause an allergic skin reaction. Not classified Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

rifluralin (1582-09-8)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met	
Specific target organ toxicity – single exposure	: Causes damage to organs.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	

SECTION	12: Ecol	ogical inf	formation

Pendimethalin (40487-42-1)			
LC50 fish 1	0.14 mg/l (96 h, Salmo gairdneri)		
Trifluralin (1582-09-8)			
LC50 fish 1	0.21 mg/l (96 h, Salmo gairdneri, Acute)		
EC50 Daphnia 1	0.56 mg/l (48 h, Daphnia magna, Hard water)		
methanol (67-56-1)			
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)		
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)		
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)		
2.2. Persistence and degradability			
OPP Pesticides Standard			
Persistence and degradability	Not established.		
Pendimethalin (40487-42-1)			
Persistence and degradability Biodegradability in soil: no data available.			
Trifluralin (1582-09-8)			
Trifluralin (1582-09-8)			
Trifluralin (1582-09-8) Persistence and degradability	Biodegradability in soil: no data available.		
· · · · ·	Biodegradability in soil: no data available.		
Persistence and degradability	Biodegradability in soil: no data available. Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.		
Persistence and degradability methanol (67-56-1)			
Persistence and degradability methanol (67-56-1) Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.		
Persistence and degradability methanol (67-56-1) Persistence and degradability Biochemical oxygen demand (BOD)	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. 0.6 - 1.12 g O ₂ /g substance		

OPP Pesticides Standard Bioaccumulative potential Not established. Trifluralin (1582-09-8) BCF fish 1 3142 (Pseudorasbora parva) BCF fish 2 6000 (Phoxinus phoxinus) Log Pow 5.07 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). methanol (67-56-1) BCF fish 1 < 10 (BCF; 72 h; Leuciscus idus) -0.77 (Experimental value; Other) Log Pow Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil			
Pendimethalin (40487-42-1)			
Ecology - soil	Not toxic to bees.		
Trifluralin (1582-09-8)			
Ecology - soil	Adsorbs into the soil. Not toxic to bees.		
methanol (67-56-1)			
Surface tension	0.023 N/m (20 °C)	0.023 N/m (20 °C)	
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value		

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Ecology - waste materials	: Avoid release to the environment.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Subsidiary risk (DOT) Hazard labels (DOT)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : UN1992 Flammable liquids, toxic, n.o.s., 3 (6.1), III
- : UN1992
- : Flammable liquids, toxic, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- 3 Flammable liquid
- 6.1 Poison



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

: 242

: G - Identifies PSN requiring a technical name

B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150

05/16/2019

DOT Symbols

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to rederal Register / Vol. 77, No. 30 / Monday,	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 131
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
UN-No. (IMDG)	: 1992
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Subsidiary risks (IMDG)	: 6.1 - Toxic substances
Air transport	
Transport document description (IATA)	: UN 1992 Flammable liquid, toxic, n.o.s., 3 (6.1), III, ENVIRONMENTALLY HAZARDOUS
UN-No. (IATA)	: 1992
Proper Shipping Name (IATA)	: Flammable liquid, toxic, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
Subsidiary risks (IATA)	: 6.1 - Toxic substances

SECTION 15: Regulatory information

15.1. US Federal regulations

Pendimethalin (40487-42-1)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
Trifluralin (1582-09-8)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ 10 lb		
methanol (67-56-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	5000 lb	

15.2. International regulations

CANADA

Pendimethalin (40487-42-1)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Trifluralin (1582-09-8)

Listed on the Canadian DSL (Domestic Substances List)

methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

Trifluralin (1582-09-8)

Listed on EPA Hazardous Air Pollutant (HAPS)

methanol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

15.3. US State regulations

methanol (67-56	methanol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		47000 μg/day (inhalation); 23,000 μg/day (oral)

	SECTION 16: Other informatio	n
[Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
(Other information	: None.
F	Full text of H-phrases:	
	11005	Liebly flewers also lieved and an environment

H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H351	Suspected of causing cancer
H370	Causes damage to organs

Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.