

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Custom 625 Spike Mix
Product code : AL0-130087
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use
Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova
6390 Joyce Dr. Suite 100
80403 Golden, CO - United States
T 1-866-942-2978 - F 1-866-283-0269
info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924
ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225
Carc. 1A H350
Aquatic Chronic 2 H411

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc. Cat. 1; R45
F; R11
E; R2
N; R51/53
R19
R44

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS08

GHS09

Signal word (CLP) : Danger
Hazardous ingredients : benzidine
Hazard statements (CLP) : H225 - Highly flammable liquid and vapor
H350 - May cause cancer

Custom 625 Spike Mix

Safety Data Sheet

Precautionary statements (CLP)	<p>H411 - Toxic to aquatic life with long lasting effects</p> <p>: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</p> <p>P233 - Keep container tightly closed</p> <p>P270 - Do not eat, drink or smoke when using this product</p> <p>P271 - Use only outdoors or in a well-ventilated area</p> <p>P273 - Avoid release to the environment</p> <p>P280 - Wear protective gloves/protective clothing/eye protection/face protection</p> <p>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</p> <p>P308+P313 - IF exposed or concerned: Get medical advice/attention</p> <p>P370+P380 - In case of fire: Evacuate area</p> <p>P391 - Collect spillage</p> <p>P403+P235 - Store in a well-ventilated place. Keep cool</p> <p>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</p>
EUH phrases	<p>: EUH019 - May form explosive peroxides</p> <p>EUH044 - Risk of explosion if heated under confinement</p>
No labeling applicable	

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methylene Chloride (Component)	(CAS No) 75-09-2 (EC no) 200-838-9 (EC index no) 602-004-00-3	98.465	Carc. 2, H351
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
benzidine (Component)	(CAS No) 92-87-5 (EC no) 202-199-1 (EC index no) 612-042-00-2	0.025	Acute Tox. 4 (Oral), H302 Carc. 1A, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexachlorocyclopentadiene (Component)	(CAS No) 77-47-4 (EC no) 201-029-3 (EC index no) 602-078-00-7	0.01	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
anthracene (Component) substance listed as REACH Candidate	(CAS No) 120-12-7 (EC no) 204-371-1	0.005	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
benzo[a]anthracene (Component)	(CAS No) 56-55-3 (EC no) 200-280-6 (EC index no) 601-033-00-9	0.005	Carc. 1B, H350 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
benzo(ghi)perylene (Component)	(CAS No) 191-24-2 (EC no) 205-883-8	0.005	Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410
benzo[k]fluoranthene (Component)	(CAS No) 207-08-9 (EC no) 205-916-6 (EC index no) 601-036-00-5	0.005	Carc. 1B, H350 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
benzo[a]pyrene (Component) substance listed as REACH Candidate (Benzo[def]chrysene)	(CAS No) 50-32-8 (EC no) 200-028-5 (EC index no) 601-032-00-3	0.005	Skin Sens. 1, H317 Muta. 1B, H340 Carc. 1B, H350 Repr. 1B, H360FD Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
chrysene (Component)	(CAS No) 218-01-9 (EC no) 205-923-4 (EC index no) 601-048-00-0	0.005	Muta. 2, H341 Carc. 1B, H350 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)
dibenz(a,h)anthracene (Component)	(CAS No) 53-70-3 (EC no) 200-181-8 (EC index no) 601-041-00-2	0.005	Carc. 1B, H350 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410

Custom 625 Spike Mix

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-dichlorobenzene (Component) substance with a Community workplace exposure limit	(CAS No) 95-50-1 (EC no) 202-425-9 (EC index no) 602-034-00-7	0.005	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,4-dichlorobenzene (Component) substance with a Community workplace exposure limit	(CAS No) 106-46-7 (EC no) 203-400-5 (EC index no) 602-035-00-2	0.005	Eye Irrit. 2, H319 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
fluoranthene (Component)	(CAS No) 206-44-0 (EC no) 205-912-4	0.005	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
1,4-dioxane (Component) substance with a Community workplace exposure limit	(CAS No) 123-91-1 (EC no) 204-661-8 (EC index no) 603-024-00-5	0.005	Flam. Liq. 2, H225 Carc. 2, H351 Eye Irrit. 2, H319 STOT SE 3, H335
1,2,4-trichlorobenzene (Component) substance with a Community workplace exposure limit	(CAS No) 120-82-1 (EC no) 204-428-0 (EC index no) 602-087-00-6	0.005	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
naphthalene (Component) substance with a Community workplace exposure limit	(CAS No) 91-20-3 (EC no) 202-049-5 (EC index no) 601-052-00-2	0.005	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
nitrobenzene (Component) substance listed as REACH Candidate substance with a Community workplace exposure limit	(CAS No) 98-95-3 (EC no) 202-716-0 (EC index no) 609-003-00-7	0.005	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Carc. 2, H351 Repr. 1B, H360F STOT RE 1, H372 Aquatic Chronic 3, H412
pyridine (Component) substance with a Community workplace exposure limit	(CAS No) 110-86-1 (EC no) 203-809-9 (EC index no) 613-002-00-7	0.005	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332
Phenol (Component) substance with a Community workplace exposure limit	(CAS No) 13127-88-3 (EC no) 236-063-8 (EC index no) 604-001-00-2	0.005	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Muta. 2, H341 STOT RE 2, H373
nitrobenzene-D5 (Component) substance listed as REACH Candidate (Nitrobenzene) substance with a Community workplace exposure limit	(CAS No) 4165-60-0 (EC no) 224-014-3 (EC index no) 609-003-00-7	0.005	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Carc. 2, H351 Repr. 1B, H360F STOT RE 1, H372 Aquatic Chronic 3, H412
4-Methylphenol (Component) substance with a Community workplace exposure limit	(CAS No) 106-44-5 (EC no) 203-398-6 (EC index no) 604-004-00-9	0.005	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314
phenol (Component) substance with a Community workplace exposure limit	(CAS No) 108-95-2 (EC no) 203-632-7 (EC index no) 604-001-00-2	0.005	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Muta. 2, H341 STOT RE 2, H373
pyrene (Component)	(CAS No) 129-00-0 (EC no) 204-927-3	0.005	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
2,3,4,6-tetrachlorophenol (Component)	(CAS No) 58-90-2 (EC no) 200-402-8 (EC index no) 604-013-00-8	0.005	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
N-Nitrosodimethylamine (Component)	(CAS No) 62-75-9 (EC no) 200-549-8 (EC index no) 612-077-00-3	0.005	Acute Tox. 2 (Oral), H300 Acute Tox. 2 (Inhalation), H330 Carc. 1B, H350 STOT RE 1, H372 Aquatic Chronic 2, H411
2-Methylphenol (Component) substance with a Community workplace exposure limit	(CAS No) 95-48-7 (EC no) 202-423-8 (EC index no) 604-004-00-9	0.005	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314
N-Nirosodi-n-propylamine (Component)	(CAS No) 621-64-7 (EC no) 210-698-0 (EC index no) 612-098-00-8	0.005	Acute Tox. 4 (Oral), H302 Carc. 1B, H350 Aquatic Chronic 2, H411
Name	Product identifier	Specific concentration limits	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	(3 =<C < 10) STOT SE 2, H371 (C >= 10) STOT SE 1, H370	

Custom 625 Spike Mix

Safety Data Sheet

Name	Product identifier	Specific concentration limits
benzidine (Component)	(CAS No) 92-87-5 (EC no) 202-199-1 (EC index no) 612-042-00-2	(C >= 0.01) Carc. 1A, H350
benzo[a]pyrene (Component)	(CAS No) 50-32-8 (EC no) 200-028-5 (EC index no) 601-032-00-3	(C >= 0.01) Carc. 1B, H350
dibenz(a,h)anthracene (Component)	(CAS No) 53-70-3 (EC no) 200-181-8 (EC index no) 601-041-00-2	(C >= 0.01) Carc. 1B, H350
Phenol (Component)	(CAS No) 13127-88-3 (EC no) 236-063-8 (EC index no) 604-001-00-2	(1 =<C < 3) Eye Irrit. 2, H319 (1 =<C < 3) Skin Irrit. 2, H315 (C >= 3) Skin Corr. 1B, H314
phenol (Component)	(CAS No) 108-95-2 (EC no) 203-632-7 (EC index no) 604-001-00-2	(1 =<C < 3) Eye Irrit. 2, H319 (1 =<C < 3) Skin Irrit. 2, H315 (C >= 3) Skin Corr. 1B, H314
2,3,4,6-tetrachlorophenol (Component)	(CAS No) 58-90-2 (EC no) 200-402-8 (EC index no) 604-013-00-8	(C >= 5) Skin Irrit. 2, H315 (C >= 5) Eye Irrit. 2, H319
N-Nitrosodimethylamine (Component)	(CAS No) 62-75-9 (EC no) 200-549-8 (EC index no) 612-077-00-3	(C >= 0.001) Carc. 1B, H350
N-Nirosodi-n-propylamine (Component)	(CAS No) 621-64-7 (EC no) 210-698-0 (EC index no) 612-098-00-8	(C >= 0.001) Carc. 1B, H350

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause cancer by inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : May form flammable/explosive vapor-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides. Risk of explosion if heated under confinement.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

Custom 625 Spike Mix

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Hazardous waste due to potential risk of explosion.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from sources of ignition - No smoking.

Hygiene measures : Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.

Incompatible products : Oxidizing agent.

Incompatible materials : Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,4-dichlorobenzene (106-46-7)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	450 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	75 ppm
USA OSHA	OSHA PEL (STEL) (mg/m ³)	675 mg/m ³
USA OSHA	OSHA PEL (STEL) (ppm)	110 ppm

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.



Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless.

Odor : characteristic.

pH : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Custom 625 Spike Mix

Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Relative density	: No data available
Solubility	: No data available
Explosive properties	: May form explosive peroxides. Risk of explosion if heated under confinement.
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture. Risk of explosion if heated under confinement. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Heat. Sparks. Overheating.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

May release flammable gases. May form explosive peroxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

anthracene (120-12-7)	
LD50 oral rat	> 16000 mg/kg (Rat)
benzidine (92-87-5)	
LD50 oral rat	309 mg/kg (Rat; Literature study)
ATE CLP (oral)	309.000 mg/kg body weight
1,2-dichlorobenzene (95-50-1)	
LD50 oral rat	500 mg/kg (Rat)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	9.5 mg/l/4h (Rat)
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (vapors)	9.500 mg/l/4h
ATE CLP (dust, mist)	9.500 mg/l/4h
1,4-dichlorobenzene (106-46-7)	
LD50 dermal rat	> 6000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 5 mg/l/4h (Rat)
1,4-dioxane (123-91-1)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	7600 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	51 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	14250 ppm/4h (Rat)
fluoranthene (206-44-0)	
LD50 oral rat	2000 mg/kg (Rat)
LD50 dermal rabbit	3180 mg/kg (Rabbit)
ATE CLP (oral)	2000.000 mg/kg body weight
ATE CLP (dermal)	3180.000 mg/kg body weight

Custom 625 Spike Mix

Safety Data Sheet

Hexachlorocyclopentadiene (77-47-4)	
LD50 oral rat	315 mg/kg (Rat; Experimental value; 200 mg/kg bodyweight; Rat; Experimental value; 505 mg/kg bodyweight; Rat; Experimental value; 690 mg/kg bodyweight; Rat; Experimental value; 640 mg/kg bodyweight; Rat)
LD50 dermal rat	2000-3200,Rat; Experimental value
LD50 dermal rabbit	200 - 340 mg/kg (Rabbit; Experimental value; 430 mg/kg bodyweight; Rabbit)
LC50 inhalation rat (mg/l)	0.018 mg/l/4h (Rat; Experimental value; 0,04 mg/l/4h; Rat; Experimental value)
ATE CLP (oral)	315.000 mg/kg body weight
ATE CLP (dermal)	200.000 mg/kg body weight
ATE CLP (gases)	100.000 ppmV/4h
ATE CLP (vapors)	0.018 mg/l/4h
ATE CLP (dust, mist)	0.018 mg/l/4h
2-Methylphenol (95-48-7)	
LD50 oral rat	121 mg/kg (Rat)
LD50 dermal rat	620 mg/kg (Rat)
LD50 dermal rabbit	890 mg/kg (Rabbit)
ATE CLP (oral)	121.000 mg/kg body weight
ATE CLP (dermal)	620.000 mg/kg body weight
4-Methylphenol (106-44-5)	
LD50 oral rat	207 mg/kg (Rat; Experimental value)
LD50 dermal rabbit	301 mg/kg (Rabbit)
ATE CLP (oral)	207.000 mg/kg body weight
ATE CLP (dermal)	301.000 mg/kg body weight
naphthalene (91-20-3)	
LD50 oral rat	> 1100 mg/kg (Rat)
LD50 dermal rat	> 2500 mg/kg (Rat)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit)
ATE CLP (oral)	500.000 mg/kg body weight
nitrobenzene (98-95-3)	
LD50 oral rat	640 mg/kg (Rat; Experimental value; 588 mg/kg bodyweight; Rat)
LD50 dermal rabbit	760 mg/kg body weight (Rabbit; Experimental value)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	760.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
nitrobenzene-D5 (4165-60-0)	
LD50 oral rat	855 mg/kg body weight (Rat; Experimental value)
LD50 dermal rabbit	760 mg/kg body weight (Rabbit; Experimental value)
ATE CLP (oral)	855.000 mg/kg body weight
ATE CLP (dermal)	760.000 mg/kg body weight
N-Nitrosodimethylamine (62-75-9)	
LD50 oral rat	37 mg/kg (Rat)
LC50 inhalation rat (mg/l)	0.24 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	78 ppm/4h (Rat)
ATE CLP (oral)	37.000 mg/kg body weight
ATE CLP (gases)	78.000 ppmV/4h
ATE CLP (vapors)	0.240 mg/l/4h
ATE CLP (dust, mist)	0.240 mg/l/4h
N-Nirosodi-n-propylamine (621-64-7)	
LD50 oral rat	480 mg/kg (Rat)
ATE CLP (oral)	480.000 mg/kg body weight
phenol (108-95-2)	
LD50 oral rat	650 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rat	660 mg/kg (Rat; Experimental value; Equivalent or similar to OECD 402)
LD50 dermal rabbit	850 - 1400 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	0.32 mg/l/4h (Rat; Literature study)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	660.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h

Custom 625 Spike Mix

Safety Data Sheet

phenol (108-95-2)	
ATE CLP (vapors)	0.320 mg/l/4h
ATE CLP (dust, mist)	0.320 mg/l/4h
Phenol (13127-88-3)	
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
pyrene (129-00-0)	
LD50 oral rat	2700 mg/kg (Rat)
ATE CLP (oral)	2700.000 mg/kg body weight
pyridine (110-86-1)	
LD50 oral rat	> 891 mg/kg (Rat)
LD50 dermal rabbit	1120 mg/kg (Rabbit)
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	1120.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
2,3,4,6-tetrachlorophenol (58-90-2)	
LD50 oral rat	140 mg/kg (Rat)
LD50 dermal rat	485 mg/kg (Rat)
ATE CLP (oral)	140.000 mg/kg body weight
ATE CLP (dermal)	485.000 mg/kg body weight
1,2,4-trichlorobenzene (120-82-1)	
LD50 oral rat	756 mg/kg (Rat)
LD50 dermal rat	6139 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 4.1 mg/l/4h (Rat)
ATE CLP (oral)	756.000 mg/kg body weight
ATE CLP (dermal)	6139.000 mg/kg body weight
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
Methylene Chloride (75-09-2)	
LD50 oral rat	> 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study)
Skin corrosion/irritation	: Not classified Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: May cause cancer. May cause cancer
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met

Custom 625 Spike Mix

Safety Data Sheet

Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

anthracene (120-12-7)	
LC50 fish 2	0.00127 mg/l (LC50; 96 h)
EC50 Daphnia 2	0.0012 mg/l (EC50; 24 h)
benzo[a]anthracene (56-55-3)	
LC50 fish 1	0.0018 mg/l (LC50; 65 h)
EC50 Daphnia 1	0.01 mg/l (EC50; 96 h)
benzidine (92-87-5)	
EC50 Daphnia 1	0.6 mg/l (EC50; 48 h)
LC50 fish 2	7.4 mg/l (LC50; 96 h; <i>Salmo gairdneri</i>)
Threshold limit algae 1	20 mg/l (LC50)
benzo[a]pyrene (50-32-8)	
LC50 fish 1	0.0056 mg/l (LC50; 38 h)
EC50 Daphnia 1	0.005 mg/l (LC50; 96 h)
Threshold limit algae 1	0.015 mg/l (EC50; 72 h)
benzo(ghi)perylene (191-24-2)	
EC50 Daphnia 1	0.0002 mg/l (LC50; 14 h)
benzo[k]fluoranthene (207-08-9)	
EC50 Daphnia 1	0.0048 mg/l (LC50; 23 h)
chrysene (218-01-9)	
EC50 Daphnia 1	0.0007 mg/l (LC50; 24 h)
Threshold limit algae 1	0.001 mg/l (EC0)
dibenz(a,h)anthracene (53-70-3)	
EC50 Daphnia 1	0.0004 mg/l (LC50; 3 h)
1,2-dichlorobenzene (95-50-1)	
LC50 fish 1	1.58 mg/l (LC50; 96 h)
EC50 Daphnia 2	0.74 mg/l (EC50; 48 h)
1,4-dichlorobenzene (106-46-7)	
LC50 fish 2	1.12 mg/l (LC50; 96 h; <i>Salmo gairdneri</i>)
EC50 Daphnia 2	0.7 mg/l (EC50; 48 h)
1,4-dioxane (123-91-1)	
EC50 Daphnia 1	8450 mg/l (EC50; 24 h)
LC50 fish 2	13000 mg/l (LC50; 96 h)
Threshold limit algae 2	5600 mg/l (EC0; 192 h)
fluoranthene (206-44-0)	
LC50 fish 1	0.0077 mg/l (LC50; 96 h)
EC50 Daphnia 1	< 0.1 mg/l (EC50; 72 h)
Threshold limit algae 1	54 mg/l (EC50; 96 h)
Hexachlorocyclopentadiene (77-47-4)	
LC50 fish 1	0.007 mg/l (LC50; 96 h; <i>Pimephales promelas</i> ; Flow-through system; Fresh water)
EC50 other aquatic organisms 1	0.19 mg/l (96 h; <i>Selenastrum capricornutum</i> ; Growth rate)
2-Methylphenol (95-48-7)	
EC50 other aquatic organisms 1	65 mg/l (96 h; <i>Selenastrum capricornutum</i>)
LC50 fish 2	7.9 - 8.4 mg/l (LC50; 96 h)
EC50 Daphnia 2	5 - 9.5 mg/l (EC50; 48 h)
4-Methylphenol (106-44-5)	
LC50 fish 2	7.5 mg/l (LC50; 96 h)
EC50 Daphnia 2	1.4 - 21.1 mg/l (EC50; 48 h)

Custom 625 Spike Mix

Safety Data Sheet

4-Methylphenol (106-44-5)	
Threshold limit algae 2	21 mg/l (EC50; 48 h)
naphthalene (91-20-3)	
EC50 Daphnia 1	2.16 mg/l (EC50; 48 h; Daphnia magna)
LC50 fish 2	0.11 mg/l (LC50; 96 h; Oncorhynchus mykiss)
Threshold limit algae 1	0.4 mg/l (EC50; 72 h; Skeletonema costatum)
nitrobenzene (98-95-3)	
LC50 fish 1	4.3 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 48 h; Oryzias latipes)
nitrobenzene-D5 (4165-60-0)	
LC50 fish 2	92 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio; Flow-through system; Fresh water; Experimental value)
phenol (108-95-2)	
LC50 other aquatic organisms 1	0.04 mg/l (4 days; Rana sp.; LC50)
EC50 Daphnia 2	6.6 mg/l (EC50; 48 h; Daphnia magna; Static system)
pyrene (129-00-0)	
EC50 Daphnia 1	> 0.0057 mg/l (LC50; 3.4 h)
EC50 other aquatic organisms 1	1.6 mg/l (3 h; Chlorella vulgaris)
LC50 fish 2	0.0026 mg/l (LC50; 96 h)
pyridine (110-86-1)	
LC50 fish 1	4.6 mg/l (LC50; 96 h)
EC50 Daphnia 2	495 mg/l (EC50; 48 h)
2,3,4,6-tetrachlorophenol (58-90-2)	
LC50 fish 1	0.14 mg/l (LC50; 96 h; Lepomis macrochirus)
EC50 Daphnia 1	0.01 mg/l (EC50; 48 h)
Threshold limit algae 2	1.3 mg/l (EC50; 96 h)
1,2,4-trichlorobenzene (120-82-1)	
LC50 fish 1	1.32 mg/l (LC50; 96 h)
EC50 Daphnia 1	0.86 mg/l (EC50; 48 h)
methanol (67-56-1)	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)
Methylene Chloride (75-09-2)	
LC50 fish 1	193 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 1	168.2 mg/l (EC50; 48 h)
12.2. Persistence and degradability	
Custom 625 Spike Mix	
Persistence and degradability	May cause long-term adverse effects in the environment.
anthracene (120-12-7)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water.
ThOD	3.41 g O ₂ /g substance
BOD (% of ThOD)	0.02
benzo[a]anthracene (56-55-3)	
Persistence and degradability	Not readily biodegradable in water. Photolysis in water. Ozonation in water. Forming sediments in water. Biodegradability in soil: no data available. Inhibits biodegradation processes in the soil. Adsorbs into the soil. Photodegradation in the air.
ThOD	2.95 g O ₂ /g substance
benzidine (92-87-5)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
benzo[a]pyrene (50-32-8)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Biodegradable in the soil. Adsorbs into the soil.
Chemical oxygen demand (COD)	2.92 g O ₂ /g substance
ThOD	2.92 g O ₂ /g substance

Custom 625 Spike Mix

Safety Data Sheet

benzo(ghi)perylene (191-24-2)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
ThOD	2.90 g O ₂ /g substance
benzo[k]fluoranthene (207-08-9)	
Persistence and degradability	Not readily biodegradable in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
ThOD	2.92 g O ₂ /g substance
chrysene (218-01-9)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
dibenz(a,h)anthracene (53-70-3)	
Persistence and degradability	Not readily biodegradable in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
1,2-dichlorobenzene (95-50-1)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
BOD (% of ThOD)	0
1,4-dichlorobenzene (106-46-7)	
Persistence and degradability	Readily biodegradable in water. Non degradable in the soil. Adsorbs into the soil.
ThOD	1.52 g O ₂ /g substance
BOD (% of ThOD)	0.65 (Calculated value)
1,4-dioxane (123-91-1)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Photooxidation in the air.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
ThOD	1.8 g O ₂ /g substance
BOD (% of ThOD)	0
fluoranthene (206-44-0)	
Persistence and degradability	Forming sediments in water.
Hexachlorocyclopentadiene (77-47-4)	
Persistence and degradability	Not readily biodegradable in water. Photolysis in water. Biodegradable in the soil. Adsorbs into the soil. Photolysis in the air.
2-Methylphenol (95-48-7)	
Persistence and degradability	Readily biodegradable in water. Photodegradation in the air.
Biochemical oxygen demand (BOD)	1.69 - 1.74 g O ₂ /g substance
Chemical oxygen demand (COD)	2.38 g O ₂ /g substance
ThOD	2.52 g O ₂ /g substance
BOD (% of ThOD)	0.65
4-Methylphenol (106-44-5)	
Persistence and degradability	Readily biodegradable in water. Photolysis in the air.
Biochemical oxygen demand (BOD)	1.45 g O ₂ /g substance
Chemical oxygen demand (COD)	2.4 g O ₂ /g substance
ThOD	2.52 g O ₂ /g substance
BOD (% of ThOD)	0.57
naphthalene (91-20-3)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Biodegradable in the soil. Adsorbs into the soil. Photolysis in the air.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
Chemical oxygen demand (COD)	0.22 g O ₂ /g substance
ThOD	2.99 g O ₂ /g substance
nitrobenzene (98-95-3)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
ThOD	1.95 g O ₂ /g substance
BOD (% of ThOD)	0
nitrobenzene-D5 (4165-60-0)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance

Custom 625 Spike Mix

Safety Data Sheet

nitrobenzene-D5 (4165-60-0)	
ThOD	1.95 g O ₂ /g substance
BOD (% of ThOD)	0
N-Nitrosodimethylamine (62-75-9)	
Persistence and degradability	Not readily biodegradable in water. Photolysis in water. Photolysis in the air.
phenol (108-95-2)	
Persistence and degradability	Readily biodegradable in water. Photolysis in water. Readily biodegradable in the soil. Inhibits biodegradation processes in the soil. Low potential for adsorption in soil. Photooxidation in the air.
Biochemical oxygen demand (BOD)	1.68 g O ₂ /g substance
Chemical oxygen demand (COD)	2.28 g O ₂ /g substance
ThOD	2.38 g O ₂ /g substance
BOD (% of ThOD)	0.71
Phenol (13127-88-3)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Inhibits biodegradation processes in the soil.
Biochemical oxygen demand (BOD)	1.68 g O ₂ /g substance
Chemical oxygen demand (COD)	2.28 g O ₂ /g substance
ThOD	2.38 g O ₂ /g substance
BOD (% of ThOD)	0.71
pyrene (129-00-0)	
Persistence and degradability	Not readily biodegradable in water. Photolysis in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradation in the air.
pyridine (110-86-1)	
Persistence and degradability	Readily biodegradable in water. Non degradable in the soil. Biodegradable in the soil under anaerobic conditions.
Biochemical oxygen demand (BOD)	1.15 g O ₂ /g substance
Chemical oxygen demand (COD)	0.05 g O ₂ /g substance
ThOD	2.23 g O ₂ /g substance
BOD (% of ThOD)	0.52
2,3,4,6-tetrachlorophenol (58-90-2)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil.
1,2,4-trichlorobenzene (120-82-1)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
BOD (% of ThOD)	0
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O ₂ /g substance
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance
ThOD	1.5 g O ₂ /g substance
BOD (% of ThOD)	0.8 (Literature study)
Methylene Chloride (75-09-2)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil.
12.3. Bioaccumulative potential	
Custom 625 Spike Mix	
Bioaccumulative potential	Not established.
anthracene (120-12-7)	
BCF fish 1	903 - 2820 (BCF)
BCF fish 2	9200 (BCF)
BCF other aquatic organisms 1	7770 (BCF; 24 h; Chlorella sp.)
BCF other aquatic organisms 2	10500 (BCF)
Log Pow	4.5
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
benzo[a]anthracene (56-55-3)	
BCF fish 1	350 (BCF; 72 h)
BCF other aquatic organisms 1	1106 (BCF; 24 h)
BCF other aquatic organisms 2	18000 (BCF; 192 h)

Custom 625 Spike Mix

Safety Data Sheet

benzo[a]anthracene (56-55-3)	
Log Pow	5.61 - 5.79
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
benzidine (92-87-5)	
BCF fish 1	55 (BCF)
BCF fish 2	38 - 42 (BCF; 908 h; Lepomis macrochirus)
BCF other aquatic organisms 1	2512 (BCF)
BCF other aquatic organisms 2	293 (BCF)
Log Pow	1.34 - 1.81
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
benzo[a]pyrene (50-32-8)	
BCF fish 1	480 (BCF; 72 h)
BCF fish 2	70.7 (BCF; 168 h; Salmo salar)
BCF other aquatic organisms 1	3000 (BCF; 192 h)
BCF other aquatic organisms 2	1.5 (BCF; 24 h)
Log Pow	5.97 - 6.06
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
benzo(ghi)perylene (191-24-2)	
Log Pow	6.51 - 7.23 (Calculated)
Bioaccumulative potential	Bioaccumable.
benzo[k]fluoranthene (207-08-9)	
BCF fish 1	8750 (BCF)
BCF other aquatic organisms 1	0.0013 mg/kg (BCF)
BCF other aquatic organisms 2	37000 (BCF)
Log Pow	6.84
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
chrysene (218-01-9)	
BCF other aquatic organisms 1	4440 (BCF)
Log Pow	5.81 - 5.86 (Experimental value)
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
dibenz(a,h)anthracene (53-70-3)	
Log Pow	5.97 - 6.84
1,2-dichlorobenzene (95-50-1)	
BCF fish 1	90 - 260 (BCF)
BCF fish 2	270 - 560 (BCF)
BCF other aquatic organisms 1	14791 (BCF)
BCF other aquatic organisms 2	28840 (BCF)
Log Pow	3.43 (Experimental value)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
1,4-dichlorobenzene (106-46-7)	
BCF fish 1	100 (BCF)
BCF fish 2	214 - 720 (BCF)
BCF other aquatic organisms 1	20 (BCF)
Log Pow	3.39 - 3.62 (Experimental value)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
1,4-dioxane (123-91-1)	
BCF fish 1	0.2 - 0.7 (BCF)
Log Pow	-0.27 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
fluoranthene (206-44-0)	
BCF fish 1	3981 (BCF)
BCF fish 2	6110 (BCF)
BCF other aquatic organisms 1	10000 (BCF; 192 h)
BCF other aquatic organisms 2	695 (BCF; 48 h)
Log Pow	5.33
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
Hexachlorocyclopentadiene (77-47-4)	
BCF fish 1	1230 (BCF; 72 h; Leuciscus idus)

Custom 625 Spike Mix

Safety Data Sheet

Hexachlorocyclopentadiene (77-47-4)	
BCF other aquatic organisms 1	1090 (BCF; 24 h; Chlorella sp.)
Log Pow	3.99-5.51
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
2-Methylphenol (95-48-7)	
Log Pow	1.5 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
4-Methylphenol (106-44-5)	
BCF fish 1	4 (BCF)
Log Pow	1.97 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
naphthalene (91-20-3)	
BCF fish 1	23 - 168 (BCF; 8 weeks; Cyprinus carpio)
Log Pow	3.30 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
nitrobenzene (98-95-3)	
BCF fish 1	15 (BCF; 672 h)
BCF fish 2	1.6 - 7.7 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 42 days; Cyprinus carpio; Flow-through system; Fresh water; Experimental value)
BCF other aquatic organisms 1	24 (BCF)
Log Pow	1.85 (Calculated; 1.86; Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
nitrobenzene-D5 (4165-60-0)	
BCF fish 1	15 (BCF; 672 h; Pimephales promelas)
BCF fish 2	1.6 - 7.7 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 42 days; Cyprinus carpio; Flow-through system; Fresh water; Experimental value; Non deuterium form)
BCF other aquatic organisms 1	24 (BCF)
Log Pow	1.85 (Calculated; 1.86; Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
N-Nitrosodimethylamine (62-75-9)	
Log Pow	-0.77 - -0.57
Bioaccumulative potential	Bioaccumulation: not applicable.
N-Nirosodi-n-propylamine (621-64-7)	
Log Pow	1.31 - 1.36
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
phenol (108-95-2)	
Log Pow	1.47 (Experimental value; Equivalent or similar to OECD 117; 30 °C)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
Phenol (13127-88-3)	
BCF fish 1	20 (BCF)
BCF fish 2	1276 - 1496 (BCF)
BCF other aquatic organisms 1	277 (BCF)
BCF other aquatic organisms 2	3.5 - 16 (BCF)
Log Pow	1.46 (Experimental value)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
pyrene (129-00-0)	
BCF fish 1	600 - 970 (BCF)
BCF fish 2	4810 (BCF)
BCF other aquatic organisms 1	2692 (BCF)
Log Pow	4.88 - 5.32
Bioaccumulative potential	High potential for bioaccumulation ($\text{Log Kow} > 5$).
pyridine (110-86-1)	
Log Pow	0.65 - 1.04 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
2,3,4,6-tetrachlorophenol (58-90-2)	
BCF fish 1	200 (BCF; 24 h)
BCF fish 2	93 (BCF; 24 h)
Log Pow	4.1 - 4.8
Bioaccumulative potential	Potential for bioaccumulation ($4 \geq \text{Log Kow} \leq 5$).

Custom 625 Spike Mix

Safety Data Sheet

1,2,4-trichlorobenzene (120-82-1)	
BCF fish 1	1200 - 3700 (BCF)
BCF fish 2	1140 - 4420 (BCF)
BCF other aquatic organisms 1	250 (BCF; 24 h; Chlorella sp.)
BCF other aquatic organisms 2	142 (BCF)
Log Pow	4.02 (Experimental value)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).

methanol (67-56-1)	
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

Methylene Chloride (75-09-2)	
BCF fish 1	2 - 40 (BCF)
Log Pow	1.25 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

1,2-dichlorobenzene (95-50-1)	
Surface tension	0.037 N/m (20 °C)

1,4-dichlorobenzene (106-46-7)	
Surface tension	0.030 N/m (55 °C)

1,4-dioxane (123-91-1)	
Surface tension	0.037 N/m (20 °C)

Hexachlorocyclopentadiene (77-47-4)	
Surface tension	0.0375 N/m (20 °C)
Log Koc	Koc,4265; Experimental value

2-Methylphenol (95-48-7)	
Surface tension	0.04 N/m (20 °C)

4-Methylphenol (106-44-5)	
Surface tension	0.041 N/m (40 °C)

naphthalene (91-20-3)	
Surface tension	0.03 N/m (100 °C)

nitrobenzene (98-95-3)	
Surface tension	0.0439 N/m
Log Koc	Koc,Other; 118; Calculated value; log Koc; Other; 2.07; Calculated value

nitrobenzene-D5 (4165-60-0)	
Log Koc	Koc,Other; 118; Calculated value; log Koc; Other; 2.07; Calculated value

phenol (108-95-2)	
Surface tension	0.0713 N/m (20 °C)

pyridine (110-86-1)	
Surface tension	0.038 N/m (20 °C)

1,2,4-trichlorobenzene (120-82-1)	
Surface tension	0.039 N/m (20 °C)

methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value

Methylene Chloride (75-09-2)	
Surface tension	0.028 N/m (20 °C)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Custom 625 Spike Mix

Safety Data Sheet

Additional information : Handle empty containers with care because residual vapors are flammable. Hazardous waste due to potential risk of explosion.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3082
UN-No.(IATA) : 3082
UN-No. (IMDG) : 3082
UN-No.(ADN) : 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (E)

14.3. Packing group

Class (ADR) : 9
Classification code (ADR) : M6
Class (IATA) : 9
Class (IMDG) : 9
Class (ADN) : 9
Classification code (ADN) : M6
Hazard labels (ADR) : 9



Hazard labels (IATA) : 9



Hazard labels (IMDG) : 9



Hazard labels (ADN) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IATA) : III
Packing group (IMDG) : III
Packing group (ADN) : III

14.5. Environmental hazards

Dangerous for the environment :




Other information : No supplementary information available.

Custom 625 Spike Mix

Safety Data Sheet

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.)	: 90
Classification code (ADR)	: M6
Orange plates	: 
Special provision (ADR)	: 274, 335, 601, 375
Transport category (ADR)	: 3
Tunnel restriction code (ADR)	: E
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1

14.6.2. Transport by sea

Special provision (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

14.6.3. Air transport

CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
PCA packing instructions (IATA)	: 964
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA max net quantity (IATA)	: 450L
PCA Excepted quantities (IATA)	: E1
Special provision (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.6.4. Inland waterway transport

Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions
Contains no REACH candidate substance $\geq 0,1$ % / SCL
Contains no REACH Annex XIV substances \geq to the Annex XIV limit value

15.1.2. National regulations

No additional information available

Custom 625 Spike Mix

Safety Data Sheet

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.