

# Ph. Eur. Monograph 2918: Test for Everolimus Impurity A on Kinetex<sup>®</sup> 2.7 μm C18

Zeshan Aqeel<sup>1</sup> and Heiko Behr<sup>2</sup>

<sup>1</sup>Phenomenex Inc., 411 Madrid Ave., Torrance, CA 90501 1430, USA

<sup>2</sup>Phenomenex Ltd. Deutschland, Zeppelinstr. 5, 63741 Aschaffenburg, Germany

# **Overview**

Everolimus is an immunosuppressant used to prevent rejection of organ transplants and in the treatment of renal cell cancer and other tumors.

In this application note we demonstrate the separation of Everolimus from Sirolimus (Impurity A) according to Ph. Eur. Monograph 2918 for the determination of Impurity A.

The chromatogram obtained for reference solution (a) was used to confirm the retention time for Impurity A. Three batches of the Kinetex 2.7  $\mu$ m C18 column were used to demonstrate excellent batch-to-batch reproducibility, with each column meeting the system suitability requirement for the separation between Impurity A and Everolimus, as determined by the peak-to-valley ratio (minimum 2.0); where  $H_p$  = height above the baseline of the peak due to Impurity A and  $H_v$  = height above the baseline of the lowest point of the curve separating this peak from the peak due to Everolimus.

All reference solutions were prepared as indicated in Ph.Eur . monograph 2918 for Everolimus. (NOTE: Plastic labware was not used for solution preparation, as recommended, to minimize the formation of the everolimus tautomer; therefore the observed peak for the tautomer was significantly larger than expected). The Everolimus (catalog no. Y0002048) certified reference standard (CRS) was purchased from the European Directorate for the Quality of Medicines & HealthCare (EDQM) Council of Europe; and the Sirolimus (Impurity A) reference standard (catalog no. 1612765) was obtained from US Pharmacopeia (USP).



# **LC-UV Conditions**

Column: Kinetex 2.7 µm C18

**Dimension:** 150 x 2.1 mm (00F-4783-AN)

Mobile Phase: A = Formic acid/Methanol/0.7 g/L Ammonium

Formate/Acetonitrile (0.05:100:450:450

v/v/v/v)

B = Formic acid/Methanol/0.96 g/L Ammonium

Formate/Acetonitrile (0.05:100:330:570

v/v/v/v)

Gradient: Time (min)	% B
0	0
14	0
23	100
28	100
30	0
34	0

Flow Rate: 0.9 mL/min

Temperature: 60 °C

Detector: UV @ 278 nm

**Injection:** 3.5 μL

System: Waters® ACQUITY® I-Class Sample: 1. Sirolimus (Impurity A)


2. Everolimus

3. Everolimus Tautomer


**Table 1:** Preparation of Test and Reference Solutions

Solution	Composition
Test Solution	Dissolve 50.0 mg of Everolimus CRS (or the substance to be examined) in acetonitrile and dilute to 25.0 mL with acetonitrile.
Reference solution (a)	Dissolve 1 mg of USP Sirolimus RS (impurity A) in 5 mL of acetonitrile. Dilute 0.8 mL of the solution to 10 mL with the test solution.


# Original chromatogram published in EDQM for reference solution (a)




Kinetex® 2.7  $\mu$ m C18 150 x 2.1 mm (00F-4783-AN); reference solution (a) on 3 different batches



H <sub>p</sub> , (Impurity A)	H <sub>v</sub> , (Everolimus)	p/v = Hv/Hp
17458	5668	3.08



H <sub>p</sub> , (Impurity A)	H <sub>v</sub> , (Everolimus)	p/v = Hv/Hp
17299	5751	3.01



H <sub>p</sub> , (Impurity A)	H <sub>v</sub> , (Everolimus)	p/v = Hv/Hp
17141	5470	3.13

# Need a different column size or sample preparation format?

No problem! We have a majority of our available dimensions up on www.phenomenex.com, but if you can't find what you need right away, our super helpful Technical Specialists can guide you to the solution via our online chat portal www.phenomenex.com/LiveChat.

# **Australia**

t: +61 (0)2-9428-6444 auinfo@phenomenex.com

### Austria

t: +43 (0)1-319-1301 anfrage@phenomenex.com

**Belgium** t: +32 (0)2 503 4015 (French) t: +32 (0)2 511 8666 (Dutch) beinfo@phenomenex.com

t: +1 (800) 543-3681 info@phenomenex.com

# China

t: +86 400-606-8099 cninfo@phenomenex.com

# Czech Republic

t: +420 272 017 077 cz-info@phenomenex.com

### Denmark

t: +45 4824 8048 nordicinfo@phenomenex.com

# **Finland**

t: +358 (0)9 4789 0063 nordicinfo@phenomenex.com

t: +33 (0)1 30 09 21 10 franceinfo@phenomenex.com

# Germany

t: +49 (0)6021-58830-0 anfrage@phenomenex.com

Hong Kong t: +852 6012 8162 hkinfo@phenomenex.com

# India

t: +91 (0)40-3012 2400 indiainfo@phenomenex.com

# Ireland

t: +353 (0)1 247 5405 eireinfo@phenomenex.com

Italy t: +39 051 6327511 italiainfo@phenomenex.com

**Luxembourg** t: +31 (0)30-2418700 nlinfo@phenomenex.com

t: 01-800-844-5226 tecnicomx@phenomenex.com

# The Netherlands

t: +31 (0)30-2418700 nlinfo@phenomenex.com

## **New Zealand**

t: +64 (0)9-4780951 nzinfo@phenomenex.com

## Norway

t: +47 810 02 005 nordicinfo@phenomenex.com

# **Poland**

t: +48 22 104 21 72 pl-info@phenomenex.com

# **Portugal**

t: +351 221 450 488 ptinfo@phenomenex.com

# Singapore

t: +65 800-852-3944 sginfo@phenomenex.com

# Slovakia

t: +420 272 017 077 sk-info@phenomenex.com

t: +34 91-413-8613 espinfo@phenomenex.com

### Sweden

t: +46 (0)8 611 6950 nordicinfo@phenomenex.com

**Switzerland** t: +41 (0)61 692 20 20 swissinfo@phenomenex.com

t: +886 (0) 0801-49-1246 twinfo@phenomenex.com

# Thailand

t: +66 (0) 2 566 0287 thaiinfo@phenomenex.com

# United Kingdom

t: +44 (0)1625-501367 ukinfo@phenomenex.com

### USA

t: +1 (310) 212-0555 info@phenomenex.com

# All other countries/regions Corporate Office USA

t: +1 (310) 212-0555 info@phenomenex.com

# www.phenomenex.com

Phenomenex products are available worldwide. For the distributor in your country/region, contact Phenomenex USA, International Department at international@phenomenex.com



Your happiness is our mission. Take 45 days to try our products. If you are not happy, we'll make it right.

www.phenomenex.com/behappy

# Terms and Conditions

Subject to Phenomenex Standard Terms and Conditions, which may be viewed at www.phenomenex.com/TermsAndConditions.

# Trademarks

Kinetex is a registered trademark and BE-HAPPY is a trademark of Phenomenex. Waters and ACQUITY are registered trademarks of Waters Technologies Corporation.

# Disclaimer

Comparative separations may not be representative of all applications

Phenomenex is in no way affiliated with Waters.

FOR RESEARCH USE ONLY. Not for use in clinical diagnostic procedures.

© 2021 Phenomenex, Inc. All rights reserved.

