Phenovo[™] APhenomenex* Company Archited Reference Materials

8270 Additions Mix 3

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 12/21/2020 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : 8270 Additions Mix 3

Product code : AL0-180107

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Phenova

6390 Joyce Dr. Suite 100

Golden, CO 80403 - United States T 1-866-942-2978 - F 1-866-283-0269

info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924

ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids H225 Highly flammable liquid and vapor

Category 2

Carcinogenicity Category H350 May cause cancer

1R

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor

H350 - May cause cancer

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P308+P313 - If exposed or concerned: Get medical advice/attention. P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

12/21/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.
Methylene Chloride (Component)	(CAS-No.) 75-09-2	99
N,N-dimethylformamide (Component)	(CAS-No.) 68-12-2	0.1
2-phenylpropene, stabilised (Component)	(CAS-No.) 98-83-9	0.1

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get

medical advice/attention.

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

12/21/2020 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor.

Hygiene measures : Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated

clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep container tightly closed and in a well-ventilated

place. Keep away from any flames or sparking source.

Incompatible materials : Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8270 Additions Mix 3		
ACGIH	Local name	Dichloromethane
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	(2) See Table Z-2.
OSHA	Regulatory reference (US-OSHA)	OSHA

N,N-dimethylformamide (68-12-2)

ACGIH ACGIH TWA (ppm) 5 ppm

2-phenylpropene, stabilised (98-83-9)

Not applicable

Methylene Chloride (75-09-2)		
ACGIH	Local name	Dichloromethane
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	(2) See Table Z-2.
OSHA	Regulatory reference (US-OSHA)	OSHA

8.2. Appropriate engineering controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Hand protection:

Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):

12/21/2020 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations







Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid

> Colorless : characteristic

: No data available Odor threshold No data available pН

Melting point : No data available

: No data available Freezing point Boiling point : No data available

Flash point : No data available

Relative evaporation rate (butyl acetate=1) No data available

Flammability (solid, gas) : Non flammable. Vapor pressure : No data available

Relative vapor density at 20 °C : No data available

Relative density : No data available

Solubility No data available

Partition coefficient n-octanol/water (Log Pow) : No data available

: No data available Auto-ignition temperature Decomposition temperature : No data available

: No data available Viscosity, kinematic

Viscosity, dynamic No data available

: No data available **Explosion limits** : No data available

Explosive properties

Oxidizing properties : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

Information on toxicological effects

12/21/2020 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity : Not classified

N,N-dimethylformamide (68-12-2)	
LD50 oral rat	3010 mg/kg body weight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 3160 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 5.85 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	3010 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

2-phenylpropene, stabilised (98-83-9)	
LD50 oral rat	4900 mg/kg body weight (Rat, Male, Experimental value, Oral, 2 week(s))
LD50 dermal rabbit	14560 mg/kg body weight (24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	22.85 mg/l air (6 h, Rat, Male, Experimental value, Inhalation (vapours), 10 day(s))
ATE US (oral)	4900 mg/kg body weight
ATE US (dermal)	14560 mg/kg body weight

Methylene Chloride (75-09-2)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : May cause cancer.

N,N-dimethylformamide (68-12-2)		
IARC group	2A - Probably carcinogenic to humans	
2-phenylpropene, stabilised (98-83-9)		
IARC group	2B - Possibly carcinogenic to humans	
Methylene Chloride (75-09-2)		
IARC group	2A - Probably carcinogenic to humans	
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
Reproductive toxicity	Not classified	

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

N,N-dimethylformamide (68-12-2)	
LC50 fish 1	7100 mg/l (EPA 600/3-75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	13100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

12/21/2020 EN (English US) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
2-phenylpropene, stabilised (98-83-9)		
LC50 fish 1	2.97 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)	
EC50 Daphnia 1	1.645 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
Methylene Chloride (75-09-2)		
LC50 fish 1	193 mg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 Daphnia 1	168.2 mg/l (48 h, Daphnia magna)	
12.2. Persistence and degradability		
8270 Additions Mix 3		
Persistence and degradability	Not established.	
N,N-dimethylformamide (68-12-2)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	, ,	
, ,	0.9 g O₂/g substance	
Chemical oxygen demand (COD)	0.3645 g O₂/g substance	
ThOD	1.863 g O₂/g substance	
BOD (% of ThOD)	0.49	
2-phenylpropene, stabilised (98-83-9)		
Persistence and degradability	Not readily biodegradable in water.	
ThOD	3.02 g O₂/g substance	
Mathedana Chlorida (75.00.0)		
Methylene Chloride (75-09-2) Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.	
reisisterice and degradability	blodegradable in the soil. Not readily blodegradable in water.	
12.3. Bioaccumulative potential		
8270 Additions Mix 3		
Bioaccumulative potential	Not established.	
N,N-dimethylformamide (68-12-2)		
BCF fish 1	0.3 – 1.2 l/kg (OECD 305: Bioconcentration: Flow-Through Fish Test, 56 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, Test duration: 8 weeks)	
Partition coefficient n-octanol/water (Log Pow)	-1.01 (Experimental value)	
Bioaccumulative potential	Not bioaccumulative.	
2-phenylpropene, stabilised (98-83-9)		
BCF fish 1	12 – 140 (OECD 305: Bioconcentration: Flow-Through Fish Test, 56 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, Test duration: 8 weeks)	
BCF other aquatic organisms 1	47 – 151 (Daphnia magna)	
Partition coefficient n-octanol/water (Log Pow)	2.238 – 3.36	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Methylene Chloride (75-09-2)		
BCF fish 1	2 – 40 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Semi-static system, Fresh water, Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Pow)	1.25 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
12.4. Mobility in soil		
N,N-dimethylformamide (68-12-2)		
Surface tension	35.5 mN/m (2520 °C)	
Partition coefficient n-octanol/water (Log Koc)	0.38 (log Koc, PCKOCWIN v1.66, QSAR)	
Ecology - soil	Highly mobile in soil.	
2-phenylpropene, stabilised (98-83-9)		
Surface tension	0.032 N/m (20 °C)	
Methylene Chloride (75-09-2) Surface tension	0.028 N/m (20 °C)	

12/21/2020 EN (English US) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methylene Chloride (75-09-2)	
Ecology - soil	Low potential for adsorption in soil. May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects

8270 Additions Mix 3	
N,N-dimethylformamide (68-12-2)	
2-phenylpropene, stabilised (98-83-9)	
Methylene Chloride (75-09-2)	

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN2810 Toxic, liquids, organic, n.o.s. (dichloromethane; N,N-dimethylformamide), 6.1, III

UN-No.(DOT) : UN2810

Proper Shipping Name (DOT) : Toxic, liquids, organic, n.o.s.

dichloromethane; N,N-dimethylformamide

6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132 Class (DOT)

: 203

· 241

Packing group (DOT) III - Minor Danger Hazard labels (DOT) : 6.1 - Poison



DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

MAWP.

: 153 DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

12/21/2020 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Emergency Response Guide (ERG) Number : 15

Other information : No supplementary information available.

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (dichloromethane; N,N-dimethylformamide), 6.1,

Ш

UN-No. (IMDG) : 2810

Proper Shipping Name (IMDG) : TOXIC LIQUID, ORGANIC, N.O.S.

Class (IMDG) : 6.1 - Toxic substances

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 2810 Toxic liquid, organic, n.o.s. (dichloromethane; N,N-dimethylformamide), 6.1, III

UN-No. (IATA) : 2810

Proper Shipping Name (IATA) : Toxic liquid, organic, n.o.s.

Class (IATA) : 6.1 - Toxic Substances

Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

N,N-dimethylformamide (68-12-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	100 lb	
2-phenylpropene, stabilised (98-83-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Methylene Chloride (75-09-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
Listed on EPA Hazardous Air Pollutant (HAPS)		
EPA TSCA Regulatory Flag	R - R - indicates a substance that is the subject of a TSCA section 6 risk management rule.	
CERCLA RQ	1000 lb	

15.2. International regulations

CANADA

N,N-dimethylformamide (68-12-2)

Listed on the Canadian DSL (Domestic Substances List)

2-phenylpropene, stabilised (98-83-9)

Listed on the Canadian DSL (Domestic Substances List)

Methylene Chloride (75-09-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

12/21/2020 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N,N-dimethylformamide (68-12-2)

Listed on IARC (International Agency for Research on Cancer)

Listed on EPA Hazardous Air Pollutant (HAPS)

2-phenylpropene, stabilised (98-83-9)

Listed on IARC (International Agency for Research on Cancer)

Methylene Chloride (75-09-2)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

15.3. US State regulations

2-phenylpropen	e, stabilised (98-83-	9)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
Methylene Chlo	ide (75-09-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	50 μg/day	

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-phrases

	H225	Highly flammable liquid and vapor		
	H350	May cause cancer		

Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.

12/21/2020 EN (English US) 9/9