

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Product name : REV VOA APPIX plus Mix  
 Product code : AL0-130730; AL0-130731

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Phenova  
 6390 Joyce Dr. Suite 100  
 Golden, CO 80403 - United States  
 T 1-866-942-2978 - F 1-866-283-0269  
[info@phenova.com](mailto:info@phenova.com) - [www.phenova.com](http://www.phenova.com)

#### 1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924  
 ChemTel Assistance (International) +1 813-248-0585

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Flammable liquids Category 1	H224	Extremely flammable liquid and vapour
Acute toxicity (oral) Category 3	H301	Toxic if swallowed
Acute toxicity (dermal) Category 3	H311	Toxic in contact with skin
Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity Category 1B	H350	May cause cancer
Specific target organ toxicity (single exposure) Category 1	H370	Causes damage to organs
Hazardous to the ozone layer Category 1	H420	Harms public health and the environment by destroying ozone in the upper atmosphere

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H224 - Extremely flammable liquid and vapour  
 H301+H311 - Toxic if swallowed or in contact with skin  
 H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H350 - May cause cancer  
 H370 - Causes damage to organs  
 H420 - Harms public health and the environment by destroying ozone in the upper atmosphere

Precautionary statements (GHS-US) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 P233 - Keep container tightly closed.  
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
 P270 - Do not eat, drink or smoke when using this product.  
 P272 - Contaminated work clothing must not be allowed out of the workplace

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 - If swallowed: Immediately call a poison center or doctor  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.  
P363 - Wash contaminated clothing before reuse.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation  
P502 - Refer to manufacturer/supplier for information on recovery/recycling.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Conc.
methanol (Component)	(CAS-No.) 67-56-1	58.4
ethanol (Component)	(CAS-No.) 64-17-5	8
2-methyl-2-butanol (Component)	(CAS-No.) 75-85-4	4
1,4-dioxane (Component)	(CAS-No.) 123-91-1	4
Isobutanol (Component)	(CAS-No.) 78-83-1	4
acetonitrile (Component)	(CAS-No.) 75-05-8	2
tert-Butanol (Component)	(CAS-No.) 75-65-0	2
methacrylonitrile (Component)	(CAS-No.) 126-98-7	2
propionitrile (Component)	(CAS-No.) 107-12-0	2
tetrahydrofuran (Component)	(CAS-No.) 109-99-9	2
iodomethane (Component)	(CAS-No.) 74-88-4	0.4
4-Methyl-2-Pentanone (Component)	(CAS-No.) 108-10-1	0.4
allyl chloride (Component)	(CAS-No.) 107-05-1	0.2
2-chloro-1,3-butadiene, inhibited (Component)	(CAS-No.) 126-99-8	0.2
1,4-dichloro-2-butene, (Z)- (Component)	(CAS-No.) 1476-11-5	0.2
1,4-dichloro-2-butene, trans- (Component)	(CAS-No.) 110-57-6	0.2
ethyl methacrylate (Component)	(CAS-No.) 97-63-2	0.2

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

No additional information available

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up in absorbent material. Collect spillage.
-------------------------	--

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures	: Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.
Incompatible materials	: Direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

REV VOA APPIX plus Mix		
ACGIH	Local name	Methanol

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>REV VOA APPIX plus Mix</b>		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	250 ppm
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>acetonitrile (75-05-8)</b>		
ACGIH	Local name	Acetonitrile
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	Remark (ACGIH)	LRT irr
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	70 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	40 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>allyl chloride (107-05-1)</b>		
ACGIH	Local name	Allyl chloride
ACGIH	ACGIH TWA (ppm)	1 ppm
ACGIH	ACGIH STEL (ppm)	2 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; liver & kidney dam
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	1 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>2-methyl-2-butanol (75-85-4)</b>		
Not applicable		
<b>tert-Butanol (75-65-0)</b>		
ACGIH	Local name	tert-Butanol
ACGIH	ACGIH TWA (ppm)	100 ppm
ACGIH	Remark (ACGIH)	CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>2-chloro-1,3-butadiene, inhibited (126-99-8)</b>		
ACGIH	Local name	β-Chloroprene
ACGIH	ACGIH TWA (ppm)	1 ppm
ACGIH	Remark (ACGIH)	Lung cancer; URT & eye irr; Skin; A2 (Suspected Human Carcinogen: Human data are accepted as adequate in quality but are conflicting or insufficient to classify the agent as a confirmed human carcinogen; OR, the agent is carcinogenic in experimental animals at dose(s), by route(s) of exposure, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. The A2 is used primarily when there is limited evidence or carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals with relevance to humans)

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>2-chloro-1,3-butadiene, inhibited (126-99-8)</b>		
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	90 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	25 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>1,4-dichloro-2-butene, (Z)- (1476-11-5)</b>		
ACGIH	ACGIH TWA (ppm)	0.005 ppm
<b>1,4-dichloro-2-butene, trans- (110-57-6)</b>		
ACGIH	ACGIH TWA (ppm)	0.005 ppm
<b>1,4-dioxane (123-91-1)</b>		
ACGIH	Local name	1,4-Dioxane
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	Remark (ACGIH)	Liver dam
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	360 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>ethanol (64-17-5)</b>		
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>ethyl methacrylate (97-63-2)</b>		
Not applicable		
<b>iodomethane (74-88-4)</b>		
ACGIH	Local name	Methyl iodide
ACGIH	ACGIH TWA (ppm)	2 ppm
ACGIH	Remark (ACGIH)	Eye dam; CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	28 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	5 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>Isobutanol (78-83-1)</b>		
ACGIH	Local name	Isobutanol
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	Remark (ACGIH)	Skin & eye irr
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>methacrylonitrile (126-98-7)</b>		
ACGIH	Local name	Methylacrylonitrile

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>methacrylonitrile (126-98-7)</b>		
ACGIH	ACGIH TWA (ppm)	1 ppm
ACGIH	Remark (ACGIH)	CNS impair; eye & skin irr
ACGIH	Regulatory reference	ACGIH 2018
<b>4-Methyl-2-Pentanone (108-10-1)</b>		
ACGIH	Local name	Methyl isobutyl ketone
ACGIH	ACGIH TWA (ppm)	20 ppm (Methyl isobutyl ketone; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	75 ppm (Methyl isobutyl ketone; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	URT irr; dizziness; headache
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	410 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>propionitrile (107-12-0)</b>		
Not applicable		
<b>tetrahydrofuran (109-99-9)</b>		
ACGIH	Local name	Tetrahydrofuran
ACGIH	ACGIH TWA (ppm)	50 ppm (Tetrahydrofuran; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	100 ppm (Tetrahydrofuran; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	URT irr; CNS impair; kidney dam
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	590 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
<b>methanol (67-56-1)</b>		
ACGIH	Local name	Methanol
ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.

#### Hand protection:

Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Chemical goggles or safety glasses. Safety glasses


### Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact

### Respiratory protection:

Wear appropriate mask

### Personal protective equipment symbol(s):



### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

REV VOA APPIX plus Mix	
ATE US (oral)	64.903 mg/kg body weight
ATE US (dermal)	463.343 mg/kg body weight
acetonitrile (75-05-8)	
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
allyl chloride (107-05-1)	
LD50 oral rat	275 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	398 mg/kg body weight (24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	5.6 mg/l (4 h, Rat, Experimental value, Inhalation (vapours), 28 day(s))
ATE US (oral)	275 mg/kg body weight
ATE US (dermal)	398 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	5.6 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
2-methyl-2-butanol (75-85-4)	
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
tert-Butanol (75-65-0)	
LD50 oral rat	3046 mg/kg body weight (EPA OPPTS 870.1100: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 36 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	3046 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
2-chloro-1,3-butadiene, inhibited (126-99-8)	
LD50 oral rat	251 mg/kg body weight (Rat, Experimental value, Oral)
LD50 dermal rabbit	> 200 mg/kg body weight (24 h, Rabbit, Male, Experimental value, Dermal, 2 day(s))
LC50 inhalation rat (mg/l)	>= 8.42 mg/l (4 h, Rat, Male, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	251 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h



# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>1,4-dichloro-2-butene, (Z)- (1476-11-5)</b>	
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	100 ppmV/4h
ATE US (vapors)	0.5 mg/l/4h
ATE US (dust, mist)	0.05 mg/l/4h
<b>1,4-dichloro-2-butene, trans- (110-57-6)</b>	
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	100 ppmV/4h
ATE US (vapors)	0.5 mg/l/4h
ATE US (dust, mist)	0.05 mg/l/4h
<b>1,4-dioxane (123-91-1)</b>	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rabbit	7600 mg/kg (Rabbit, Dermal)
LC50 inhalation rat (mg/l)	51 mg/l (4 h, Rat, Inhalation)
LC50 inhalation rat (ppm)	14250 ppm (4 h, Rat, Inhalation)
ATE US (dermal)	7600 mg/kg body weight
ATE US (vapors)	51 mg/l/4h
ATE US (dust, mist)	51 mg/l/4h
<b>ethanol (64-17-5)</b>	
LD50 oral rat	10740 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 inhalation rat (mg/l)	117 - 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation)
ATE US (oral)	10740 mg/kg body weight
<b>ethyl methacrylate (97-63-2)</b>	
LD50 oral rat	13424 mg/kg body weight (Rat, Experimental value, Oral)
LD50 dermal rabbit	> 9100 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	55 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation, 14 day(s))
ATE US (oral)	13424 mg/kg body weight
ATE US (vapors)	55 mg/l/4h
ATE US (dust, mist)	55 mg/l/4h
<b>iodomethane (74-88-4)</b>	
LD50 oral rat	80 - 132 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	4.07 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	80 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	4.07 mg/l/4h
ATE US (dust, mist)	4.07 mg/l/4h
<b>isobutanol (78-83-1)</b>	
LD50 oral rat	> 2830 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral)
LD50 dermal rabbit	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rabbit, Male, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	24.6 mg/l air (Other, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))
<b>methacrylonitrile (126-98-7)</b>	
LD50 oral rat	64 - 73 mg/kg (Rat)
LD50 dermal rabbit	280 mg/kg (Rabbit)

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>methacrylonitrile (126-98-7)</b>	
LC50 inhalation rat (mg/l)	0.66 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	328 ppm/4h (Rat)
ATE US (oral)	64 mg/kg body weight
ATE US (dermal)	280 mg/kg body weight
ATE US (gases)	328 ppmV/4h
ATE US (vapors)	0.66 mg/l/4h
ATE US (dust, mist)	0.66 mg/l/4h

<b>4-Methyl-2-Pentanone (108-10-1)</b>	
LD50 oral rat	2080 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value)
LD50 dermal rat	>= 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	8.2- 16.4,Rat; Experimental value
LC50 inhalation rat (ppm)	2000 - 4000 ppm/4h (Rat; Experimental value)
ATE US (oral)	2080 mg/kg body weight
ATE US (gases)	2000 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

<b>propionitrile (107-12-0)</b>	
LD50 oral rat	39 mg/kg (Rat)
LD50 dermal rabbit	164 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	1.6 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	730 ppm/4h (Rat)
ATE US (oral)	39 mg/kg body weight
ATE US (dermal)	164 mg/kg body weight
ATE US (gases)	730 ppmV/4h
ATE US (vapors)	1.6 mg/l/4h
ATE US (dust, mist)	1.6 mg/l/4h

<b>tetrahydrofuran (109-99-9)</b>	
LD50 oral rat	2.3 - 3.6 (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 1650 mg/kg bodyweight; Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	54 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	18200 ppm/4h (Rat; Literature study)
ATE US (oral)	2.3 mg/kg body weight
ATE US (gases)	18200 ppmV/4h
ATE US (vapors)	54 mg/l/4h
ATE US (dust, mist)	54 mg/l/4h

<b>methanol (67-56-1)</b>	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: May cause cancer.

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2-chloro-1,3-butadiene, inhibited (126-99-8)

National Toxicology Program (NTP) Status Reasonably anticipated to be Human Carcinogen

### 1,4-dioxane (123-91-1)

National Toxicology Program (NTP) Status Reasonably anticipated to be Human Carcinogen

### 4-Methyl-2-Pentanone (108-10-1)

IARC group 2B - Possibly carcinogenic to humans

### tetrahydrofuran (109-99-9)

IARC group 2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified  
Based on available data, the classification criteria are not met

Specific target organ toxicity – single exposure : Causes damage to organs.

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### acetonitrile (75-05-8)

LC50 fish 1	1640 mg/l (Other, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Soft water)
EC50 Daphnia 1	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	9696 mg/l (ISO 10253, 72 h, Phaeodactylum, Static system, Salt water, Experimental value, GLP)

#### allyl chloride (107-05-1)

LC50 fish 1	0.32 mg/l (96 h, Pimephales promelas, Static system, Literature study, Nominal concentration)
-------------	---

#### 2-methyl-2-butanol (75-85-4)

LC50 fish 1	2430 mg/l (Leuciscus idus)
EC50 Daphnia 1	3185 mg/l (24 h, Daphnia magna)

#### tert-Butanol (75-65-0)

LC50 fish 1	> 961 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	933 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

#### 2-chloro-1,3-butadiene, inhibited (126-99-8)

LC50 fish 1	> 5.25 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	11.31 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	19.9 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>1,4-dioxane (123-91-1)</b>	
LC50 fish 1	13000 mg/l (96 h, Pimephales promelas, GLP)
EC50 Daphnia 1	8450 mg/l (24 h, Daphnia magna)
<b>ethanol (64-17-5)</b>	
LC50 fish 1	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
<b>ethyl methacrylate (97-63-2)</b>	
LC50 fish 1	100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Flow-through system, Experimental value, GLP)
EC50 Daphnia 1	> 66 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	> 110 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Fresh water, Experimental value)
<b>iodomethane (74-88-4)</b>	
LC50 fish 1	1.4 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	2.55 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>isobutanol (78-83-1)</b>	
LC50 fish 1	1430 mg/l (Other, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	1100 mg/l (ASTM, 48 h, Daphnia pulex, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	1799 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>methacrylonitrile (126-98-7)</b>	
LC50 fish 1	100 - 1000 mg/l (LC50; 96 h)
<b>4-Methyl-2-Pentanone (108-10-1)</b>	
LC50 fish 1	600 mg/l (96 h, Salmo gairdneri, Fresh water, Literature study)
EC50 Daphnia 1	> 200 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LC50 fish 2	> 179 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
<b>propionitrile (107-12-0)</b>	
LC50 fish 1	1520 mg/l (LC50; 96 h; Pimephales promelas)
<b>tetrahydrofuran (109-99-9)</b>	
LC50 fish 1	2160 mg/l (LC50; Equivalent or similar to OECD 203; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)
Threshold limit algae 2	3700 mg/l (EC0; Other; 8 days; Scenedesmus quadricauda; Static system; Fresh water; Experimental value)
<b>methanol (67-56-1)</b>	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)

### 12.2. Persistence and degradability

<b>REV VOA APPIX plus Mix</b>	
Persistence and degradability	Not established.
<b>acetonitrile (75-05-8)</b>	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.17 g O <sub>2</sub> /g substance
ThOD	3.12 g O <sub>2</sub> /g substance
<b>allyl chloride (107-05-1)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>allyl chloride (107-05-1)</b>	
Biochemical oxygen demand (BOD)	0.23 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	0.86 g O <sub>2</sub> /g substance
ThOD	1.7 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.14 (5 day(s), Calculated value)
<b>2-methyl-2-butanol (75-85-4)</b>	
Persistence and degradability	Not readily biodegradable in water.
ThOD	2.72 g O <sub>2</sub> /g substance
<b>tert-Butanol (75-65-0)</b>	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.18 g O <sub>2</sub> /g substance
ThOD	2.59 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0
<b>2-chloro-1,3-butadiene, inhibited (126-99-8)</b>	
Persistence and degradability	Not readily biodegradable in water.
<b>1,4-dioxane (123-91-1)</b>	
Persistence and degradability	Non degradable in the soil. Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0 g O <sub>2</sub> /g substance
ThOD	1.8 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0
<b>ethanol (64-17-5)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43
<b>ethyl methacrylate (97-63-2)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>iodomethane (74-88-4)</b>	
Persistence and degradability	Not readily biodegradable in water.
<b>isobutanol (78-83-1)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
<b>methacrylonitrile (126-98-7)</b>	
Persistence and degradability	Biodegradable in the soil.
<b>4-Methyl-2-Pentanone (108-10-1)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Low potential for adsorption in soil. Photolysis in the air.
Biochemical oxygen demand (BOD)	2.06 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.16 g O <sub>2</sub> /g substance
ThOD	2.72 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.76
<b>propionitrile (107-12-0)</b>	
Persistence and degradability	Biodegradability in water: no data available.
<b>tetrahydrofuran (109-99-9)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>tetrahydrofuran (109-99-9)</b>	
Chemical oxygen demand (COD)	1.855 g O <sub>2</sub> /g substance
ThOD	2.44 g O <sub>2</sub> /g substance

<b>methanol (67-56-1)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.42 g O <sub>2</sub> /g substance
ThOD	1.5 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.8 (Literature study)

### 12.3. Bioaccumulative potential

<b>REV VOA APPIX plus Mix</b>	
Bioaccumulative potential	Not established.

<b>acetonitrile (75-05-8)</b>	
BCF other aquatic organisms 1	3.162 (BCFWIN, Weight of evidence)
Log Pow	-0.54 (Weight of evidence approach, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Not bioaccumulative.

<b>allyl chloride (107-05-1)</b>	
BCF fish 1	< 5.6 (OECD 305: Bioconcentration: Flow-Through Fish Test, 42 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, Fresh weight)
Log Pow	2.1 (Experimental value, Equivalent or similar to OECD 117, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

<b>2-methyl-2-butanol (75-85-4)</b>	
BCF fish 1	3 (528 h, Estimated value)
Log Pow	0.89 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

<b>tert-Butanol (75-65-0)</b>	
Log Pow	0.317 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 22.5 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

<b>2-chloro-1,3-butadiene, inhibited (126-99-8)</b>	
BCF fish 1	21.54 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Log Pow	2.525 (QSAR, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

<b>1,4-dichloro-2-butene, (Z)- (1476-11-5)</b>	
Log Pow	2.6 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

<b>1,4-dichloro-2-butene, trans- (110-57-6)</b>	
Log Pow	2.11 - 2.6 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

<b>1,4-dioxane (123-91-1)</b>	
BCF fish 1	0.2 - 0.7 (Cyprinus carpio, Test duration: 6 weeks)
Log Pow	-0.27 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

<b>ethanol (64-17-5)</b>	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

<b>ethyl methacrylate (97-63-2)</b>	
BCF fish 1	8.851 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Log Pow	1.87 (Experimental value, Equivalent or similar to OECD 107, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>iodomethane (74-88-4)</b>	
Log Pow	1.57 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>Isobutanol (78-83-1)</b>	
Log Pow	1 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>methacrylonitrile (126-98-7)</b>	
Bioaccumulative potential	Not bioaccumulative.
<b>4-Methyl-2-Pentanone (108-10-1)</b>	
BCF fish 1	2 - 5 (BCF)
Log Pow	1.9 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>propionitrile (107-12-0)</b>	
Log Pow	0.16
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>tetrahydrofuran (109-99-9)</b>	
Log Pow	0.45 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>methanol (67-56-1)</b>	
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

<b>acetonitrile (75-05-8)</b>	
Surface tension	0.029 N/m (20 °C)
Log Koc	0.65 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>allyl chloride (107-05-1)</b>	
Log Koc	1.67 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>2-methyl-2-butanol (75-85-4)</b>	
Surface tension	0.023 N/m (20 °C)
<b>tert-Butanol (75-65-0)</b>	
Surface tension	69.8 mN/m (21 °C, 1.09 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Log Koc	0.324 - 0.707 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>2-chloro-1,3-butadiene, inhibited (126-99-8)</b>	
Log Koc	1.83 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>1,4-dichloro-2-butene, (Z)- (1476-11-5)</b>	
Surface tension	0.024 N/m (20 °C)
Log Koc	2.33 (log Koc, Experimental value)
<b>1,4-dichloro-2-butene, trans- (110-57-6)</b>	
Surface tension	0.024 N/m (20 °C)
Log Koc	2.33 (log Koc, Experimental value, Other isomer)
<b>1,4-dioxane (123-91-1)</b>	
Surface tension	0.037 N/m (20 °C)
<b>ethanol (64-17-5)</b>	
Surface tension	0.022 N/m (20 °C)

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>ethanol (64-17-5)</b>	
Ecology - soil	Highly mobile in soil.
<b>ethyl methacrylate (97-63-2)</b>	
Log Koc	1.222 - 1.933 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>iodomethane (74-88-4)</b>	
Surface tension	0.026 N/m (43 °C)
Log Koc	1.15 - 1.79 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Experimental value, GLP)
Ecology - soil	Highly mobile in soil.
<b>isobutanol (78-83-1)</b>	
Surface tension	0.0697 N/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Log Koc	0.31 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>methacrylonitrile (126-98-7)</b>	
Surface tension	0.024 N/m (20 °C)
<b>4-Methyl-2-Pentanone (108-10-1)</b>	
Surface tension	0.024 N/m (20 °C)
Log Koc	Koc,101.85; Weight of evidence; Calculated value; log Koc; 2.008; Weight of evidence; Calculated value
Ecology - soil	Low potential for adsorption in soil.
<b>propionitrile (107-12-0)</b>	
Surface tension	0.027 N/m (25 °C)
<b>tetrahydrofuran (109-99-9)</b>	
Surface tension	0.028 N/m
Log Koc	log Koc,1.26 - 1.37; Experimental value
<b>methanol (67-56-1)</b>	
Surface tension	0.023 N/m (20 °C)
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1992 Flammable liquids, toxic, n.o.s. (methanol ; isobutanol ; 1,4-dioxane ; acetonitrile ; ; propionitrile ; tetrahydrofuran ; 2-chloro-1,3-butadiene, inhibited ; ; 1,4-dichloro-2-butene, trans- ; 1,4-dichloro-2-butene, (Z)-), 3 (6.1), I  
UN-No.(DOT) : UN1992  
Proper Shipping Name (DOT) : Flammable liquids, toxic, n.o.s.  
methanol ; isobutanol ; 1,4-dioxane ; acetonitrile ; ; propionitrile ; tetrahydrofuran ; 2-chloro-1,3-butadiene, inhibited ; ; 1,4-dichloro-2-butene, trans- ; 1,4-dichloro-2-butene, (Z)-  
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120



# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (DOT) : I - Great Danger  
Subsidiary risk (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132  
Hazard labels (DOT) : 3 - Flammable liquid  
6.1 - Poison



DOT Packaging Non Bulk (49 CFR 173.xxx) : 201  
DOT Packaging Bulk (49 CFR 173.xxx) : 243  
DOT Symbols : G - Identifies PSN requiring a technical name  
DOT Special Provisions (49 CFR 172.102) : T14 - 6 mm Prohibited 178.275(g)(3).  
TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where:  $t_r$  is the maximum mean bulk temperature during transport,  $t_f$  is the temperature in degrees celsius of the liquid during filling, and  $a$  is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling ( $t_f$ ) and the maximum mean bulk temperature during transportation ( $t_r$ ) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where:  $d_{15}$  and  $d_{50}$  are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.  
TP13 - Self-contained breathing apparatus must be provided when this hazardous material is transported by sea.  
TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.  
DOT Packaging Exceptions (49 CFR 173.xxx) : None  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : Forbidden  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L  
DOT Vessel Stowage Location : E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.  
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"  
Emergency Response Guide (ERG) Number : 131  
Other information : No supplementary information available.

### Transportation of Dangerous Goods

Not applicable

### Transport by sea

Transport document description (IMDG) : UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), I  
UN-No. (IMDG) : 1992  
Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, TOXIC, N.O.S.  
Class (IMDG) : 3 - Flammable liquids  
Packing group (IMDG) : I - substances presenting high danger  
Subsidiary risks (IMDG) : 6.1 - Toxic substances

### Air transport

Transport document description (IATA) : UN 1992 Flammable liquid, toxic, n.o.s., 3 (6.1), I  
UN-No. (IATA) : 1992  
Proper Shipping Name (IATA) : Flammable liquid, toxic, n.o.s.  
Class (IATA) : 3 - Flammable Liquids  
Packing group (IATA) : I - Great Danger  
Subsidiary risks (IATA) : 6.1 - Toxic substances

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

<b>acetonitrile (75-05-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb
<b>allyl chloride (107-05-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	1000 lb
<b>2-methyl-2-butanol (75-85-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>tert-Butanol (75-65-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>2-chloro-1,3-butadiene, inhibited (126-99-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	100 lb
<b>1,4-dichloro-2-butene, (Z)- (1476-11-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1,4-dichloro-2-butene, trans- (110-57-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	500 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
<b>1,4-dioxane (123-91-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	100 lb
<b>ethanol (64-17-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>ethyl methacrylate (97-63-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	1000 lb
<b>iodomethane (74-88-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	100 lb
<b>isobutanol (78-83-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	5000 lb

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>methacrylonitrile (126-98-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
<b>4-Methyl-2-Pentanone (108-10-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb
<b>propionitrile (107-12-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	10 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
<b>tetrahydrofuran (109-99-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	1000 lb
<b>methanol (67-56-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb

### 15.2. International regulations

#### CANADA

<b>acetonitrile (75-05-8)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>allyl chloride (107-05-1)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>2-methyl-2-butanol (75-85-4)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>tert-Butanol (75-65-0)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>2-chloro-1,3-butadiene, inhibited (126-99-8)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>1,4-dichloro-2-butene, (Z)- (1476-11-5)</b>	
Listed on the Canadian NDSL (Non-Domestic Substances List)	
<b>1,4-dichloro-2-butene, trans- (110-57-6)</b>	
Listed on the Canadian NDSL (Non-Domestic Substances List)	
<b>1,4-dioxane (123-91-1)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>ethanol (64-17-5)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>ethyl methacrylate (97-63-2)</b>	
Listed on the Canadian DSL (Domestic Substances List)	

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### iodomethane (74-88-4)

Listed on the Canadian DSL (Domestic Substances List)

### isobutanol (78-83-1)

Listed on the Canadian DSL (Domestic Substances List)

### methacrylonitrile (126-98-7)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### 4-Methyl-2-Pentanone (108-10-1)

Listed on the Canadian DSL (Domestic Substances List)

### propionitrile (107-12-0)

Listed on the Canadian DSL (Domestic Substances List)

### tetrahydrofuran (109-99-9)

Listed on the Canadian DSL (Domestic Substances List)

### methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

#### acetonitrile (75-05-8)

Listed on EPA Hazardous Air Pollutant (HAPS)

#### allyl chloride (107-05-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

#### 2-chloro-1,3-butadiene, inhibited (126-99-8)

Listed on IARC (International Agency for Research on Cancer)  
Listed as carcinogen on NTP (National Toxicology Program)  
Listed on EPA Hazardous Air Pollutant (HAPS)

#### 1,4-dioxane (123-91-1)

Listed on IARC (International Agency for Research on Cancer)  
Listed as carcinogen on NTP (National Toxicology Program)  
Listed on EPA Hazardous Air Pollutant (HAPS)

#### ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

#### iodomethane (74-88-4)

Listed on EPA Hazardous Air Pollutant (HAPS)

#### 4-Methyl-2-Pentanone (108-10-1)

Listed on IARC (International Agency for Research on Cancer)  
Listed on EPA Hazardous Air Pollutant (HAPS)

#### tetrahydrofuran (109-99-9)

Listed on IARC (International Agency for Research on Cancer)

#### methanol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

### 15.3. US State regulations

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-chloro-1,3-butadiene, inhibited (126-99-8)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
1,4-dioxane (123-91-1)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	30 µg/day	
iodomethane (74-88-4)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
4-Methyl-2-Pentanone (108-10-1)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	No	No		
methanol (67-56-1)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		47000 µg/day (inhalation); 23,000 µg/day (oral)

### SECTION 16: Other information

Revision date : 05/09/2019

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

# REV VOA APPIX plus Mix

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

Full text of H-phrases:

H224	Extremely flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H350	May cause cancer
H370	Causes damage to organs
H420	Harms public health and the environment by destroying ozone in the upper atmosphere

Phenova US SDS REV

*Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at [www.phenova.com](http://www.phenova.com) for additional terms and conditions of sale.*