

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 12/22/2020

Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Product name : UCMR 5 542 Diazepam  
 Product code : AL0-131101

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Phenova  
 6390 Joyce Dr. Suite 100  
 Golden, CO 80403 - United States  
 T 1-866-942-2978 - F 1-866-283-0269  
[info@phenova.com](mailto:info@phenova.com) - [www.phenova.com](http://www.phenova.com)

#### 1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924  
 ChemTel Assistance (International) +1 813-248-0585

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

|   |      |                                   |
|---|------|-----------------------------------|
| Flammable liquids Category 2                                | H225 | Highly flammable liquid and vapor |
| Acute toxicity (oral) Category 3                            | H301 | Toxic if swallowed                |
| Acute toxicity (dermal) Category 3                          | H311 | Toxic in contact with skin        |
| Specific target organ toxicity (single exposure) Category 1 | H370 | Causes damage to organs           |

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H225 - Highly flammable liquid and vapor  
 H301+H311 - Toxic if swallowed or in contact with skin  
 H370 - Causes damage to organs

Precautionary statements (GHS US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 - Keep container tightly closed.  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
 P264 - Wash hands, forearms and face thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310 - If swallowed: Immediately call a poison center or doctor.  
 P302+P352 - If on skin: Wash with plenty of water.  
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P307+P311 - If exposed: Call a poison center/doctor.  
 P312 - Call a poison center or doctor if you feel unwell.  
 P321 - Specific treatment (see supplemental first aid instruction on this label).  
 P322 - Specific treatment (see supplemental first aid instruction on this label).  
 P330 - Rinse mouth.  
 P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                    | Product identifier | Conc. |
|-------------------------|--------------------|-------|
| methanol<br>(Component) | (CAS-No.) 67-56-1  | 99.95 |

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

No additional information available

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures : Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.

Incompatible materials : Direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| UCMR 5 542 Diazepam |                                     |  |
|---------------------|-------------------------------------|--|
| ACGIH               | Local name                          | Methanol   |
| ACGIH               | ACGIH TWA (ppm)                     | 200 ppm  |
| ACGIH               | ACGIH STEL (ppm)                    | 250 ppm  |
| ACGIH               | Remark (ACGIH)                      | Headache; eye dam; dizziness; nausea   |
| ACGIH               | Regulatory reference                | ACGIH 2018   |
| OSHA                | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 260 mg/m <sup>3</sup>  |
| OSHA                | OSHA PEL (TWA) (ppm)                | 200 ppm  |
| OSHA                | Regulatory reference (US-OSHA)      | OSHA   |
| methanol (67-56-1)  |                                     |  |
| ACGIH               | Local name                          | Methanol   |
| ACGIH               | ACGIH TWA (ppm)                     | 200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value) |
| ACGIH               | ACGIH STEL (ppm)                    | 250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)                         |
| ACGIH               | Remark (ACGIH)                      | Headache; eye dam; dizziness; nausea   |
| ACGIH               | Regulatory reference                | ACGIH 2018   |
| OSHA                | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 260 mg/m <sup>3</sup>  |
| OSHA                | OSHA PEL (TWA) (ppm)                | 200 ppm  |
| OSHA                | Regulatory reference (US-OSHA)      | OSHA   |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.

#### Hand protection:

Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact

### Respiratory protection:

Wear appropriate mask

### Personal protective equipment symbol(s):



### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                     |
|---|---------------------|
| Physical state                                  | : Liquid            |
|   | : Colorless         |
|   | : characteristic    |
| Odor threshold                                  | : No data available |
| pH  | : No data available |
| Melting point                                   | : No data available |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : No data available |
| Relative evaporation rate (butyl acetate=1)     | : No data available |
| Flammability (solid, gas)                       | : Non flammable.    |
| Vapor pressure                                  | : No data available |
| Relative vapor density at 20 °C                 | : No data available |
| Relative density                                | : No data available |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Viscosity, kinematic                            | : No data available |
| Viscosity, dynamic                              | : No data available |
| Explosion limits                                | : No data available |
| Explosive properties                            | : No data available |
| Oxidizing properties                            | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| UCMR 5 542 Diazepam |                          |
|---------------------|--------------------------|
| ATE US (oral)       | 100.05 mg/kg body weight |
| ATE US (dermal)     | 300.15 mg/kg body weight |

| methanol (67-56-1)         |  |
|----------------------------|--|
| LD50 oral rat              | > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) |
| LD50 dermal rabbit         | 15800 mg/kg (Rabbit; Literature study)   |
| LC50 inhalation rat (mg/l) | 85 mg/l/4h (Rat; Literature study)   |
| LC50 inhalation rat (ppm)  | 64000 ppm/4h (Rat; Literature study)   |
| ATE US (oral)              | 100 mg/kg body weight  |
| ATE US (dermal)            | 300 mg/kg body weight  |
| ATE US (gases)             | 700 ppmV/4h  |
| ATE US (vapors)            | 3 mg/l/4h  |
| ATE US (dust, mist)        | 0.5 mg/l/4h  |

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

STOT-single exposure : Causes damage to organs.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

| methanol (67-56-1) |  |
|--------------------|--|
| LC50 fish 1        | 15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value) |
| EC50 Daphnia 1     | > 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)                 |
| LC50 fish 2        | 10800 mg/l (LC50; 96 h; Salmo gairdneri)   |

### 12.2. Persistence and degradability

| UCMR 5 542 Diazepam           |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| methanol (67-56-1)              |   |
|---------------------------------|---|
| Persistence and degradability   | Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. |
| Biochemical oxygen demand (BOD) | 0.6 – 1.12 g O <sub>2</sub> /g substance  |

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| methanol (67-56-1)           |                                    |
|------------------------------|------------------------------------|
| Chemical oxygen demand (COD) | 1.42 g O <sub>2</sub> /g substance |
| ThOD                         | 1.5 g O <sub>2</sub> /g substance  |
| BOD (% of ThOD)              | 0.8 (Literature study)             |

### 12.3. Bioaccumulative potential

| UCMR 5 542 Diazepam       |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| methanol (67-56-1)                              |  |
|---|--|
| BCF fish 1                                      | < 10 (BCF; 72 h; Leuciscus idus)               |
| Partition coefficient n-octanol/water (Log Pow) | -0.77 (Experimental value; Other)              |
| Bioaccumulative potential                       | Low potential for bioaccumulation (BCF < 500). |

### 12.4. Mobility in soil

| methanol (67-56-1)                              |   |
|---|---|
| Surface tension                                 | 0.023 N/m (20 °C)                       |
| Partition coefficient n-octanol/water (Log Koc) | Koc,PCKOCWIN v1.66; 1; Calculated value |

### 12.5. Other adverse effects

| UCMR 5 542 Diazepam |  |
|---------------------|--|
|                     |  |

| methanol (67-56-1) |  |
|--------------------|--|
|                    |  |

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1992 Flammable liquids, toxic, n.o.s. (methanol), 3 (6.1), II  
UN-No.(DOT) : UN1992  
Proper Shipping Name (DOT) : Flammable liquids, toxic, n.o.s.  
methanol  
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120  
Packing group (DOT) : II - Medium Danger  
Subsidiary risk (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132  
Hazard labels (DOT) : 3 - Flammable liquid  
6.1 - Poison



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202  
DOT Packaging Bulk (49 CFR 173.xxx) : 243

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |   |
|--|---|
| DOT Special Provisions (49 CFR 172.102)                          | : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.<br>T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)<br>TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.<br>TP13 - Self-contained breathing apparatus must be provided when this hazardous material is transported by sea. |
| DOT Packaging Exceptions (49 CFR 173.xxx)                        | : 150   |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 1 L   |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)     | : 60 L  |
| DOT Vessel Stowage Location                                      | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.   |
| DOT Vessel Stowage Other   | : 40 - Stow "clear of living quarters"  |
| Emergency Response Guide (ERG) Number                            | : 131   |
| Other information  | : No supplementary information available.   |

### Transportation of Dangerous Goods

Not applicable

### Transport by sea

|                                       |   |
|---------------------------------------|---|
| Transport document description (IMDG) | : UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol), 3 (6.1), II |
| UN-No. (IMDG)                         | : 1992  |
| Proper Shipping Name (IMDG)           | : FLAMMABLE LIQUID, TOXIC, N.O.S.                                 |
| Class (IMDG)                          | : 3 - Flammable liquids   |
| Packing group (IMDG)                  | : II - substances presenting medium danger                        |
| Subsidiary risks (IMDG)               | : 6.1 - Toxic substances  |
| Limited quantities (IMDG)             | : 1 L   |

### Air transport

|                                       |   |
|---------------------------------------|---|
| Transport document description (IATA) | : UN 1992 Flammable liquid, toxic, n.o.s. (methanol), 3 (6.1), II |
| UN-No. (IATA)                         | : 1992  |
| Proper Shipping Name (IATA)           | : Flammable liquid, toxic, n.o.s.                                 |
| Class (IATA)                          | : 3 - Flammable Liquids   |
| Packing group (IATA)                  | : II - Medium Danger  |
| Subsidiary hazards (IATA)             | : 6.1 - Toxic substances  |

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

|   |         |
|---|---------|
| <b>methanol (67-56-1)</b>   |         |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |         |
| Subject to reporting requirements of United States SARA Section 313       |         |
| Listed on EPA Hazardous Air Pollutant (HAPS)                              |         |
| CERCLA RQ   | 5000 lb |

# UCMR 5 542 Diazepam

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

#### CANADA

##### methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

##### methanol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

### 15.3. US State regulations

##### methanol (67-56-1)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | Maximum allowable dose level (MADL)             |
|---|---|---|---|----------------------------------|---|
| No  | Yes   | No  | No  |                                  | 47000 µg/day (inhalation); 23,000 µg/day (oral) |

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-phrases:

|      |                                   |
|------|-----------------------------------|
| H225 | Highly flammable liquid and vapor |
| H301 | Toxic if swallowed                |
| H311 | Toxic in contact with skin        |
| H370 | Causes damage to organs           |

Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at [www.phenova.com](http://www.phenova.com) for additional terms and conditions of sale.