

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/11/2019 Revision date: 12/11/2019 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Product name	: Pentacosane Solution		
Product code	: AL0-101783		
1.2. Recommended use and restrictions of	on use		
No additional information available			
1.3. Supplier			
Phenova 6390 Joyce Dr. Suite 100 Golden, CO 80403 - United States T 1-866-942-2978 - F 1-866-283-0269 info@phenova.com - www.phenova.com			
1.4. Emergency telephone number			
Emergency number	: ChemTel Assistance (US/Canada) 1-800-255-39 ChemTel Assistance (International) +1 813-248-0		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mi	xture		
GHS US classification			
Carcinogenicity Category H350 1B	May cause cancer		
Full text of H statements : see section 16			
2.2. GHS Label elements, including preca	utionary statements		
GHS US labeling			
Hazard pictograms (GHS US)			
Signal word (GHS US)	: Danger		
Hazard statements (GHS US)	: H350 - May cause cancer		
Precautionary statements (GHS US)	: P403+P235 - Store in a well-ventilated place. Ke P303+P361+P353 - If on skin (or hair): Take off i skin with water/shower P280 - Wear protective gloves/protective clothing P308+P313 - If exposed or concerned: Get medi P501 - Dispose of contents/container to hazardo accordance with local, regional, national and/or in	mmediately all contaminated clo g/eye protection/face protection. cal advice/attention. us or special waste collection po	
2.3. Other hazards which do not result in	classification		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/Information	on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
		Due doord tales (10)	0
Name Methylene Chloride		Product identifier	Conc.
Methylene Chloride (Component)		(CAS-No.) 75-09-2	99

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	s (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
4.3. Immediate medical attention and spe	cial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	ng media
• •	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the che	mical
No additional information available	
5.3. Special protective equipment and pre	ecautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
	: Equip cleanup crew with proper protection. : Ventilate area.
Protective equipment Emergency procedures 6.2. Environmental precautions	: Ventilate area.
Protective equipment Emergency procedures	: Ventilate area.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify 6.3. Methods and material for containment	: Ventilate area. authorities if liquid enters sewers or public waters. It and cleaning up
 Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify 6.3. Methods and material for containment 	: Ventilate area. authorities if liquid enters sewers or public waters.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a 6.3. Methods and material for containment Methods for cleaning up 6.4. Reference to other sections	: Ventilate area. authorities if liquid enters sewers or public waters. It and cleaning up : Take up in absorbent material. Collect spillage.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify 6.3. Methods and material for containment Methods for cleaning up	: Ventilate area. authorities if liquid enters sewers or public waters. It and cleaning up : Take up in absorbent material. Collect spillage.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a 6.3. Methods and material for containment Methods for cleaning up 6.4. Reference to other sections	: Ventilate area. authorities if liquid enters sewers or public waters. It and cleaning up : Take up in absorbent material. Collect spillage.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify 6.3. Methods and material for containment Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal person	: Ventilate area. authorities if liquid enters sewers or public waters. It and cleaning up : Take up in absorbent material. Collect spillage.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a 6.3. Methods and material for containment Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal persona	: Ventilate area. authorities if liquid enters sewers or public waters. It and cleaning up : Take up in absorbent material. Collect spillage.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a 6.3. Methods and material for containment Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal persona persona personal personal personal persona personal p	 Ventilate area. authorities if liquid enters sewers or public waters. authorities if liquid enters sewers or public waters. authorities if liquid enters sewers or public waters. Take up in absorbent material. Collect spillage. rotection. vention. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have
 Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify 5 6.3. Methods and material for containment Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal per	 Ventilate area. authorities if liquid enters sewers or public waters. authorities if liquid enters sewers or public waters. t and cleaning up Take up in absorbent material. Collect spillage. rotection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing before reuse.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a 6.3. Methods and material for containment Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal persona persona personal personal personal persona personal p	 Ventilate area. authorities if liquid enters sewers or public waters. authorities if liquid enters sewers or public waters. t and cleaning up Take up in absorbent material. Collect spillage. rotection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing before reuse.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials

: Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
Pentacosane Solution			
ACGIH	Local name	Dichloromethane	
ACGIH	ACGIH TWA (ppm)	50 ppm	
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair	
ACGIH	Regulatory reference	ACGIH 2018	
OSHA Remark (OSHA)		(2) See Table Z-2.	
OSHA Regulatory reference (US-OSHA)		OSHA	
Methylene Chloride (75-09-2)			
ACGIH	Local name	Dichloromethane	
ACGIH	ACGIH TWA (ppm)	50 ppm	
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair	
ACGIH	Regulatory reference	ACGIH 2018	
OSHA	Remark (OSHA)	(2) See Table Z-2.	
OSHA	Regulatory reference (US-OSHA)	OSHA	

8.2. Appropriate engineering controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.

Hand protection:

Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and c	hemical properties		
Physical state	: Liquid		
	: Colorless		
	: characteristic		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	•
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
Not established.			
10.3. Possibility of hazardous reactions			
Not established.			
10.4. Conditions to avoid			
Direct sunlight. Extremely high or low temperature	S.		
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
No additional information available			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Methylene Chloride (75-09-2)			
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
	Based on available data, the classification criteria are not met		
Carcinogenicity	: May cause cancer.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methylene Chloride (75-09-2)		
IARC group	2A - Probably carcinogenic to humans	
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
Reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	

SECTION 12: Ecological inform	ation	
12.1. Toxicity		
Methylene Chloride (75-09-2)		
LC50 fish 1	193 mg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 Daphnia 1	168.2 mg/l (48 h, Daphnia magna)	
I2.2. Persistence and degradability		
Pentacosane Solution		
Persistence and degradability	Not established.	
Methylene Chloride (75-09-2)		
Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.	
I2.3. Bioaccumulative potential		
Pentacosane Solution		
Bioaccumulative potential	Not established.	
Methylene Chloride (75-09-2)		
BCF fish 1	2 - 40 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Semi-static system, Fresh water, Experimental value, GLP)	
Log Pow	1.25 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
2.4. Mobility in soil		
Methylene Chloride (75-09-2)		
Surface tension	0.028 N/m (20 °C)	
Ecology - soil	Low potential for adsorption in soil. May be harmful to plant growth, blooming and fruit formation.	
12.5. Other adverse effects		
Pontagogana Solution		

Pentacosane Solution	
Methylene Chloride (75-09-2)	

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Ecology - waste materials	: Avoid release to the environment.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN2810 : Toxic, liquids, organic, n.o.s.

: UN2810 Toxic, liquids, organic, n.o.s. (dichloromethane), 6.1, III

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

dichloromethane

- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : III Minor Danger
- : 6.1 Poison



DOT Packaging Non Bulk (49 CFR 173.xxx)	
()	

- : 241
- : 203 DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

		(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	:	153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	:	40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	:	153

: No supplementary information available.

: G - Identifies PSN requiring a technical name

Other information

Transportation of Dangerous Goods

Not applicable

Transport by sea

Class (IMDG) Packing group (IMDG) Air transport	: 6.1 - Toxic substances: III - substances presenting low danger
Proper Shipping Name (IMDG)	: TOXIC LIQUID, ORGANIC, N.O.S.
Transport document description (IMDG) UN-No. (IMDG)	: UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (dichloromethane), 6.1, III : 2810

Transport document description (IATA)	: UN 2810 Toxic liquid, organic, n.o.s. (dichloromethane), 6.1, III
UN-No. (IATA)	: 2810
Proper Shipping Name (IATA)	: Toxic liquid, organic, n.o.s.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (IATA)	:	6.1 - Toxic Substances
Packing group (IATA)	:	III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Methylene Chloride (75-09-2)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313			
Listed on EPA Hazardous Air Pollutant (HAPS)			
EPA TSCA Regulatory Flag R - R - indicates a substance that is the subject of a TSCA section 6 risk management rule			
CERCLA RQ	1000 lb		

15.2. International regulations

CANADA

Methylene Chloride (75-09-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Methylene Chloride (75-09-2)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on EPA Hazardous Air Pollutant (HAPS)

15.3. US State regulations

Methylene Chlo					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	50 μg/day	

SE	SECTION 16: Other information					
Rev	ision date	: 12/11/2019				
Data	a sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.				
Othe	er information	: None.				
Full text of H-phrases:						
	H350	May cause cancer				

Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.