

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : APPIX Cal Mix B  
Product code : AL0-130859

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Phenova  
6390 Joyce Dr. Suite 100  
Golden, CO 80403 - United States  
T 1-866-942-2978 - F 1-866-283-0269  
[info@phenova.com](mailto:info@phenova.com) - [www.phenova.com](http://www.phenova.com)

#### 1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924  
ChemTel Assistance (International) +1 813-248-0585

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquids H227 Combustible liquid  
Category 4  
Carcinogenicity Category H350 May cause cancer  
1A

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H227 - Combustible liquid  
H350 - May cause cancer

Precautionary statements (GHS-US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.
Methylene Chloride (Component)	(CAS-No.) 75-09-2	96.6
Benzal Chloride (Component)	(CAS-No.) 98-87-3	0.1
benzophenone (Component)	(CAS-No.) 119-61-9	0.1
di-allate (Component)	(CAS-No.) 2303-16-4	0.1
ethyl methanesulfonate (Component)	(CAS-No.) 62-50-0	0.1
4-dimethylaminoazobenzene (Component)	(CAS-No.) 60-11-7	0.1
pentachloroethane (Component)	(CAS-No.) 76-01-7	0.1
propyzamide (Component)	(CAS-No.) 23950-58-5	0.1
methyl methanesulfonate (Component)	(CAS-No.) 66-27-3	0.1
phenacetin (Component)	(CAS-No.) 62-44-2	0.1
safrole (Component)	(CAS-No.) 94-59-7	0.1

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

No additional information available

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

APPIX Cal Mix B		
ACGIH	Local name	Dichloromethane
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	(2) See Table Z-2.
OSHA	Regulatory reference (US-OSHA)	OSHA

#### Benzal Chloride (98-87-3)

Not applicable

#### benzophenone (119-61-9)

Not applicable

#### di-allate (2303-16-4)

Not applicable

#### 4-dimethylaminoazobenzene (60-11-7)

Not applicable

#### ethyl methanesulfonate (62-50-0)

Not applicable

#### methyl methanesulfonate (66-27-3)

Not applicable

#### pentachloroethane (76-01-7)

Not applicable

#### phenacetin (62-44-2)

Not applicable

#### propylamide (23950-58-5)

Not applicable

#### safrole (94-59-7)

Not applicable

#### Methylene Chloride (75-09-2)

ACGIH	Local name	Dichloromethane
-------	------------	-----------------

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methylene Chloride (75-09-2)		
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	(2) See Table Z-2.
OSHA	Regulatory reference (US-OSHA)	OSHA

### 8.2. Appropriate engineering controls

No additional information available

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Respiratory protection:

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
	: Colorless
	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Benzal Chloride (98-87-3)</b>	
LD50 oral rat	1400 mg/kg (Rat, Experimental value, Oral)
LC50 inhalation rat (mg/l)	4.5 mg/l (4 h, Rat, Experimental value, Inhalation (vapours))
ATE US (oral)	1400 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	4.5 mg/l/4h
ATE US (dust, mist)	4.5 mg/l/4h
<b>benzophenone (119-61-9)</b>	
LD50 oral rat	> 10000 mg/kg (Rat)
LD50 dermal rabbit	3535 mg/kg (Rabbit)
ATE US (dermal)	3535 mg/kg body weight
<b>di-allate (2303-16-4)</b>	
LD50 oral rat	395 mg/kg (Rat, Oral)
LD50 dermal rabbit	2000 mg/kg (Rabbit, Dermal)
ATE US (oral)	395 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
<b>4-dimethylaminoazobenzene (60-11-7)</b>	
LD50 oral rat	200 mg/kg (Rat, Oral)
ATE US (oral)	200 mg/kg body weight
<b>ethyl methanesulfonate (62-50-0)</b>	
ATE US (oral)	500 mg/kg body weight
<b>methyl methanesulfonate (66-27-3)</b>	
LD50 oral rat	225 mg/kg (Rat)
ATE US (oral)	225 mg/kg body weight
<b>phenacetin (62-44-2)</b>	
LD50 oral rat	> 1000 mg/kg (Rat)
<b>propyzamide (23950-58-5)</b>	
LD50 oral rat	3350 mg/kg (Rat)
LD50 dermal rat	> 3160 mg/kg (Rat)
ATE US (oral)	3350 mg/kg body weight

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>safrole (94-59-7)</b>	
LD50 oral rat	1950 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1950 mg/kg body weight

<b>Methylene Chloride (75-09-2)</b>	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

<b>Benzal Chloride (98-87-3)</b>	
IARC group	2A - Probably carcinogenic to humans

<b>benzophenone (119-61-9)</b>	
IARC group	2B - Possibly carcinogenic to humans

<b>di-allate (2303-16-4)</b>	
IARC group	3 - Not classifiable

<b>4-dimethylaminoazobenzene (60-11-7)</b>	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

<b>ethyl methanesulfonate (62-50-0)</b>	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

<b>methyl methanesulfonate (66-27-3)</b>	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

<b>pentachloroethane (76-01-7)</b>	
IARC group	3 - Not classifiable

<b>phenacetin (62-44-2)</b>	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

<b>safrole (94-59-7)</b>	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

<b>Methylene Chloride (75-09-2)</b>	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### SECTION 12: Ecological information

#### 12.1. Toxicity

<b>benzophenone (119-61-9)</b>	
LC50 fish 1	15.3 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	0.27 mg/l (EC50; 24 h)
LC50 fish 2	15.3 mg/l (LC50; 96 h)
ErC50 (algae)	3.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

<b>pentachloroethane (76-01-7)</b>	
LC50 fish 1	7 mg/l (LC50; 96 h; Lepomis macrochirus)
EC50 other aquatic organisms 1	134 mg/l (96 h; Selenastrum capricornutum; Cell numbers)

<b>phenacetin (62-44-2)</b>	
LC50 fish 1	335 mg/l (LC50; 48 h)

<b>propyzamide (23950-58-5)</b>	
EC50 other aquatic organisms 1	3.4 mg/l (120 h; Skeletonema costatum)

<b>Methylene Chloride (75-09-2)</b>	
LC50 fish 1	193 mg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	168.2 mg/l (48 h, Daphnia magna)

#### 12.2. Persistence and degradability

<b>APPIX Cal Mix B</b>	
Persistence and degradability	Not established.

<b>Benzal Chloride (98-87-3)</b>	
Persistence and degradability	Readily biodegradable in water.
ThOD	1.689 g O <sub>2</sub> /g substance

<b>benzophenone (119-61-9)</b>	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Biodegradable in the soil. Adsorbs into the soil.
BOD (% of ThOD)	0.12

<b>di-allate (2303-16-4)</b>	
Persistence and degradability	Not readily biodegradable in water.

<b>4-dimethylaminoazobenzene (60-11-7)</b>	
Persistence and degradability	Biodegradability in water: no data available.

<b>ethyl methanesulfonate (62-50-0)</b>	
Persistence and degradability	Biodegradability in water: no data available.

<b>methyl methanesulfonate (66-27-3)</b>	
Persistence and degradability	Biodegradability in water: no data available.

<b>pentachloroethane (76-01-7)</b>	
Persistence and degradability	Not readily biodegradable in water.

<b>phenacetin (62-44-2)</b>	
Persistence and degradability	Not readily biodegradable in water.

<b>propyzamide (23950-58-5)</b>	
Persistence and degradability	Forming sediments in water. Biodegradable in the soil. Adsorbs into the soil. Photodegradation in the air.

<b>safrole (94-59-7)</b>	
Persistence and degradability	Biodegradability in water: no data available.

<b>Methylene Chloride (75-09-2)</b>	
Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.3. Bioaccumulative potential

<b>APPIX Cal Mix B</b>	
Bioaccumulative potential	Not established.
<b>Benzal Chloride (98-87-3)</b>	
Log Pow	3.22 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>benzophenone (119-61-9)</b>	
BCF fish 1	3.4 - 12 (BCF)
Log Pow	3.18 - 3.38
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>4-dimethylaminoazobenzene (60-11-7)</b>	
Log Pow	4.58
Bioaccumulative potential	No bioaccumulation data available.
<b>ethyl methanesulfonate (62-50-0)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>methyl methanesulfonate (66-27-3)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>pentachloroethane (76-01-7)</b>	
BCF fish 1	60 - 68 (BCF; 672 h)
BCF fish 2	67 (BCF; 336 h)
Log Pow	2.89 - 3.67 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>phenacetin (62-44-2)</b>	
BCF fish 1	< <3/<30,BCF
Log Pow	1.58 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>propyzamide (23950-58-5)</b>	
BCF other aquatic organisms 1	6-20,BCF
Log Pow	3.43 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>safrole (94-59-7)</b>	
Log Pow	3.45 (Estimated value)
<b>Methylene Chloride (75-09-2)</b>	
BCF fish 1	2 - 40 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Semi-static system, Fresh water, Experimental value, GLP)
Log Pow	1.25 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>12.4. Mobility in soil</b>	
<b>Benzal Chloride (98-87-3)</b>	
Surface tension	40.1 mN/m (20 °C)
Ecology - soil	No (test)data on mobility of the substance available.
<b>benzophenone (119-61-9)</b>	
Surface tension	0.042 N/m (50 °C)
Ecology - soil	Low potential for mobility in soil.
<b>di-allate (2303-16-4)</b>	
Ecology - soil	Not toxic to bees.
<b>Methylene Chloride (75-09-2)</b>	
Surface tension	0.028 N/m (20 °C)



# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methylene Chloride (75-09-2)	
Ecology - soil	Low potential for adsorption in soil. May be harmful to plant growth, blooming and fruit formation.

### 12.5. Other adverse effects

APPIX Cal Mix B	
Benzal Chloride (98-87-3)	
benzophenone (119-61-9)	
di-allate (2303-16-4)	
4-dimethylaminoazobenzene (60-11-7)	
ethyl methanesulfonate (62-50-0)	
methyl methanesulfonate (66-27-3)	
pentachloroethane (76-01-7)	
phenacetin (62-44-2)	
propyzamide (23950-58-5)	
safrole (94-59-7)	
Methylene Chloride (75-09-2)	

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN2810 Toxic, liquids, organic, n.o.s. (phenacetin), 6.1, III  
UN-No.(DOT) : UN2810  
Proper Shipping Name (DOT) : Toxic, liquids, organic, n.o.s.  
phenacetin  
Class (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132  
Packing group (DOT) : III - Minor Danger  
Hazard labels (DOT) : 6.1 - Poison



# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	: 153
Other information	: No supplementary information available.

### Transportation of Dangerous Goods

Not applicable

### Transport by sea

Transport document description (IMDG)	: UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (phenacetin), 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
UN-No. (IMDG)	: 2810
Proper Shipping Name (IMDG)	: TOXIC LIQUID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger

### Air transport

Transport document description (IATA)	: UN 2810 Toxic liquid, organic, n.o.s. (phenacetin), 6.1, III, ENVIRONMENTALLY HAZARDOUS
UN-No. (IATA)	: 2810
Proper Shipping Name (IATA)	: Toxic liquid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

ethyl methanesulfonate	CAS-No. 62-50-0	0.1%
phenacetin	CAS-No. 62-44-2	0.1%

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Benzal Chloride (98-87-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	5000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
<b>benzophenone (119-61-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.
<b>di-allate (2303-16-4)</b>	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
<b>4-dimethylaminoazobenzene (60-11-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	10 lb
<b>ethyl methanesulfonate (62-50-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a final Significant New Use Rule.
CERCLA RQ	1 lb
<b>methyl methanesulfonate (66-27-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>pentachloroethane (76-01-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a final Significant New Use Rule.
CERCLA RQ	10 lb
<b>phenacetin (62-44-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a final Significant New Use Rule.
CERCLA RQ	100 lb
<b>propyzamide (23950-58-5)</b>	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	5000 lb
<b>safrole (94-59-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
<b>Methylene Chloride (75-09-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
EPA TSCA Regulatory Flag	R - R - indicates a substance that is the subject of a TSCA section 6 risk management rule.
CERCLA RQ	1000 lb

### 15.2. International regulations

#### CANADA

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Benzal Chloride (98-87-3)</b>
Listed on the Canadian NDSL (Non-Domestic Substances List)
<b>benzophenone (119-61-9)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>di-allate (2303-16-4)</b>
Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)
<b>4-dimethylaminoazobenzene (60-11-7)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>ethyl methanesulfonate (62-50-0)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>methyl methanesulfonate (66-27-3)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>pentachloroethane (76-01-7)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>phenacetin (62-44-2)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>propyzamide (23950-58-5)</b>
Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)
<b>safrole (94-59-7)</b>
Listed on the Canadian NDSL (Non-Domestic Substances List)
<b>Methylene Chloride (75-09-2)</b>
Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

<b>Benzal Chloride (98-87-3)</b>
Listed on IARC (International Agency for Research on Cancer)
<b>benzophenone (119-61-9)</b>
Listed on IARC (International Agency for Research on Cancer)
<b>4-dimethylaminoazobenzene (60-11-7)</b>
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on EPA Hazardous Air Pollutant (HAPS)
<b>ethyl methanesulfonate (62-50-0)</b>
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)
<b>methyl methanesulfonate (66-27-3)</b>
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)
<b>phenacetin (62-44-2)</b>
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)
<b>safrole (94-59-7)</b>
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)
<b>Methylene Chloride (75-09-2)</b>
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on EPA Hazardous Air Pollutant (HAPS)

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. US State regulations

<b>benzophenone (119-61-9)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
<b>4-dimethylaminoazobenzene (60-11-7)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	0.2 µg/day	
<b>ethyl methanesulfonate (62-50-0)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
<b>methyl methanesulfonate (66-27-3)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	7 µg/day	
<b>phenacetin (62-44-2)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	300 µg/day	
<b>propyzamide (23950-58-5)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
<b>safrole (94-59-7)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	3 µg/day	
<b>Methylene Chloride (75-09-2)</b>					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	50 µg/day	

# APPIX Cal Mix B

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### SECTION 16: Other information

Revision date : 09/16/2019

Other information : None.

Full text of H-phrases:

H227	Combustible liquid
H350	May cause cancer

Phenova US SDS REV

*Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at [www.phenova.com](http://www.phenova.com) for additional terms and conditions of sale.*