

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 18/01/2018 Revision date: : Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : MA EPH Aromatics Mix

Product code : AL0-130246
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Certified reference material for laboratory use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova

6390 Joyce Dr. Suite 100

80403 Golden, CO - United States T 1-866-942-2978 - F 1-866-283-0269

info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924

ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Acute Tox. 4 (Dermal)
 H312

 Acute Tox. 4 (Inhalation)
 H332

 Muta. 1B
 H340

 Carc. 1B
 H350

 Aquatic Acute 1
 H400

 Aquatic Chronic 1
 H410

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R20/21 N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07





GHS08

GHS09

18/01/2018 EN (English US) 1/13

Safety Data Sheet

Precautionary statements (CLP)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Signal word (CLP) : Danger

Hazard statements (CLP) : H312+H332 - Harmful in contact with skin or if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P308+P313 - IF exposed or concerned: Get medical advice/attention

P403+P235 - Store in a well-ventilated place. Keep cool

P362+P364 - Take off contaminated clothing and wash it before reuse

P391 - Collect spillage

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

: EUH208 - Contains benzo[a]pyrene(50-32-8), phenanthrene(85-01-8). May produce an allergic

reaction

No labeling applicable

EUH phrases

2.3. Other hazards

Contains PBT substances >= 0.1% assessed in accordance with REACH, Annex XIII Contains PBT/vPvB substances >= 0.1% assessed in accordance with REACH, Annex XIII

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methylene Chloride (Component)	(CAS No) 75-09-2 (EC-No.) 200-838-9 (EC index no) 602-004-00-3	98.3	Carc. 2, H351
anthracene (Component) substance listed as REACH Candidate	(CAS No) 120-12-7 (EC-No.) 204-371-1	0.1	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
acenaphthene (Component)	(CAS No) 83-32-9 (EC-No.) 201-469-6	0.1	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Benzo(b)fluoranthene (Component)	(CAS No) 205-99-2 (EC-No.) 205-911-9 (EC index no) 601-034-00-4	0.1	Carc. 1B, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
acenaphthylene (Component)	(CAS No) 208-96-8 (EC-No.) 205-917-1	0.1	Acute Tox. 1 (Dermal), H310
benzo[a]pyrene (Component) substance listed as REACH Candidate (Benzo[def]chrysene)	(CAS No) 50-32-8 (EC-No.) 200-028-5 (EC index no) 601-032-00-3	0.1	Skin Sens. 1, H317 Muta. 1B, H340 Carc. 1B, H350 Repr. 1B, H360FD Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
benzo[a]anthracene (Component)	(CAS No) 56-55-3 (EC-No.) 200-280-6 (EC index no) 601-033-00-9	0.1	Carc. 1B, H350 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
naphthalene (Component)	(CAS No) 91-20-3 (EC-No.) 202-049-5 (EC index no) 601-052-00-2	0.1	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzo(ghi)perylene (Component)	(CAS No) 191-24-2 (EC-No.) 205-883-8	0.1	Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410
fluoranthene (Component)	(CAS No) 206-44-0 (EC-No.) 205-912-4	0.1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
chrysene (Component)	(CAS No) 218-01-9 (EC-No.) 205-923-4 (EC index no) 601-048-00-0	0.1	Muta. 2, H341 Carc. 1B, H350 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)
benzo[k]fluoranthene (Component)	(CAS No) 207-08-9 (EC-No.) 205-916-6 (EC index no) 601-036-00-5	0.1	Carc. 1B, H350 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
indeno(1,2,3-cd)pyrene (Component)	(CAS No) 193-39-5 (EC-No.) 205-893-2	0.1	Carc. 1B, H350

18/01/2018 EN (English US) 2/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenz(a,h)anthracene (Component)	(CAS No) 53-70-3 (EC-No.) 200-181-8 (EC index no) 601-041-00-2	0.1	Carc. 1B, H350 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410
fluorene (Component)	(CAS No) 86-73-7 (EC-No.) 201-695-5	0.1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
pyrene (Component)	(CAS No.) 129-00-0 (EC-No.) 204-927-3	0.1	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
phenanthrene (Component)	(CAS No) 85-01-8 (EC-No.) 201-581-5	0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-methylnaphthalene (Component)	(CAS No) 91-57-6 (EC-No.) 202-078-3	0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Name	Product identifier	Specific	concentration limits
benzo[a]pyrene (Component)	(CAS No) 50-32-8 (EC-No.) 200-028-5 (EC index no) 601-032-00-3	(C >= 0.01) Carc. 1B, H350
dibenz(a,h)anthracene (Component)	(CAS No) 53-70-3 (EC-No.) 200-181-8 (EC index no) 601-041-00-2	(C >= 0.01) Carc. 1B, H350

SECTION 4: First aid measures

4.1.	Descr	intion	of first a	aid me	asures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get

medical advice/attention.

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. Immediately call a poison center or doctor/physician. Wash with plenty of

soap and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

 $\label{lem:chemical fire} \mbox{ Prevent fire-fighting water from entering environment.}$

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

18/01/2018 EN (English US) 3/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so.

Hygiene measures Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container closed when not in use. Keep container tightly closed and in a well-ventilated

place. Keep away from any flames or sparking source.

Incompatible materials : Direct sunlight.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters henzo[a]nyrene (50-32-8)

benzo[a]pyrene (50-32-8)		
Netherlands	Grenswaarde TGG 8H (mg/m³)	550 (Benzo(a)pyreen; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
naphthalene (91-20-3)		
EU	IOELV TWA (mg/m³)	50 mg/m³ (Naphtalene; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)
EU	IOELV TWA (ppm)	10 ppm (Naphtalene; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)
Belgium	Limit value (mg/m³)	53 mg/m³ (Naphtalène; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	10 ppm (Naphtalène; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Short time value (mg/m³)	80 mg/m³ (Naphtalène; Belgium; Short time value)
Belgium	Short time value (ppm)	15 ppm (Naphtalène; Belgium; Short time value)
France	VME (mg/m³)	50 mg/m³ (Naphtalène; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
France	VME (ppm)	10 ppm (Naphtalène; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	10 ppm (Naphthalene; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Netherlands	Grenswaarde TGG 8H (mg/m³)	50 mg/m³ (Naftaleen; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 8H (ppm)	9.4 ppm (Naftaleen; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	80 mg/m³ (Naftaleen; Netherlands; Short time value; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 15MIN (ppm)	15 ppm (Naftaleen; Netherlands; Short time value; Public occupational exposure limit value)
2-methylnaphthalene (91-57-	-6)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	0.5 ppm (2-methylnaphthalene; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

18/01/2018 EN (English US) 4/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methylene Chloride (75-09-2		
Belgium	Limit value (mg/m³)	177 mg/m³ (Chlorure de méthylène; Belgium; Time- weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	50 ppm (Chlorure de méthylène; Belgium; Time- weighted average exposure limit 8 h)
France	VLE (mg/m³)	356 mg/m³ (Dichlorométhane; France; Short time value; VRC: Valeur réglementaire contraignante)
France	VLE (ppm)	100 ppm (Dichlorométhane; France; Short time value; VRC: Valeur réglementaire contraignante)
France	VME (mg/m³)	178 mg/m³ (Dichlorométhane; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VME (ppm)	50 ppm (Dichlorométhane; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50 ppm (Dichloromethane (Methylene chloride); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
United Kingdom	WEL TWA (mg/m³)	350 mg/m³ Dichloromethane; United Kingdom; Time- weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	100 ppm Dichloromethane; United Kingdom; Time- weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m³)	1060 mg/m³ Dichloromethane; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (ppm)	300 ppm Dichloromethane; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

: Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety Personal protective equipment

glasses.







Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin

contact.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physica	l and chemical properties
Physical state	: Liquid
Color	: Colorless.
Odor	: characteristic.
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Relative density	: No data available
Solubility	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

18/01/2018 EN (English US) 5/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1. Information on toxicologica	al effects
Acute toxicity	: Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.
MA EPH Aromatics Mix	
ATE CLP (dermal)	1100 mg/kg body weight
ATE CLP (gases)	4500 ppmV/4h
ATE CLP (vapors)	11 mg/l/4h
ATE CLP (dust, mist)	1.5 mg/l/4h
anthracene (120-12-7)	
LD50 oral rat	> 16000 mg/kg (Rat)
acenaphthene (83-32-9)	
LD50 oral rat	> 5000 mg/kg (Rat)
acenaphthylene (208-96-8)	
ATE CLP (dermal)	5 mg/kg body weight
fluoranthene (206-44-0)	
LD50 oral rat	2000 mg/kg (Rat)
LD50 dermal rabbit	3180 mg/kg (Rabbit)
ATE CLP (oral)	2000 mg/kg body weight
ATE CLP (dermal)	3180 mg/kg body weight
naphthalene (91-20-3)	
LD50 oral rat	> 1100 mg/kg (Rat)
LD50 dermal rat	> 2500 mg/kg (Rat)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit)
ATE CLP (oral)	500 mg/kg body weight
2-methylnaphthalene (91-57-6)	
LD50 oral rat	1630 mg/kg (Rat)
ATE CLP (oral)	1630 mg/kg body weight
phenanthrene (85-01-8)	
LD50 oral rat	1800 mg/kg (Rat)
ATE CLP (oral)	1800 mg/kg body weight
pyrene (129-00-0)	
LD50 oral rat	2700 mg/kg (Rat)
ATE CLP (oral)	2700 mg/kg body weight
Methylene Chloride (75-09-2)	
LD50 oral rat	> 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study)
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met

18/01/2018 EN (English US) 6/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitization : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

May cause cancer

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity – single exposure : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity - repeated

exposure

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Harmful in contact with skin.

SECTION 12: Ecological information

		~	
49.4	Taviaitu		

Ecology - water : Very toxic to aquatic life with long lasting effects.

anthracene (120-12-7)			
LC50 fish 2	0.00127 mg/l (LC50; 96 h)		
EC50 Daphnia 2	0.0012 mg/l (EC50; 24 h)		
acenaphthene (83-32-9)			
EC50 Daphnia 1	3.45 mg/l (EC50; 48 h)		
benzo[a]anthracene (56-55-3)			
LC50 fish 1	0.0018 mg/l (LC50; 65 h)		
EC50 Daphnia 1	0.01 mg/l (EC50; 96 h)		
benzo[a]pyrene (50-32-8)			
LC50 fish 1	0.0056 mg/l (LC50; 38 h)		
EC50 Daphnia 1	0.005 mg/l (LC50; 96 h)		
Threshold limit algae 1	0.015 mg/l (EC50; 72 h)		
benzo(ghi)perylene (191-24-2)			
EC50 Daphnia 1	0.0002 mg/l (LC50; 14 h)		
benzo[k]fluoranthene (207-08-9)			
EC50 Daphnia 1	0.0048 mg/l (LC50; 23 h)		
chrysene (218-01-9)	chrysene (218-01-9)		
EC50 Daphnia 1	0.0007 mg/l (LC50; 24 h)		
Threshold limit algae 1	0.001 mg/l (EC0)		
dibenz(a,h)anthracene (53-70-3)			
EC50 Daphnia 1	0.0004 mg/l (LC50; 3 h)		
fluoranthene (206-44-0)			
LC50 fish 1	0.0077 mg/l (LC50; 96 h)		
EC50 Daphnia 1	< 0.1 mg/l (EC50; 72 h)		
Threshold limit algae 1	54 mg/l (EC50; 96 h)		
fluorene (86-73-7)			
EC50 Daphnia 1	0.212 mg/l (EC50; 48 h)		
LC50 fish 2	5.15 mg/l (LC50; 48 h)		
naphthalene (91-20-3)			
EC50 Daphnia 1	2.16 mg/l (EC50; 48 h; Daphnia magna)		
LC50 fish 2	0.11 mg/l (LC50; 96 h; Oncorhynchus mykiss)		
Threshold limit algae 1	0.4 mg/l (EC50; 72 h; Skeletonema costatum)		
2-methylnaphthalene (91-57-6)			
LC50 fish 1	8 mg/l (LC50; 96 h)		

18/01/2018 EN (English US) 7/13

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1 (27.04.0)	
phenanthrene (85-01-8)	0.05 (1/5050-401)
EC50 Daphnia 2	0.35 mg/l (EC50; 48 h)
Threshold limit algae 1	0.9 mg/l (EC50; 4 h)
pyrene (129-00-0)	
EC50 Daphnia 1	> 0.0057 mg/l (LC50; 3.4 h)
EC50 other aquatic organisms 1	1.6 mg/l (3 h; Chlorella vulgaris)
LC50 fish 2	0.0026 mg/l (LC50; 96 h)
Methylene Chloride (75-09-2)	
LC50 fish 1	193 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 1	168.2 mg/l (EC50; 48 h)
12.2. Persistence and degradability	
MA EPH Aromatics Mix	Management of the state of the
Persistence and degradability	May cause long-term adverse effects in the environment.
anthracene (120-12-7)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water.
ThOD	3.41 g O ₂ /g substance
BOD (% of ThOD)	0.02
acenaphthene (83-32-9)	
Persistence and degradability	Not readily biodegradable in water. Adsorbs into the soil.
acenaphthylene (208-96-8)	
Persistence and degradability	Biodegradability in soil: no data available.
benzo[a]anthracene (56-55-3)	
Persistence and degradability	Not readily biodegradable in water. Photolysis in water. Ozonation in water. Forming
Colorest and degradability	sediments in water. Biodegradability in soil: no data available. Inhibits biodegradation
	processes in the soil. Adsorbs into the soil. Photodegradation in the air.
ThOD	2.95 g O ₂ /g substance
benzo[a]pyrene (50-32-8)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Biodegradable in the soil.
	Adsorbs into the soil.
Chemical oxygen demand (COD)	2.92 g O ₂ /g substance
ThOD	2.92 g O ₂ /g substance
Benzo(b)fluoranthene (205-99-2)	
Persistence and degradability	Not readily biodegradable in water. Photolysis in water. Forming sediments in water. Non
	degradable in the soil. Adsorbs into the soil.
ThOD	2.92 g O ₂ /g substance
benzo(ghi)perylene (191-24-2)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
ThOD	2.9 g O ₂ /g substance
11100	
benzo[k]fluoranthene (207-08-9)	Notice distribute and the investor Countries in the Count
Persistence and degradability	Not readily biodegradable in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
ThOD	2.92 g O_2 /g substance
chrysene (218-01-9)	Making dilik birda anadabla in maka Familia anadasa ka a
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
dibenz(a,h)anthracene (53-70-3)	
Persistence and degradability	Not readily biodegradable in water. Ozonation in water. Forming sediments in water. Non
l disistence and degradability	degradable in the soil. Adsorbs into the soil.
fluoranthene (206-44-0)	
Persistence and degradability	Forming sediments in water.
<u> </u>	
fluorene (86-73-7) Persistence and degradability	Not readily higher adable in water. Forming addiments in water. Adapthe into the call
ThOD	Not readily biodegradable in water. Forming sediments in water. Adsorbs into the soil. 2.02 q O ₂ /q substance
indeno(1,2,3-cd)pyrene (193-39-5)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
	AGOUND HILD BUIL

18/01/2018 EN (English US) 8/13

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indemot (2.3-cd)pyrene (193-39-5) TROD 29 Q J/g substance Naphthatene (91-20-3) Persistence and degradability Blockernical oxygen demand (BCD) Chemical oxygen demand (BCD) 2.9 g Q J/g substance Chemical oxygen demand (BCD) 2.9 g Q J/g substance Chemical oxygen demand (BCD) 2.9 g Q J/g substance Chemical oxygen demand (BCD) 2.9 g Q J/g substance 2.0	index (4.0.2 cd) (400.00 T)	
Persistence and degradability Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (BOD) ThOD 2 98 g Oy'g substance 2 98 g Oy'g substance Persistence and degradability Inherently biodegradabile. Not readily biodegradable in water. Persistence and degradability Biodegradable in water. Forming sediments in water. Advorbs into the soil. Persistence and degradability Biodegradable in water. Forming sediments in water. Advorbs into the soil. Persistence and degradability Biodegradable in water. Forming sediments in water. Advorbs into the soil. Multiplene Chioride (78-69-2) Persistence and degradability Not readily biodegradable in water. Photolysis in water. Ozoradon in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil. Photologradable in the soil. Photo	, , , , , , , , , , , , , , , , , , , ,	
Readily biodegradable in water. Forming sediments in water. Biodegradable in the soil. Adsorb into the soil. Problems in	ThOD	2.9 g O ₂ /g substance
Adsorbs into the soil. Photolysis in the air. Blochemical oxygen demand (BOD) Q of g substance 2 99 Q of g substance 2 90 Q substance 2 99 Q of g substance 2 99 Q of g substance 2 90 Q of g substance 2 99 Q of g substance 3 90 Q of g substance 4 90 Q of g substance 5 90 Q of g substance 6 90 Q of g substance 7 90 Q of g substance 8 90 Q of g substance 9 Not readily biodegradable in water. Advorbs into the soil. 9 Not readily biodegradable in water. Forming sediments in water. Advorbs into the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegradable in the soil. 9 Not readily biodegradable in water. Biodegrada	naphthalene (91-20-3)	
Chemical coxygen demand (COD) 2.29 g Oyg substance	Persistence and degradability	
ThOO 2.98 g O y g substance 2.methylinsphthalene (91-57-5) Persistence and degradability Inherently biodegradable. Not readily biodegradable in water. Persistence and degradability Biodegradable in water. Forming sediments in water. Adsorbs into the soil. Persistence and degradability Not readily biodegradable in water. Photolysis in water. Adsorbs into the soil. Persistence and degradability Not readily biodegradable in water. Photolysis in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradation in the air. Methylene Chloride (75-92-2) Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Adsorbs into the soil. Photodegradation in the air. MEPH Aromatics Mix Not established. MEPH Aromatics Mix Not established. Bioaccumulative potential Not established. MIX persistence and degradability Not established. MIX persistence a	Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
Persistence and degradability Inherently biodegradabie, Not readily biodegradabie in water. Persistence and degradability Biodegradabie in water. Forming sediments in water. Advorbs into the soil. Pyrene (129-00-0) Persistence and degradability Not readily biodegradabie in water. Photolysis in water. Ozonation in water. Forming sediments in water. Not degradable in water. Protocological in water. Protocological in the soil. Advorbs into the soil. Photodegradation in the air. **Methylene Chloride (75-09-2)** Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. **Mathylene Chloride (75-09-2)** Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. **Mathylene Chloride (75-09-2)** Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. **Mathylene Chloride (75-09-2)** Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. **Mathylene Chloride (75-09-2)** Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. **Mathylene Chloride (75-09-2)** Persistence and degradability Not readily biodegradable in water. Biodegradable in water. Coznation in wa	Chemical oxygen demand (COD)	0.22 g O ₂ /g substance
Persistence and degradability Biodegradable Not readily biodegradable in water. Persistence and degradability Biodegradable in water. Forming sediments in water. Adsorbs into the soil. Persistence and degradability Not readily biodegradable in water. Photolysis in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradation in the air. Methylene Chloride (75-99-2) Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Adsorbs into the soil. Photodegradation in the air. Methylene Chloride (75-99-2) Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. 123-8 Bioaccumulative potential MA EPH Aromatics Mix Bioaccumulative potential Not established. anthracene (120-12-7) BCF fish 1 903 - 2820 (BCF) BCF other aquatic organisms 1 7770 (BCF; 24 h; Chlorella sp.) BCF other aquatic organisms 2 10500 (BCF) BCF other aquatic organisms 2 10500 (BCF) BCF other aquatic organisms 2 10500 (BCF) BCF fish 1 257 - 1270 (BCF) BCF fish 1 257 - 1270 (BCF) BCF fish 2 387 (BCF; 26 days) Log Pow 3.92 (Experimental value) Bioaccumulative potential No bioaccumulation (500 5 BCF ≤ 5000). accumphtherical (56-55-5) BCF fish 1 350 (BCF, 72 h) BCF fish 1 350 (BCF, 72 h) BCF fish 2 70.7 (BCF; 88 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 3 80.6 (BCF; 72 h) BCF fish 4 80.6 (BCF; 72 h) BCF fish 5 80.6 (BCF; 72 h) BCF fish 6 80.6 (BCF; 72 h) BCF fish 9 80.6 (BCF; 188 h) BCF other aquatic organisms 1 106 (BCF; 24 h) BCF other aquatic organisms 1 106 (BCF; 24 h) BCF other aquatic organisms 1 106 (BCF; 24 h) BCF other aquatic organisms 1	ThOD	2.99 g O ₂ /g substance
Persistence and degradability Biodegradable Not readily biodegradable in water. Persistence and degradability Biodegradable in water. Forming sediments in water. Adsorbs into the soil. Persistence and degradability Not readily biodegradable in water. Photolysis in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradation in the air. Methylene Chloride (75-99-2) Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Adsorbs into the soil. Photodegradation in the air. Methylene Chloride (75-99-2) Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. 123-8 Bioaccumulative potential MA EPH Aromatics Mix Bioaccumulative potential Not established. anthracene (120-12-7) BCF fish 1 903 - 2820 (BCF) BCF other aquatic organisms 1 7770 (BCF; 24 h; Chlorella sp.) BCF other aquatic organisms 2 10500 (BCF) BCF other aquatic organisms 2 10500 (BCF) BCF other aquatic organisms 2 10500 (BCF) BCF fish 1 257 - 1270 (BCF) BCF fish 1 257 - 1270 (BCF) BCF fish 2 387 (BCF; 26 days) Log Pow 3.92 (Experimental value) Bioaccumulative potential No bioaccumulation (500 5 BCF ≤ 5000). accumphtherical (56-55-5) BCF fish 1 350 (BCF, 72 h) BCF fish 1 350 (BCF, 72 h) BCF fish 2 70.7 (BCF; 88 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 2 70.7 (BCF; 188 h; Salmo salar) BCF fish 3 80.6 (BCF; 72 h) BCF fish 4 80.6 (BCF; 72 h) BCF fish 5 80.6 (BCF; 72 h) BCF fish 6 80.6 (BCF; 72 h) BCF fish 9 80.6 (BCF; 188 h) BCF other aquatic organisms 1 106 (BCF; 24 h) BCF other aquatic organisms 1 106 (BCF; 24 h) BCF other aquatic organisms 1 106 (BCF; 24 h) BCF other aquatic organisms 1	2-methylnaphthalene (91-57-6)	
Persistence and degradability pyrene (129-00-0) Persistence and degradability pyrene (129-00-0) Persistence and degradability Not readily biodegradable in water. Photolysis in water. Ozonation in water. Forming sediments in water in water. Non degradable in water. Photolysis in water. Ozonation in water. Forming sediments in water. Non degradable in water. Soldegradable in the soil. Photodegradation in the air. Methylene Chloride (75-99-2) Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil. Persistence (120-12-7) BIOGRADA PROPERSISTENCE AND PROPERSISTEN		Inherently biodegradable. Not readily biodegradable in water.
Pyreis (129-00-0) Persistence and degradability Persistence and degradability Rot readily biodegradable in water. Photolysis in water. Ozonation in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradalion in the air. Methylene Chloride (75-09-2) Persistence and degradability Rot readily biodegradable in water. Biodegradable in the soil.	phenanthrene (85-01-8)	
Persistence and degradability Not readily bloodegradable in water. Photohysis in water. Constallon in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradation in the air. Methylene Chloride (75-09-2) Persistence and degradability Not readily bloodegradable in water. Biodegradable in the soil. 12.3. Bioaccumulative potential MA EPH Aromatics Mix Bioaccumulative potential Not established. 80F fish 1 903 - 2820 (BCF) BCF fish 2 9200 (BCF) BCF fish 2 9200 (BCF) BCF other aquatic organisms 1 7770 (BCF) 24 h; Chlorella sp.) BCF other aquatic organisms 2 15500 (BCF) BCF fish 1 257 - 1270 (BCF) BCF fish 1 257 - 1270 (BCF) BCF fish 2 387 (BCF, 28 days) Log Pow 3.92 (Experimental value) Bloaccumulative potential Potential for bioaccumulation (50 ≤ BCF ≤ 5000). 80 accamphthene (83-32-9) Bioaccumulative potential Potential for bioaccumulation (50 ≤ BCF ≤ 5000). 80 accamphthylene (208-96-8) Bioaccumulative potential No bioaccumulation data available. 80 benzo[a]anthracene (65-65-3) BCF fish 1 350 (BCF; 72 h) BCF other aquatic organisms 1 1106 (BCF; 24 h) BCF other aquatic organisms 1 1106 (BCF; 24 h) BCF other aquatic organisms 1 1 480 (BCF; 72 h) BCF fish 1 4 580 (BCF; 188 h) BCF fish 1 4 480 (BCF; 188 h) BCF fish 2 5000 (BCF; 188 h) BCF fish 3 5900 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h) BCF other aquatic organisms 1 5000 (BCF; 188 h)	Persistence and degradability	Biodegradable in water. Forming sediments in water. Adsorbs into the soil.
sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradation in the air. Methylene Chloride (75-09-2)	pyrene (129-00-0)	
Persistence and degradability Not readily biodegradable in water. Biodegradable in the soil.	Persistence and degradability	sediments in water. Non degradable in the soil. Adsorbs into the soil. Photodegradation in the
MA EPH Aromatics Mix	Methylene Chloride (75-09-2)	
Max	Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil.
Bioaccumulative potential Society Socie	12.3. Bioaccumulative potential	
### Standard Companisms 1	MA EPH Aromatics Mix	
### Standard Companisms 1	Bioaccumulative potential	Not established.
BCF fish 1	·	
BCF fish 2 9200 (BCF)		903 - 2820 (BCF)
BCF other aquatic organisms 1 7770 (BCF; 24 h; Chlorella sp.) BCF other aquatic organisms 2 10500 (BCF) Log Pow 4.5 Bloaccumulative potential High potential for bioaccumulation (BCF > 5000). acenaphthene (83-32-9) BCF fish 1 257 - 1270 (BCF) BCF fish 2 387 (BCF; 28 days) Log Pow 3.92 (Experimental value) Bloaccumulative potential Potential for bioaccumulation (500 ≤ BCF ≤ 5000). acenaphthylene (208-96-8) Bloaccumulative potential No bioaccumulation (500 ≤ BCF ≤ 5000). benzo[a]anthracene (55-55-3) BCF fish 1 350 (BCF; 72 h) BCF other aquatic organisms 1 1106 (BCF; 24 h) BCF other aquatic organisms 2 18000 (BCF; 192 h) BCF other aquatic organisms 2 18000 (BCF; 192 h) BCF other aquatic organisms 1 High potential for bioaccumulation (BCF > 5000). benzo[a]pyrene (50-32-8) BCF fish 1 480 (BCF; 72 h) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 15 (BCF; 188 h; Salmo salar) BCF other aquatic organisms 2 1.5 (BCF; 188 h; Salmo salar) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) BCF other aquatic organisms 1 2800 (BCF; 188 h) BCF other aquatic organisms 1 High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 1 2800 (BCF; 188 h) BCF Other aquatic organisms 2 300 (BCF; 188 h) BCF Other aquatic organisms 3 300 (BCF; 188 h) BCF Other aquatic organisms 4 300 (BCF; 188 h) BCF Other aquatic organisms 5 300 (BCF; 188 h) BCF Other aquatic organisms 6 300		
BCF other aquatic organisms 2 10500 (BCF)		, ,
Log Pow		
Bioaccumulative potential High potential for bioaccumulation (BCF > 5000).		
acenaphthene (83-32-9) BCF fish 1		
BCF fish 1	'	Thight personnel for all decommendation (200 coop).
BCF fish 2 387 (BCF; 28 days) 3.92 (Experimental value) Potential for bioaccumulative potential Potential for bioaccumulation (500 ≤ BCF ≤ 5000).		257 1270 (PCE)
Log Pow 3.92 (Experimental value) Bioaccumulative potential Potential for bioaccumulation (500 ≤ BCF ≤ 5000). acenapthylene (208-96-8) Bioaccumulative potential No bioaccumulation data available. benzo[a]anthracene (56-55-3) BCF fish 1 350 (BCF; 72 h) BCF other aquatic organisms 1 1106 (BCF; 24 h) BCF other aquatic organisms 2 18000 (BCF; 192 h) benzo[a]pyrene (50-32-8) BCF fish 1 480 (BCF; 72 h) benzo[a]pyrene (50-32-8) BCF fish 2 70.7 (BCF; 168 h; Salmo salar) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(b)fluoranthene (207-08-9)		
Bioaccumulative potential Potential for bioaccumulation (500 ≤ BCF ≤ 5000).		
Bioaccumulative potential No bioaccumulation data available.		
Bioaccumulative potential No bioaccumulation data available.	'	1 oteritial for bloaccumulation (300 3 DOI 3 3000).
BCF fish 1 350 (BCF; 72 h)	. , ,	No his account data a vallable
BCF fish 1 350 (BCF; 72 h) BCF other aquatic organisms 1 1106 (BCF; 24 h) BCF other aquatic organisms 2 18000 (BCF; 192 h) Log Pow 5.61 - 5.79 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). benzo[a]pyrene (50-32-8) BCF fish 1 480 (BCF; 72 h) BCF fish 2 70.7 (BCF; 168 h; Salmo salar) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable.	,	No bloaccumulation data available.
BCF other aquatic organisms 1 1106 (BCF; 24 h) BCF other aquatic organisms 2 18000 (BCF; 192 h) Log Pow 5.61 - 5.79 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). benzo[a]pyrene (50-32-8) BCF fish 1 480 (BCF; 72 h) BCF fish 2 70.7 (BCF; 168 h; Salmo salar) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		
BCF other aquatic organisms 2 18000 (BCF; 192 h)		
Log Pow S.61 - 5.79		
Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). Denzo[a]pyrene (50-32-8)		
benzo[a]pyrene (50-32-8) BCF fish 1 480 (BCF; 72 h) BCF fish 2 70.7 (BCF; 168 h; Salmo salar) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		
BCF fish 1 480 (BCF; 72 h) BCF fish 2 70.7 (BCF; 168 h; Salmo salar) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) ECF other aquatic organisms 1 BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable.		High potential for bioaccumulation (BCF > 5000).
BCF fish 2 70.7 (BCF; 168 h; Salmo salar) BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable.		
BCF other aquatic organisms 1 3000 (BCF; 192 h) BCF other aquatic organisms 2 1.5 (BCF; 24 h) Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable.		
BCF other aquatic organisms 2 Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumulative potential Bioaccumulative potential		
Log Pow 5.97 - 6.06 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable.		
Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 2800 (BCF; 168 h) Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		
Benzo(b)fluoranthene (205-99-2) BCF other aquatic organisms 1 Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumulative potential Bioaccumulative potential		
BCF other aquatic organisms 1 Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumulative potential Bioaccumulative potential		Hign potential for bloaccumulation (Log Kow > 5).
Log Pow 6.57 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		
Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		
benzo(ghi)perylene (191-24-2) Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		
Log Pow 6.51 - 7.23 (Calculated) Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		High potential for bioaccumulation (Log Kow > 5).
Bioaccumulative potential Bioaccumable. benzo[k]fluoranthene (207-08-9)		
benzo[k]fluoranthene (207-08-9)		
	Bioaccumulative potential	Bioaccumable.
BCF fish 1 8750 (BCF)	benzo[k]fluoranthene (207-08-9)	
	BCF fish 1	8750 (BCF)

18/01/2018 EN (English US) 9/13

naphthalene (91-20-3)

Surface tension

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Service (1947-1949)	h-n[[-]flnth-n (207 00 0)	
BOF other aquative potential High potential for bioaccumulation (BCF > 5000).	benzo[k]fluoranthene (207-08-9)	0.0042
Log Pow S.4		
Properties Pr		
Chrysene (218-01-9) BCP other aquatic organisms 1		
BCF other aquatic organisms 1	·	High potential for dioaccumulation (BCF > 5000).
Section Sec		
High potential for bioaccumulation (Log Kow > 5)	·	, ,
Description		
Tournathene (206-44-0)	Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
### Riverantheme (206-44-0) ### BCF fish 1	dibenz(a,h)anthracene (53-70-3)	
BCF fish 1	Log Pow	5.97 - 6.84
BCF fish 1	fluoranthene (206-44-0)	
BCF fish 2	, ,	3981 (BCF)
BCF other aquatic organisms 1	BCF fish 2	
BCF fish 1	BCF other aquatic organisms 1	` '
Soaccumulative potential High potential for bioaccumulation (BCF > 5000).		
Bioaccumulative potential High potential for bioaccumulation (BCF > 5000).		
### Suppose S	-	High potential for bioaccumulation (BCF > 5000).
BCF fish 1	·	1 31
BCF fish 2		2230 (BCE)
Log Pow		
Bioaccumulative potential Potential for bioaccumulation (500 ≤ BCF ≤ 5000).		` '
Indeno(1,2,3-cd)pyrene (193-39-5) BCF other aquatic organisms 1 10000 (BCF; 240 h) Log Pow 6.6 - 7.7 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). naphthalene (91-20-3) BCF fish 1 23 - 168 (BCF; 8 weeks; Cyprinus carpio) Log Pow 3.3 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	-	11.2 11.5
BCF other aquatic organisms 1 10000 (BCF; 240 h) 6.6 - 7.7	<u>'</u>	Potential for bloaccumulation (300 \$ BCF \$ 3000).
Log Pow	112	40000 (DOE 0401)
Bioaccumulative potential		
Raphthalene (91-20-3) BCF fish 1		
BCF fish 1	Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
Log Pow 3.3 (Experimental value)	naphthalene (91-20-3)	
Bioaccumulative potential	BCF fish 1	
2-methylnaphthalene (91-57-6) BCF fish 1 407 (BCF; 624 h; Lepomis macrochirus) BCF fish 2 190 (BCF; 840 h; Oncorhynchus kisutch) Log Pow 3.86 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	3	
BCF fish 1	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF fish 2	2-methylnaphthalene (91-57-6)	
Log Pow 3.86 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	BCF fish 1	407 (BCF; 624 h; Lepomis macrochirus)
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	BCF fish 2	190 (BCF; 840 h; Oncorhynchus kisutch)
phenanthrene (85-01-8) BCF fish 1 5100 (BCF; 672 h; Pimephales promelas) BCF fish 2 2630 (BCF) BCF other aquatic organisms 1 1760 (BCF) BCF other aquatic organisms 2 325 (BCF; 24 h) Log Pow 4.46 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF sish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Log Pow	3.86 (Experimental value)
BCF fish 1 5100 (BCF; 672 h; Pimephales promelas) BCF fish 2 2630 (BCF) BCF other aquatic organisms 1 1760 (BCF) BCF other aquatic organisms 2 325 (BCF; 24 h) Log Pow 4.46 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF fish 1 5100 (BCF; 672 h; Pimephales promelas) BCF fish 2 2630 (BCF) BCF other aquatic organisms 1 1760 (BCF) BCF other aquatic organisms 2 325 (BCF; 24 h) Log Pow 4.46 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	phenanthrene (85-01-8)	
BCF other aquatic organisms 1 1760 (BCF) BCF other aquatic organisms 2 325 (BCF; 24 h) Log Pow 4.46 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	BCF fish 1	5100 (BCF; 672 h; Pimephales promelas)
BCF other aquatic organisms 1 1760 (BCF) BCF other aquatic organisms 2 325 (BCF; 24 h) Log Pow 4.46 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	BCF fish 2	
BCF other aquatic organisms 2 325 (BCF; 24 h) Log Pow 4.46 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	BCF other aquatic organisms 1	` '
Log Pow 4.46 Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		, ,
Bioaccumulative potential High potential for bioaccumulation (BCF > 5000). pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Log Pow	4.46
pyrene (129-00-0) BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		High potential for bioaccumulation (BCF > 5000).
BCF fish 1 600 - 970 (BCF) BCF fish 2 4810 (BCF) BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	'	
BCF fish 2 BCF other aquatic organisms 1 2692 (BCF) Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	, ,	600 - 970 (BCF)
BCF other aquatic organisms 1 Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		
Log Pow 4.88 - 5.32 Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		
Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		
Methylene Chloride (75-09-2) BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		
BCF fish 1 2 - 40 (BCF) Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	·	
Log Pow 1.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		2 40 /PCE
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		· · ·
12.4. Mobility in soil	bioaccumulative potential	Low potential for bloaccumulation (BCF < 500).

18/01/2018 EN (English US) 10/13

0.03 N/m (100 °C)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

phenanthrene (85-01-8)		
Ecology - soil	Soil contaminant.	
Methylene Chloride (75-09-2)		
Surface tension	0.028 N/m (20 °C)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.	

12.5. Results of PBT and vPvB assessment

Component	
anthracene (120-12-7)	This substance/mixture meets the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII
benzo[a]pyrene (50-32-8)	This substance/mixture meets the PBT criteria of REACH, annex XIII This substance/mixture meets the vPvB criteria of REACH, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1.	UN	number

 UN-No. (ADR)
 : 3082

 UN-No. (IATA)
 : 3082

 UN-No. (IMDG)
 : 3082

 UN-No. (ADN)
 : 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (E)

14.3. Packing group

 Class (ADR)
 : 9

 Classification code (ADR)
 : M6

 Class (IATA)
 : 9

 Class (IMDG)
 : 9

 Class (ADN)
 : 9

 Classification code (ADN)
 : M6

 Hazard labels (ADR)
 : 9



Hazard labels (IATA) : 9



Hazard labels (IMDG) : 9



18/01/2018 EN (English US) 11/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard labels (ADN)



14.4. Packing group

Packing group (ADR) : III
Packing group (IATA) : III
Packing group (IMDG) : III
Packing group (ADN) : III

14.5. Environmental hazards

Dangerous for the environment



Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 90
Classification code (ADR) : M6

Orange plates :



Special provision (ADR) : 274, 335, 601, 375

Transport category (ADR) : 3
Tunnel restriction code (ADR) : E
Limited quantities (ADR) : 51
Excepted quantities (ADR) : E1

14.6.2. Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01
Packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

14.6.3. Air transport

CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
PCA packing instructions (IATA) : 964
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA max net quantity (IATA) : 450L
PCA Excepted quantities (IATA) : E1

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

14.6.4. Inland waterway transport

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

18/01/2018 EN (English US) 12/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Carriage permitted (ADN) : T
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0
Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains substance on the candidate list in concentration ≥ 0.1% or with a lower specific limit: Anthracene (EC 204-371-1, CAS 120-12-7), Benzo[def]chrysene (EC 200-028-5, CAS 50-32-8)

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

Water hazard class (WGK) : 3 - strongly hazardous to water

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.

18/01/2018 EN (English US) 13/13