

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/01/2019 Revision date: 11/01/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Rev 8270 Appendix IX Mix
Product code	: AL0-130897
1.2. Recommended use and restriction	ns on use
No additional information available	
1.3. Supplier	
Phenova 6390 Joyce Dr. Suite 100 Golden, CO 80403 - United States T 1-866-942-2978 - F 1-866-283-0269 info@phenova.com - www.phenova.com	
1.4. Emergency telephone number	
Emergency number	: ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585
SECTION 2: Hazard(s) identificatio	n
2.1. Classification of the substance or	<sup>,</sup> mixture
GHS US classification	
Flammable liquids H227 Category 4	Combustible liquid
Skin sensitization, Category H317	May cause an allergic skin reaction
Carcinogenicity Category H350 1B	May cause cancer
Full text of H statements : see section 16	
2.2. GHS Label elements, including pr	rocautionary statements
GHS US labeling	ecautionally statements
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	:H227 - Combustible liquid H317 - May cause an allergic skin reaction H350 - May cause cancer
Precautionary statements (GHS US) 2.3. Other hazards which do not result	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P308+P313 - If exposed or concerned: Get medical advice/attention.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P370+P378 - In case of fire: Use media other than water to extinguish.</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>

#### No additional information available

2.4. Unknown acute toxicity (GHS US

#### Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substance

#### Not applicable

3.2. Mixtures

Name	Product identifier	Conc.
Methylene Chloride (Component)	(CAS-No.) 75-09-2	99.1
atrazine (Component)	(CAS-No.) 1912-24-9	0.1
hydroquinone (Component)	(CAS-No.) 123-31-9	0.1

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	s (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and spe	cial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishi	ng media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the che	emical
No additional information available	
5.3. Special protective equipment and pre	ecautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	nt and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

# Rev 8270 Appendix IX Mix Safety Data Sheet

ccording to Federal Register / V	Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Reg	ulations
6.4. Reference to ot	her sections	
See Heading 8. Exposure	controls and personal protection.	
SECTION 7: Handlin	ig and storage	
7.1. Precautions for	safe handling	
Precautions for safe handli		posed areas with mild soap and water before eating, drinking or g work. Provide good ventilation in process area to prevent formation
7.2. Conditions for s	safe storage, including any incompatibilities	
torage conditions : Keep only in the original container closed when not in use.		container in a cool, well ventilated place away from : Keep container
Incompatible products	: Strong bases. Strong acid	
Incompatible materials	: Sources of ignition. Direc	t sunlight.
SECTION 8: Exposu	re controls/personal protection	
8.1. Control parame	· · · · · · · · · · · · · · · · · · ·	
Rev 8270 Appendix IX M	Ліх	
ACGIH	Local name	Dichloromethane
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	(2) See Table Z-2.
OSHA	Regulatory reference (US-OSHA)	OSHA
atrazine (1912-24-9)		
ACGIH	Local name	Atrazine
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (Inhalable fraction)
ACGIH	Remark (ACGIH)	CNS convul; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure) ACGIH 2018
		AGGITZUTO
hydroquinone (123-31-9 ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
		1 mg/m <sup>3</sup>
Methylene Chloride (75		Diskleromethane
ACGIH		Dichloromethane
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	Remark (ACGIH)	COHb-emia; CNS impair
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	(2) See Table Z-2.
OSHA	Regulatory reference (US-OSHA)	OSHA

8.2. Appropriate engineering controls

No additional information available

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### **Respiratory protection:**

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

SECTI	ON 9: Physical and chemical properties
9.1.	Information on basic physical and chemical properties

Physical state	: Liquid
	: Colorless
	: characteristic
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations	
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.		
SECTION 11: Toxicological informat	ion	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
hydroquinone (123-31-9)		
LD50 oral rat	> 375 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	500 mg/kg body weight	
Methylene Chloride (75-09-2)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
hydroquinone (123-31-9)		
IARC group	3 - Not classifiable	
Methylene Chloride (75-09-2)		
IARC group	2A - Probably carcinogenic to humans	
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

Potential Adverse human health effects and symptoms Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

: Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

<sup>12.1.</sup> Toxicity

hydroquinone (123-31-9)	
LC50 fish 1	0.638 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	0.061 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	0.33 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Methylene Chloride (75-09-2)	
LC50 fish 1	193 mg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	168.2 mg/l (48 h, Daphnia magna)

# Rev 8270 Appendix IX Mix Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability		
Rev 8270 Appendix IX Mix		
Persistence and degradability	Not established.	
atrazine (1912-24-9)		
Persistence and degradability	Biodegradability in soil: no data available. Not readily biodegradable in water.	
hydroquinone (123-31-9)		
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.48 - 1.1 g O₂/g substance	
Chemical oxygen demand (COD)	1.83 g O₂/g substance	
ThOD	1.89 g O₂/g substance	
Methylene Chloride (75-09-2)		
Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.	
12.3. Bioaccumulative potential		
Rev 8270 Appendix IX Mix		
Bioaccumulative potential	Not established.	
atrazine (1912-24-9)		
BCF fish 1	3 - 4 (Cyprinus carpio)	
BCF fish 2	3 - 10 (Pisces)	
BCF other aquatic organisms 1	52 (24 h, Chlorella sp.)	
BCF other aquatic organisms 2	10 - 83 (Algae)	
Log Pow	2.64	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
hydroquinone (123-31-9)		
BCF fish 1	40 (72 h, Leuciscus idus, Fresh water, Experimental value)	
Log Pow	0.59 (Experimental value, 20 - 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Methylene Chloride (75-09-2)		
BCF fish 1	2 - 40 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Semi-static system, Fresh water, Experimental value, GLP)	
Log Pow	1.25 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
12.4. Mobility in soil		
atrazine (1912-24-9)		
Ecology - soil	Toxic to flora. Not toxic to bees.	

Ecology - soil	Toxic to flora. Not toxic to bees.
hydroquinone (123-31-9)	
Log Koc	1.585 (log Koc, SRC PCKOCWIN v2.0, Experimental value)
Ecology - soil	Highly mobile in soil.
Methylene Chloride (75-09-2)	
Methylene Chloride (75-09-2) Surface tension	0.028 N/m (20 °C)

12.5. Other adverse effects

Rev 8270 Appendix IX Mix		
atrazine (1912-24-9)		
hydroquinone (123-31-9)		

Rev 8270 Appendix IX I Safety Data Sheet	
ccording to Federal Register / Vol. 77, No. 58 / Monday	, March 26, 2012 / Rules and Regulations
Methylene Chloride (75-09-2)	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ns
13.1. Disposal methods	
Product/Packaging disposal recommendations Ecology - waste materials	<ul><li>Dispose in a safe manner in accordance with local/national regulations.</li><li>Avoid release to the environment.</li></ul>
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN2810 Toxic, liquids, organic, n.o.s. (dichloromethane ; atrazine ; hydroquinone), 6.1, III
UN-No.(DOT)	: UN2810
Proper Shipping Name (DOT)	: Toxic, liquids, organic, n.o.s. dichloromethane ; atrazine ; hydroquinone
Class (DOT)	: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 6.1 - Poison
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids

and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2) with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP. : 153

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)

**DOT Vessel Stowage Location** 

DOT Vessel Stowage Other Emergency Response Guide (ERG) Number Other information

DOT Packaging Exceptions (49 CFR 173.xxx)

#### **Transportation of Dangerous Goods**

Not applicable

Transport by sea

Transport document description	n (IMDG) :	U
--------------------------------	------------	---

#### IN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (dichloromethane ; atrazine ; hydroquinone), 6.1, Ш

11/01/2019

passenger vessel.

: 153

: 40 - Stow "clear of living quarters"

: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IMDG)	: 2810
Proper Shipping Name (IMDG)	: TOXIC LIQUID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
Transport document description (IATA)	: UN 2810 Toxic liquid, organic, n.o.s. (dichloromethane ; atrazine ; hydroquinone), 6.1, III
UN-No. (IATA)	: 2810

Proper Shipping Name (IATA)	: Toxic liquid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

#### SECTION 15: Regulatory information

15.1. US Federal regulations

atrazine (1912-24-9)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313				
hydroquinone (123-31-9)				
Listed on the United States TSCA (Toxic Substar Subject to reporting requirements of United State				
Listed on EPA Hazardous Air Pollutant (HAPS)				
CERCLA RQ	100 lb			
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5 100 lb			
SARA Section 302 Threshold Planning Quantity (TPQ)	10000 lb 500lb if the substance is solid in powder form with particle size less than 100 microns, or is in solution or molten form			
Methylene Chloride (75-09-2)				
Listed on the United States TSCA (Toxic Substar Subject to reporting requirements of United State				
Listed on EPA Hazardous Air Pollutant (HAPS)				
EPA TSCA Regulatory Flag	R - R - indicates a substance that is the subject of a TSCA section 6 risk management rule.			
CERCLA RQ 1000 lb				

15.2. International regulations

#### CANADA

atrazine (1912-24-9)	
Listed on the Canadian DSL (Domestic Substances List)	
hydroquinone (123-31-9)	
Listed on the Canadian DSL (Domestic Substances List)	
Methylene Chloride (75-09-2)	
Listed on the Canadian DSL (Domestic Substances List)	

#### **EU-Regulations**

No additional information available

#### National regulations

hydroquinone (123-31-9)
Listed on EPA Hazardous Air Pollutant (HAPS)

Methylene Chloride (75-09-2)	
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on EPA Hazardous Air Pollutant (HAPS)	

15.3. US State regulations

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

atrazine (1912-24-9)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	Yes	Yes		100 µg/day (oral)
Methylene Chlo	ride (75-09-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	50 μg/day	

<b>SECTION 16: Other infor</b>	mation	
Revision date	: 11/01/2019	
Other information	: None.	
Full text of H-phrases:		

H227	Combustible liquid	
H317	May cause an allergic skin reaction	
H350	May cause cancer	

#### Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.