

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 01/26/2021

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Monitor Well SV Calibration
 Product code : AL0-130826

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Phenova
 6390 Joyce Dr. Suite 100
 Golden, CO 80403 - United States
 T 1-866-942-2978 - F 1-866-283-0269
info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924
 ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2	H225	Highly flammable liquid and vapor
Acute toxicity (oral) Category 3	H301	Toxic if swallowed
Acute toxicity (dermal) Category 3	H311	Toxic in contact with skin
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity Category 1A	H350	May cause cancer
Specific target organ toxicity (single exposure) Category 1	H370	Causes damage to organs

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
 H301+H311 - Toxic if swallowed or in contact with skin
 H317 - May cause an allergic skin reaction
 H350 - May cause cancer
 H370 - Causes damage to organs

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 - Keep container tightly closed.
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P272 - Contaminated work clothing must not be allowed out of the workplace.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P301+P310 - If swallowed: Immediately call a poison center or doctor.
P302+P352 - If on skin: Wash with plenty of water.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P307+P311 - If exposed: Call a poison center/doctor.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P312 - Call a poison center or doctor if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P322 - Specific treatment (see supplemental first aid instruction on this label)
P330 - Rinse mouth.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.
methanol (Component)	(CAS-No.) 67-56-1	99.6
4-aminobiphenyl (Component)	(CAS-No.) 92-67-1	0.2
4-chloroaniline (Component)	(CAS-No.) 106-47-8	0.2
1,4-dichlorobenzene (Component)	(CAS-No.) 106-46-7	0.2
2,4-dinitrotoluene (Component)	(CAS-No.) 121-14-2	0.2
2,6-dinitrotoluene (Component)	(CAS-No.) 606-20-2	0.2
nitrobenzene (Component)	(CAS-No.) 98-95-3	0.2
5-nitro-o-toluidine (Component)	(CAS-No.) 99-55-8	0.2
o-toluidine (Component)	(CAS-No.) 95-53-4	0.2

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures : Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.

Incompatible materials : Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Monitor Well SV Calibration		
ACGIH	Local name	Methanol
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	250 ppm
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m ³)	260 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-aminobiphenyl (92-67-1)		
Not applicable		
4-chloroaniline (106-47-8)		
Not applicable		
1,4-dichlorobenzene (106-46-7)		
ACGIH	Local name	p-Dichlorobenzene
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	Remark (ACGIH)	Eye irr; kidney dam
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m ³)	450 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	75 ppm
OSHA	OSHA PEL (STEL) (mg/m ³)	675 mg/m ³
OSHA	OSHA PEL (STEL) (ppm)	110 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
2,4-dinitrotoluene (121-14-2)		
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³
2,6-dinitrotoluene (606-20-2)		
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³
nitrobenzene (98-95-3)		
ACGIH	Local name	Nitrobenzene
ACGIH	ACGIH TWA (ppm)	1 ppm (Nitrobenzene; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	MeHb-emia
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
5-nitro-o-toluidine (99-55-8)		
ACGIH	Local name	5-Nitro-o-toluidine
ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (Inhalable fraction)
ACGIH	Remark (ACGIH)	Liver dam
ACGIH	Regulatory reference	ACGIH 2018
o-toluidine (95-53-4)		
ACGIH	ACGIH TWA (ppm)	2 ppm (o-Toluidine; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
OSHA	OSHA PEL (TWA) (mg/m ³)	22 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	5 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
methanol (67-56-1)		
ACGIH	Local name	Methanol
ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m ³)	260 mg/m ³

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

methanol (67-56-1)		
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA

8.2. Appropriate engineering controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.

Hand protection:

Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
	: Colorless
	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Monitor Well SV Calibration	
ATE US (oral)	100.402 mg/kg body weight
ATE US (dermal)	301.205 mg/kg body weight
4-aminobiphenyl (92-67-1)	
LD50 oral rat	500 mg/kg (Rat, Oral)
ATE US (oral)	500 mg/kg body weight
4-chloroaniline (106-47-8)	
LD50 oral rat	300 – 340 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	360 mg/kg body weight (24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	2.34 mg/l (4 h, Rat, Male, Experimental value, Inhalation (vapours))
ATE US (oral)	300 mg/kg body weight
ATE US (dermal)	360 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	2.34 mg/l/4h
ATE US (dust, mist)	2.34 mg/l/4h
1,4-dichlorobenzene (106-46-7)	
LD50 dermal rat	> 6000 mg/kg (Rat, Dermal)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
LC50 inhalation rat (mg/l)	> 5 mg/l (4 h, Rat, Inhalation)
ATE US (oral)	500 mg/kg body weight
2,4-dinitrotoluene (121-14-2)	
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
2,6-dinitrotoluene (606-20-2)	
LD50 oral rat	177 mg/kg (Rat, Oral)
ATE US (oral)	177 mg/kg body weight

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,6-dinitrotoluene (606-20-2)	
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

nitrobenzene (98-95-3)	
LD50 oral rat	640 mg/kg (Rat; Experimental value; 588 mg/kg bodyweight; Rat)
LD50 dermal rabbit	760 mg/kg body weight (Rabbit; Experimental value)
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	760 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

5-nitro-o-toluidine (99-55-8)	
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

o-toluidine (95-53-4)	
LD50 oral rat	670 mg/kg (Rat)
LD50 dermal rabbit	3250 mg/kg (Rabbit)
ATE US (oral)	670 mg/kg body weight
ATE US (dermal)	3250 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Based on available data, the classification criteria are not met
Carcinogenicity : May cause cancer.

4-aminobiphenyl (92-67-1)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Known Human Carcinogens

4-chloroaniline (106-47-8)	
IARC group	2B - Possibly carcinogenic to humans

1,4-dichlorobenzene (106-46-7)	
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

2,4-dinitrotoluene (121-14-2)	
IARC group	2B - Possibly carcinogenic to humans

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,6-dinitrotoluene (606-20-2)	
IARC group	2B - Possibly carcinogenic to humans
nitrobenzene (98-95-3)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
5-nitro-o-toluidine (99-55-8)	
IARC group	3 - Not classifiable
o-toluidine (95-53-4)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen, Known Human Carcinogens

Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
STOT-single exposure	: Causes damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

4-chloroaniline (106-47-8)	
LC50 fish 1	2.4 mg/l (Other, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value)
1,4-dichlorobenzene (106-46-7)	
LC50 fish 1	1.12 mg/l (96 h, Salmo gairdneri, Flow-through system)
EC50 Daphnia 1	0.7 mg/l (48 h, Daphnia magna, Measured concentration)
2,6-dinitrotoluene (606-20-2)	
LC50 fish 1	18.5 – 50 mg/l (96 h, Pimephales promelas)
EC50 Daphnia 1	21.7 mg/l (48 h, Daphnia magna, Static system)
nitrobenzene (98-95-3)	
LC50 fish 1	4.3 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 48 h; Oryzias latipes)
EC50 Daphnia 1	35 mg/l (Other, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
o-toluidine (95-53-4)	
LC50 fish 1	68 – 100 mg/l (LC50; 96 h; Leuciscus idus)
EC50 Daphnia 1	0.52 mg/l (EC50; 48 h)
methanol (67-56-1)	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)

12.2. Persistence and degradability

Monitor Well SV Calibration	
Persistence and degradability	Not established.
4-aminobiphenyl (92-67-1)	
Persistence and degradability	Biodegradability in water: no data available.

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-chloroaniline (106-47-8)	
Persistence and degradability	Non degradable in the soil. Inherently biodegradable. Not readily biodegradable in water.
1,4-dichlorobenzene (106-46-7)	
Persistence and degradability	Non degradable in the soil. Readily biodegradable in water.
ThOD	1.52 g O ₂ /g substance
BOD (% of ThOD)	0.65 (Calculated value)
2,4-dinitrotoluene (121-14-2)	
Persistence and degradability	Not readily biodegradable in water.
Chemical oxygen demand (COD)	1.6 g O ₂ /g substance
2,6-dinitrotoluene (606-20-2)	
Persistence and degradability	Not readily biodegradable in water.
nitrobenzene (98-95-3)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
ThOD	1.95 g O ₂ /g substance
BOD (% of ThOD)	0
o-toluidine (95-53-4)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Photolysis in the air.
Biochemical oxygen demand (BOD)	1.43 g O ₂ /g substance
ThOD	2.54 g O ₂ /g substance
BOD (% of ThOD)	0.56
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 – 1.12 g O ₂ /g substance
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance
ThOD	1.5 g O ₂ /g substance
BOD (% of ThOD)	0.8 (Literature study)

12.3. Bioaccumulative potential

Monitor Well SV Calibration	
Bioaccumulative potential	Not established.
4-aminobiphenyl (92-67-1)	
Partition coefficient n-octanol/water (Log Pow)	3.09 (Calculated)
Bioaccumulative potential	No bioaccumulation data available.
4-chloroaniline (106-47-8)	
BCF fish 1	0.8 – 1.7 (336 h, Cyprinus carpio, Literature study)
BCF other aquatic organisms 1	260 (24 h, Chlorella fusca, Static system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	1.87 (Experimental value, Equivalent or similar to OECD 117)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
1,4-dichlorobenzene (106-46-7)	
BCF fish 1	214 – 720 (Salmo gairdneri, Chronic)
Partition coefficient n-octanol/water (Log Pow)	3.39 – 3.62 (Experimental value)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
2,4-dinitrotoluene (121-14-2)	
BCF fish 1	102.8 (336 h, Lepomis macrochirus)
BCF fish 2	16 – 204 (Poecilia reticulata)
BCF other aquatic organisms 1	13 (96 h, Daphnia magna)
BCF other aquatic organisms 2	58 (96 h, Annelida)
Partition coefficient n-octanol/water (Log Pow)	1.98 – 2.8

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,4-dinitrotoluene (121-14-2)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
2,6-dinitrotoluene (606-20-2)	
BCF fish 1	22 (Poecilia reticulata)
BCF other aquatic organisms 1	5225 (Algae, Biomass)
Partition coefficient n-octanol/water (Log Pow)	1.72 – 2.05
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
nitrobenzene (98-95-3)	
BCF fish 1	15 (BCF; 672 h)
BCF fish 2	1.6 – 7.7 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 42 days; Cyprinus carpio; Flow-through system; Fresh water; Experimental value)
BCF other aquatic organisms 1	24 (BCF)
Partition coefficient n-octanol/water (Log Pow)	1.85 (Calculated; 1.86; Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
5-nitro-o-toluidine (99-55-8)	
BCF fish 1	3.16 (672 h, Poecilia latipinna, QSAR)
Partition coefficient n-octanol/water (Log Pow)	1.96 (Estimated value)
Bioaccumulative potential	Bioaccumable.
o-toluidine (95-53-4)	
BCF fish 1	2.2 (BCF; 48 h)
BCF other aquatic organisms 1	5.9 (BCF)
Partition coefficient n-octanol/water (Log Pow)	1.29 – 1.4
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
methanol (67-56-1)	
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)
Partition coefficient n-octanol/water (Log Pow)	-0.77 (Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

4-chloroaniline (106-47-8)	
Ecology - soil	No (test)data on mobility of the substance available. Soil contaminant.
1,4-dichlorobenzene (106-46-7)	
Surface tension	0.03 N/m (55 °C)
Ecology - soil	Adsorbs into the soil.
2,4-dinitrotoluene (121-14-2)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
nitrobenzene (98-95-3)	
Surface tension	0.0439 N/m
Partition coefficient n-octanol/water (Log Koc)	Koc,Other; 118; Calculated value; log Koc; Other; 2.07; Calculated value
Ecology - soil	Low potential for adsorption in soil.
5-nitro-o-toluidine (99-55-8)	
Ecology - soil	Adsorbs into the soil.
o-toluidine (95-53-4)	
Surface tension	0.043 N/m
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Partition coefficient n-octanol/water (Log Koc)	Koc,PCKOCWIN v1.66; 1; Calculated value

12.5. Other adverse effects

Monitor Well SV Calibration	

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-aminobiphenyl (92-67-1)	
4-chloroaniline (106-47-8)	
1,4-dichlorobenzene (106-46-7)	
2,4-dinitrotoluene (121-14-2)	
2,6-dinitrotoluene (606-20-2)	
nitrobenzene (98-95-3)	
5-nitro-o-toluidine (99-55-8)	
o-toluidine (95-53-4)	
methanol (67-56-1)	

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1992 Flammable liquids, toxic, n.o.s. (methanol ; 4-aminobiphenyl ; 4-chloroaniline ; o-toluidine), 3 (6.1), II

UN-No.(DOT) : UN1992

Proper Shipping Name (DOT) : Flammable liquids, toxic, n.o.s.
methanol ; 4-aminobiphenyl ; 4-chloroaniline ; o-toluidine

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger

Subsidiary risk (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

Hazard labels (DOT) : 3 - Flammable liquid
6.1 - Poison



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

DOT Packaging Bulk (49 CFR 173.xxx) : 243

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP13 - Self-contained breathing apparatus must be provided when this hazardous material is transported by sea.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	: 131
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol ; 4-aminobiphenyl ; 4-chloroaniline ; o-toluidine), 3 (6.1), II
UN-No. (IMDG)	: 1992
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Subsidiary risks (IMDG)	: 6.1 - Toxic substances
Limited quantities (IMDG)	: 1 L

Air transport

Transport document description (IATA)	: UN 1992 Flammable liquid, toxic, n.o.s. (methanol ; 4-aminobiphenyl ; 4-chloroaniline ; o-toluidine), 3 (6.1), II
UN-No. (IATA)	: 1992
Proper Shipping Name (IATA)	: Flammable liquid, toxic, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger
Subsidiary hazards (IATA)	: 6.1 - Toxic substances

SECTION 15: Regulatory information

15.1. US Federal regulations

4-aminobiphenyl (92-67-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	1 lb

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-chloroaniline (106-47-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	1000 lb
1,4-dichlorobenzene (106-46-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	100 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
2,4-dinitrotoluene (121-14-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	10 lb
2,6-dinitrotoluene (606-20-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
nitrobenzene (98-95-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	10000 lb
5-nitro-o-toluidine (99-55-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
o-toluidine (95-53-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	100 lb
methanol (67-56-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

4-aminobiphenyl (92-67-1)	
Listed on the Canadian NDSL (Non-Domestic Substances List)	
4-chloroaniline (106-47-8)	
Listed on the Canadian DSL (Domestic Substances List)	
1,4-dichlorobenzene (106-46-7)	
Listed on the Canadian DSL (Domestic Substances List)	
2,4-dinitrotoluene (121-14-2)	
Listed on the Canadian DSL (Domestic Substances List)	

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,6-dinitrotoluene (606-20-2)

Listed on the Canadian DSL (Domestic Substances List)

nitrobenzene (98-95-3)

Listed on the Canadian DSL (Domestic Substances List)

5-nitro-o-toluidine (99-55-8)

Listed on the Canadian NDSL (Non-Domestic Substances List)

o-toluidine (95-53-4)

Listed on the Canadian DSL (Domestic Substances List)

methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

4-aminobiphenyl (92-67-1)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)
Listed on EPA Hazardous Air Pollutant (HAPS)

4-chloroaniline (106-47-8)

Listed on IARC (International Agency for Research on Cancer)

1,4-dichlorobenzene (106-46-7)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)
Listed on EPA Hazardous Air Pollutant (HAPS)

2,4-dinitrotoluene (121-14-2)

Listed on IARC (International Agency for Research on Cancer)
Listed on EPA Hazardous Air Pollutant (HAPS)

2,6-dinitrotoluene (606-20-2)

Listed on IARC (International Agency for Research on Cancer)

nitrobenzene (98-95-3)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)
Listed on EPA Hazardous Air Pollutant (HAPS)

o-toluidine (95-53-4)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)
Listed on EPA Hazardous Air Pollutant (HAPS)

methanol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

15.3. US State regulations

4-aminobiphenyl (92-67-1)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	0.03 µg/day	

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-chloroaniline (106-47-8)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	1.5 µg/day	
1,4-dichlorobenzene (106-46-7)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	20 µg/day	
2,4-dinitrotoluene (121-14-2)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	Yes	2 µg/day	
2,6-dinitrotoluene (606-20-2)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	Yes		
nitrobenzene (98-95-3)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	Yes		
o-toluidine (95-53-4)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No	4 µg/day	
methanol (67-56-1)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		47000 µg/day (inhalation); 23,000 µg/day (oral)

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Monitor Well SV Calibration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H350	May cause cancer
H370	Causes damage to organs

Phenova US SDS REV

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.