

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Substance
Substance name	: HPLC Silica
CAS-No.	: 112926-00-8
Formula	: (SiO ₂) _x (H ₂ O) _y
Synonyms	:
BIG No	: 24353

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Laboratory use.
Use of the substance/mixture	: Laboratory use

1.3. Details of the supplier of the safety data sheet

Phenomenex, Inc.
411 Madrid Ave.
90501 Torrance, CA - United States
T 310-212-0555 - F 310-328-7768
info@phenomenex.com - www.phenomenex.com

1.4. Emergency telephone number

Emergency number	: INFOTRAC assistance (United States): +1-800-535-5053 INFOTRAC assistance (Outside United States): +1-352-323-3500
------------------	--

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GHS-US classification**

Not classified

2.2. Label elements

According to EC directives or the corresponding national regulations there is no labelling obligation for this product.

GHS-US labelling

No labelling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients**3.1. Substances**

Name	: HPLC Silica
CAS-No.	: 112926-00-8

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures**4.1. Description of first aid measures**

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash with water and soap. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse with water. Take victim to an ophthalmologist if irritation persists. Do not apply neutralizing agents.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Consult a doctor/medical service if you feel unwell. Call Poison Information Centre (www.big.be/antigif.html).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Coughing. Irritation of the respiratory tract.

Lux 20 µm Cellulose-4 (Media 5612)

Safety Data Sheet

Symptoms/effects after skin contact	: ON CONTINUOUS EXPOSURE/CONTACT: Dry skin.
Symptoms/effects after eye contact	: Slight irritation.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Possible inflammation of the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD: Non combustible. INDIRECT FIRE HAZARD: Reactions involving a fire hazard: see "Reactivity Hazard".
Explosion hazard	: INDIRECT EXPLOSION HAZARD: Reactions with explosion hazards: see "Reactivity Hazard".
Reactivity	: At very high temperature: release of carcinogenic products. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. See "Material-Handling" to select protective clothing.
Emergency procedures	: Mark the danger area. Prevent dust cloud formation, e.g. by wetting. Wash contaminated clothes.
Measures in case of dust release	: In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Contain released product, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray.
Methods for cleaning up	: Stop dust cloud by humidifying. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Comply with the legal requirements. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Avoid raising dust. Observe normal hygiene standards. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.
Hygiene measures	: Gently wash with plenty of soap and water. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source. Store in a well-ventilated place. Keep cool.
- Incompatible materials : Direct sunlight.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents. (strong) acids. (strong) bases.
- Storage area : Store in a dry area. Keep container in a well-ventilated place. Meet the legal requirements.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. watertight. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
- Packaging materials : SUITABLE MATERIAL: paper. synthetic material. polyethylene. glass.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

HPLC Silica (112926-00-8)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	80 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf
USA OSHA	Remark (OSHA)	(3) See Table Z-3.
Silica (112926-00-8)		
USA OSHA	Remark (OSHA)	(3) See Table Z-3.

8.2. Exposure controls

- Appropriate engineering controls : Either local exhaust or general room ventilation is usually required. Ensure good ventilation of the work station.
- Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.



- Materials for protective clothing : GIVE GOOD RESISTANCE: rubber.
- Hand protection : Gloves.
- Eye protection : Safety glasses. In case of dust production: protective goggles.
- Skin and body protection : Protective clothing.
- Respiratory protection : Dust production: dust mask with filter type P2.
- Environmental exposure controls : Avoid release to the environment.
- Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Solid
- Appearance : Amorphous solid. Amorphous powder.
- Molecular mass : 78.11 g/mol
- Colour : White.
- Odour : Odourless.
- Odour threshold : No data available
- pH : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Melting point : 1700 °C
- Freezing point : Not applicable
- Boiling point : 2230 °C
- Flash point : Not applicable
- Auto-ignition temperature : Not applicable
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available
- Vapour pressure : No data available
- Relative vapour density at 20 °C : No data available

Lux 20 µm Cellulose-4 (Media 5612)
 Safety Data Sheet

Relative density	: 2.1
Solubility	: Poorly soluble in water. Substance sinks in water. Soluble in hydrogenfluoride. Water: 0.15 g/100ml
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

Minimum ignition energy	: Not applicable
VOC content	: Not applicable
Other properties	: Hygroscopic. May generate electrostatic charges.

SECTION 10: Stability and reactivity

10.1. Reactivity

At very high temperature: release of carcinogenic products. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

HPLC Silica (f)112926-00-8	
LD50 oral rat	> 5000 mg/kg (Rat)
Silica (112926-00-8)	
LD50 oral rat	> 5000 mg/kg (Rat)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classifiedBased on available data, the classification criteria are not met
Carcinogenicity	: Not classified

HPLC Silica (112926-00-8)	
IARC group	3
Silica (112926-00-8)	
IARC group	3

Reproductive toxicity	: Not classifiedBased on available data, the classification criteria are not met
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classifiedBased on available data, the classification criteria are not met
Aspiration hazard	: Not classifiedBased on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Coughing. Irritation of the respiratory tract.
Symptoms/effects after skin contact	: ON CONTINUOUS EXPOSURE/CONTACT: Dry skin.
Symptoms/effects after eye contact	: Slight irritation.

Lux 20 µm Cellulose-4 (Media 5612)
Safety Data Sheet

Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Possible inflammation of the respiratory tract.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.1.

Ecology - water : No water pollutant (surface water). Not harmful to fishes. Not harmful to invertebrates (Daphnia). Insufficient data available on ecotoxicity.

HPLC Silica (112926-00-8)	
LC50 fish 1	≥ 10000 mg/l (EC0; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)
Silica (112926-00-8)	
LC50 fish 1	≥ 10000 mg/l (EC0; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)

12.2. Persistence and degradability

HPLC Silica (112926-00-8)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
Silica (112926-00-8)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

HPLC Silica (112926-00-8)	
Bioaccumulative potential	No bioaccumulation data available.
Silica (112926-00-8)	
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dehydrate/make insoluble. Remove to an authorized dump. Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

Additional information : Can be considered as non hazardous waste according to Directive 2008/98/EC.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Lux 20 µm Cellulose-4 (Media 5612)
 Safety Data Sheet

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Silica (112926-00-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Silica (112926-00-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

No additional information available

15.3. US State regulations

HPLC Silica(112926-00-8)

U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No

Silica (112926-00-8)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

Silica (112926-00-8)

State or local regulations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations
 U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Hazard Rating

PHX US GHS

Copyright 2012 Phenomenex, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the the properties of the product. Phenomenex, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenomenex.com for additional terms and conditions of sale.